




FPwatch Study Reference Document Nigeria Outlet Survey 2015-16









Released 2016 November

Suggested citation

FPwatch Group. (2016). FPwatch Study Reference Document: Nigeria, 2015. Washington DC: PSI.

Contact

Dr. Bryan Shaw **FPwatch Principal Investigator** PSI | 1120 19th St NW Suite 600 Washington DC 20036 bshaw@psi.org

Country Contact

Dr. Jennifer Anyanti Society for Family Health Abuja, Nigeria Janyanti@sfhnigeria.org

Acknowledgements

ACTwatch is funded by the Bill and Melinda Gates Foundation, UNITAID, and the UK Department for International Development. This study was implemented by Population Services International (PSI) and the Society for Family Health (SFH).

PSI Country (SFH)

Dr. Jennifer Anyanti Dr. Wole Fajemisin Chinazo Ujuju

ACTwatch Consultant

Musa Abubakar

FPwatch Consultant Omotola Omotosho

ACTwatch / FPwatch Team

Andrew Andrada Erick Auko

Dr. Katie Bates

Dr. Desmond Chavasse

Kevin Duff Keith Esch Anna Fulton Danielle Garfinkel Tarryn Haslam Catharine Hurley Tabeth Jiri

Dr. Beth Kangwana

Gloria Kigo Dr. Megan Littrell

Dr. Kathryn O'Connell

Julius Ngigi Ricki Orford Stephen Pover

Dr. Justin Rahariniaina

Christina Riley Dr. Andria Rusk Mac Schoen

Dr. Bryan Shaw Julianna Smith **Kate Thanel** Rachel Thompson Cynthia Whitman

Federal Ministry of Health

Nigeria

Dr. Wapada I. Balami Dr. Kayode Afolabi Dr. Gabriel Otunga

Data Managers

Edadoghwaye Jennifer U Ifenyinwa Oguine Clement Ameh

Field Supervisors

Tijani Garba Bala Joseph Valentine Nwobu Agnes Gata Joseph Danlami Nakoto Shehu-Isah Usman ThankGod Nwabueze Samson Kadoye Aliyu Faith Adesina

Oyedotun Titilayo Adeike Adetoye Ngozi Okafocha Orji Nnene **Ability Emmanuel** Akpan Imoh Emmanuel

Field Quality Controllers

Charles Okoro Mathew Katung Faruk Momoh Omotayo Salami Samul Igbenedion Lukman Salihu Awa Jane

Akuchie Elvis Ifeanyi

Akinola Oluwasegun Michael

Ifeanyi Sixtus Odili Nike Alade

Samuel Nwoke Ugwu Ifeoma Ene Adaga

Oyanmenda Isibhakhomen

Coders

Gaadi Iveren

Afoekilim Anthonia Chidi

Deshi Sarah Sale

Balogun Iluwaseun Temitope

Acknowledgements

FPwatch is funded by the Bill and Melinda Gates Foundation. This study was implemented by Population Services International and the Society for Family Health (SFH).

TABLE OF CONTENTS

LIST OF TABLES	4
LIST OF FIGURES	
ACRONYMS	
DEFINITIONS	
INTRODUCTION	10
SUMMARY OF METHODS AND DATA COLLECTION	11
SUMMARY OF KEY FINDINGS	13
RESULTS SECTION A: CORE NATIONAL INDICATORS	13
RESULTS SECTION B: CORE INDICATORS BY GEOPOLITICAL ZONE	40
RESULTS SECTION C: CORE INDICATORS BY URBAN VS. RURAL STRATIFICATION	113
ANNEXES	156

List of Tables

Core Indicator Tables

Table A1	: Modern contraceptive method market composition: Relative proportion of outlets with 1 or more methods, by outlet type – National, 201513
Table A2	: Availability of modern contraceptive method types, among outlets screened, by outlet type – National, 201514
Table A3	: Availability of selected contraceptive commodities, among outlets screened, by outlet type – National, 2015
Table A4	: Availability of modern contraceptive method diversity, among outlets screened, by outlet type – National, 201517
Table A5	: Current stock out* of selected modern contraceptive commodities on day of survey, among outlets reportedly stocking method in previous 3 months, by outlet type – National, 201518
Table A6	: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP ^{†‡} , by private outlet type – National, 201519
Table A7	: Median markup percentage for selected modern contraceptive commodities with interquartile range, by private outlet type – National, 201523
Table A8	: Contraceptive method market share: Relative proportion of total CYP sold/distributed, by method and outlet type – National, 201524
Table A9	: Contraceptive method market share within outlet type: Relative proportion of total CYP sold / distributed within outlet type, by method – National, 201525
Table A1	0: Availability of selected contraceptive services, among outlets screened, by outlet type – National, 2015 26
Table A1	1: Service readiness [*] to provide provider-dependent contraceptive services, among outlets reportedly offering the procedure, by outlet type – National, 201527
Zonal In	<u>dicator Tables</u>
Table B1:	: Modern contraceptive method market composition: Relative proportion of outlets with 1 or more methods, by outlet type – by Geopolitical Zone, 2015
Table B2:	: Availability of modern contraceptive method types, among outlets screened, by outlet type – by Geopolitical Zone, 2015
Table B3:	: Availability of selected contraceptive methods, among outlets screened, by outlet type – by Geopolitical Zone, 201545
Table B4:	: Availability of modern contraceptive method diversity, among outlets screened, by outlet type – by Geopolitical Zone, 201554
Table B5:	: Current stock out* of selected modern contraceptive commodities on day of survey, among outlets reportedly stocking method in previous 3 months, by outlet type – by Geopolitical Zone, 201557
Table B6	: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP ^{†‡} , by private outlet type – by Geopolitical Zone, 201560
Table B7:	: Median markup percentage for selected modern contraceptive commodities with interquartile range, by private outlet type – by Geopolitical Zone, 201577
Table B8:	: Contraceptive method market share: Relative proportion of total CYP sold/distributed, by method and outlet type – by Geopolitical Zone, 201580
Table B9:	: Contraceptive method market share within outlet type: Relative proportion of total CYP sold / distributed within outlet type, by method – by Geopolitical Zone, 201585
Table B10	0: Availability of selected contraceptive services, among outlets screened, by outlet type – by Geopolitical Zone, 201590
Table B1	1: Service readiness* to provide provider-dependent contraceptive services, among outlets reportedly offering the procedure, by outlet type – by Geopolitical Zone, 2015

Urban/Rural Indicator Tables

Table C1:	: Modern contraceptive method market composition: Relative proportion of outlets with 1 or more methods, by outlet type – Urban/Rural, 2015	113
Table C2:	: Availability of modern contraceptive method types, among outlets screened, by outlet type – Urban/Ru 2015	
Table C3:	: Availability of selected contraceptive methods, among outlets screened, by outlet type – Urban/Rural, 2015	116
Table C4:	: Availability of modern contraceptive method diversity, among outlets screened, by outlet type – Urban/Rural, 2015	119
Table C5:	: Current stock out [*] of selected modern contraceptive commodities on day of survey, among outlets reportedly stocking method in previous 3 months, by outlet type – Urban/Rural, 2015	120
Table C6:	: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP ^{†‡} , by private outlet type – Urban/Rural, 2015	
Table C7:	: Median markup percentage for selected modern contraceptive commodities with interquartile range, b private outlet type – Urban/Rural, 2015	
Table C8:	: Contraceptive method market share: Relative proportion of total CYP sold/distributed, by method and outlet type – Urban/Rural, 2015	131
Table C9:	: Contraceptive method market share within outlet type: Relative proportion of total CYP sold / distribute within outlet type, by method – Urban/Rural, 2015	
Table C10	0: Availability of selected contraceptive services, among outlets screened, by outlet type – Urban vs. Rura 2015	
Table C1:	1: Service readiness [*] to provide provider-dependent contraceptive services, among outlets reportedly offering the procedure, by outlet type – Urban/Rural	136
Annex Ta	<u>ables</u>	
Table X1	: National Sample Description	172
Table X2	: Regional Sample Description	172
Table X3	: Urban vs Rural Sample Description	174
	: CYP Conversion Factors	
Table X5	: Reported Contraceptive Method Volumes — National, 2016	229
Table X6	: Reported Contraceptive Method Volumes — Geopolitical Zones, 2016	230
Table X7	: Reported Contraceptive Method Volumes — Urban/Rural, 2016	238

Grey text for data appearing in report tables indicates that the estimate provided was derived from a small sample size. Specifically, grey text is used to indicate point estimates for availability indicators derived from an n of less than 50 and estimates for median price and service readiness indicators derived from an n of less than 5.

List of Figures

Core Indicators

Figure 1: Survey flow diagram, Nigeria, 2015	12
Figure A1. Modern contraceptive method market composition – National, 2015	29
Figure A2. Percentage of modern contraceptive commodity-stocking outlets with selected non-hormonal short- acting contraceptives available – National, 2015	30
Figure A3. Percentage of modern contraceptive commodity-stocking outlets with selected hormonal short-acting contraceptives available – National, 2015	-
Figure A4. Percentage of modern contraceptive commodity-stocking outlets with selected long-acting contracep available – National, 2015	
Figure A5. Percentage of outlets with selected method mixes available – National, 2015	33
Figure A6. Percentage of outlets with stock outs of selected contraceptive methods – National, 2015	34
Figure A7. Price of contraceptive methods in the private sector – National, 2015	35
Figure A8. Percentage market share for contraceptives methods – National, 2015	36
Figure A9. Within outlet market share for contraceptive methods – National, 2015	37
Figure A10. Percentage of outlets with selected contraceptive services available – National, 2015	38
Figure A11. Service readiness to offer provider-dependent contraceptive services – National, 2015	39
Zonal Indicators	
Figure B1. Modern contraceptive method market composition – Geopolitical Zones, 2015	100
Figure B2. Percentage of modern contraceptive commodity-stocking outlets with selected non-hormonal short- acting contraceptives available – Geopolitical Zones, 2015	
Figure B3. Percentage of modern contraceptive commodity-stocking outlets with selected hormonal short-acting contraceptives available – Geopolitical Zones, 2015	_
Figure B4. Percentage of modern contraceptive commodity-stocking outlets with selected long-acting contraceptive available – Geopolitical Zones, 2015	
Figure B5. Percentage of outlets with selected method mixes available – Geopolitical Zones, 2015	104
Figure B6. Percentage of outlets with stock outs of selected contraceptive methods – Geopolitical Zones, 2015	105
Figure B7. Price of contraceptive methods in the private sector – Geopolitical Zones, 2015	106
Figure B8. Percentage market share for contraceptives methods – Geopolitical Zones, 2015	108
Figure B9. Within outlet market share for contraceptive methods – Geopolitical Zones, 2015	109
Figure B10. Percentage of outlets with selected contraceptive services available – Geopolitical Zones, 2015	110
Figure B11. Service readiness to offer provider-dependent contraceptive services among outlets reportedly offer services, by sector – Geopolitical Zones, 2015	_

Acronyms

BMGF Bill and Melinda Gates Foundation

CHW Community Health Workers
CI 95% Confidence Interval
COC Combined Oral Contraceptive
CPR Contraceptive Prevalence Rate
CYP Couple-Years of Protection

DFID Department for International Development

DHS Demographic and Health Survey

FP Family Planning

FP2020 Family Planning 2020 Initiative

IQR Interquartile Range

IQA International Quality-Assured

IUD Intrauterine Device
KII Key Informant Interviews

LARC Long-Acting Reversible Contraceptive

LARC/PM Long-Acting Reversible Contraceptive or Permanent

Method

LGA Local Government Areas

MOH Ministry of Health

NHERC National Health Ethics Research Committee

NGO Non-Governmental Organization

OS Outlet survey
QC Quality Controller
PM Permanent Method

PMA2020 Performance, Monitoring and Accountability 2020 Study

POP Progesterone-only pill

PPMV Proprietary Patent Medicine Vendors

PPS Probability Proportional to Size
PSI Population Services International

REB PSI Research Ethics Board

SFH Society for Family Health-Nigeria SRA Stringent Regulatory Authority

TFR Total Fertility Rate

3MDG The Three Millennium Development Goal Fund

UNFPA United Nations Population Fund

USAID United States Agency for International Development

WHO World Health Organization
WRA Women of Reproductive Age

USD US Dollar

Nigeria Geo-political Zones

NC North Central
NE North East
NW North West
SE South East
SS South South
SW South West

Definitions

Survey Methods Definitions

Outlet	Any service delivery point or point of sale for commodities. Outlets are not restricted to
	stationary points of sale and may include mobile units or individuals.
Outlets eligible for	Outlets were administered a full questionnaire if they met at least one of three inclusion
inclusion in the	criteria: (1) had one or more modern contraceptive commodities (oral contraceptives,
study	emergency contraceptives, injectable contraceptives, contraceptive implants, intrauterine
	devices (IUDs), cycle beads) in stock at the time of the survey visit; (2) reportedly had one
	or more modern contraceptive commodities in stock in the previous three months; or (3)
	provide modern contraceptive services (contraceptive injections, implant insertions, IUD
	insertions, male/female sterilization) but do not sell/distribute contraceptive
	commodities. Outlets not providing services to the general public (e.g. military clinics,
	brothels, etc.) were excluded from the study.
Cluster (Health	The primary sampling unit, or cluster, for the outlet survey. It is an administrative unit
area)	determined by the Ministry of Health (MOH) that hosts a population size of approximately
	10,000 to 15,000 inhabitants. These units are defined by political boundaries of the
	locality.
Censused Health	A cluster where field teams conducted a full census of all outlets with the potential to sell,
Area	distribute or provide contraceptive commodities and/or contraceptive services.

Family Planning Terminology

Family planning	The ability of individuals and couples to anticipate and attain their desired number of
	children and the spacing and timing of their births.
(Modern)	Used in reference to the actual product. This is any commodity recognized by the World
Contraceptive	Health Organization (WHO) as a modern form for the prevention of pregnancy and
commodity	assigned a Couple-Years of Protection (CYP) conversion factor by the United States Agency
	for International Development (USAID) (https://www.usaid.gov/what-we-do/global-
	health/family-planning/couple-years-protection-cyp). Traditional methods (e.g., herbs) not
	recognized by the WHO/USAID were not included in analysis. Behavioral methods without
	a tangible commodity but with a CYP conversion factor (e.g., fertility awareness methods)
	were not included in analysis.
Contraceptive	Used in reference to the provider-assisted procedure associated for use of some
service	contraceptive commodities. This is a medical procedure to deliver a contraceptive
	commodity or a surgical procedure to prevent pregnancy. For analysis, these include the
	delivery of an injection for an injectable contraceptive, an insertion of a contraceptive
	implant, an insertion of an IUD and/or a male/female sterilization procedure. Procedures
	typically require specialized training and equipment. These are also referred to as provider-
	dependent procedures.
Contraceptive	Contraceptive method is used in a general sense to distinguish among categories of 'choice'
method	for a consumer regardless of whether a commodity or service.

Couple years of	CYP is the estimated protection provided by contraceptive methods during a one-year
protection	period, based upon the volume of all contraceptives sold or distributed free of charge to
(CYP)	clients during that period. The CYP is calculated by multiplying the quantity of each method
	distributed to clients by a conversion factor, to yield an estimate of the duration of
	contraceptive protection provided per unit of that method. See Annex 11 for more
	description of how CYP was used in the study.
Diversity/range	Indicators that measure contraceptive method choice for an individual consumer.
of methods	Commonly accepted indicators include three or more and five or more methods available
	to a consumer from: male condoms, female condoms, oral contraceptives, emergency
	contraceptives, injectable contraceptives, contraceptive implants, IUDs, male sterilizations,
	female sterilizations, vaginal rings/patches, vaginal foaming tablets and/or standard days
	method (e.g. Cycle Beads).
Short-acting	Short-acting methods are those that are designed to offer a one-time or up to three
methods	months of protection against pregnancy. They include male and female condoms, oral
	contraceptives, emergency contraceptives and injectables.
Long-acting,	Long-acting contraceptives are those that offer more than one year of protection against
reversible	pregnancy. They include all types of implants and IUDs.
contraceptive	
(LARC) methods	
Permanent	Permanent methods include male and female sterilizations and typically provide life-time
methods	protection against pregnancy and are not easily reversible. They are often grouped
	together with LARCs for analytic purposes as long-acting and permanent methods
	(LARC/PMs).

Outlet Categories for Nigeria

Government (federal or state) public facilities including teaching hospitals and federal
medical centers at the tertiary level; general hospitals at the secondary level; and
primary health centers and clinics at the primary level.
Community-based health volunteers including Community Health Extension Workers
and Role Model Mothers.
Non-governmental (NGO) or mission/faith-based health facilities including hospitals
and clinics.
Private hospitals and clinics.
Pharmacies are licensed by the Pharmacy Council of Nigeria and are authorized to sell
all classes of medicines including prescription-only medicines. Pharmacies are
regulated by the National Agency for Food and Drug Administration and Control.
Pharmacies are owned by registered pharmacists or owners employing the services
of a registered pharmacist.
Proprietary Patent Medicine Vendors (PPMVs) are small-to-medium sized outlets
selling primarily medicines. PPMVs may be registered by the Directorate of
Pharmaceutical Services. However, many are not registered. PPMVs are legally
permitted to sell over-the-counter medicines including oral contraceptives.
Supermarkets, mini-markets and kiosks primarily sell fast-moving consumer goods,
food and provisions. Kiosks/tables are points of sale located in non-permanent
structures that sell fast-moving goods such as food, beverages and household goods.
Although retailers may have over-the-counter medicines including oral
contraceptives available, national authorities do not regulate the sale of medicines by
retailers.

Introduction

This country reference document is a detailed presentation of the 2015 FPwatch outlet survey conducted in Nigeria. The study was conducted in all six regions of Nigeria, namely, North Central, North East, North West, South East, South South, South West.

FPwatch is a multi-country research project implemented by Population Services International (PSI) (www.psi.org). Standardized tools and approaches are employed to provide comparable data across countries and over time. FPwatch is designed to provide timely, relevant and high-quality, modern contraceptive commodity and associated services market evidence. The goal of providing this market evidence is to inform and monitor national and global policy, strategy and funding decisions for improving availability of a range of quality FP information and contraceptive methods. The project was launched in 2014 with funding from the Bill and Melinda Gates Foundation (BMGF) for Ethiopia, Nigeria, the Democratic Republic of the Congo (DRC) and India, and is currently funded through 2016 by the BMGF. Additional funding was secured through the Three Millennium Development Goal (3MDG) Fund for FPwatch in Myanmar. See Annex 1 for more information about the FPwatch project.

FPwatch contraceptive method market monitoring in Nigeria has been implemented in the context of strategies designed and implemented to improve availability and choice in contraceptive methods. See Annex 2 for more information about the FP context in Nigeria. These strategies include national efforts to:

- Raise the contraceptive prevalence rate of (CPR) from 15% to 36% by 2018 as part of the FP2020 goals and thus avert 400,000 infant and 700,000 child deaths.
- Reduce maternal mortality by 75% and infant mortality by 66% by 2018.
- Train at least 3,700 community health extension workers (CHEWs) in order to increase uptake of long-acting reversible contraceptive (LARC) methods, such as through task-shifting delivery of implants.
- Increase annual funding of family planning and reproductive health by \$8.35 million.

Report notes

- This document is a complete reference for the 2015 outlet survey. Please see annexes for information about the study context, design, implementation and data analysis.
- Grey text for data appearing in report tables indicates that the estimate provided was derived from a small sample size. Specifically, grey text is used to indicate point estimates for availability indicators derived from an n of less than 50 and estimates for median price and service readiness indicators derived from an n of less than 5.
- Contraceptive commodity and service prices are reported in US dollars. Price information is captured in local
 currency and converted to US dollars based on exchange rates available from www.oanda.com using the
 historical exchange rates tool. The average exchange rate over the entire data collection period is used for
 converting local currency captured during data collection to US dollars.

Summary of Methods and Data Collection


A nationally representative FP-focused outlet survey was conducted in in Nigeria from August to October, 2015. A full description of research design and methods is provided in Annex 3. Briefly, a representative sample of localities was selected with probability proportional to size (PPS) within each Nigerian geo-political zone. Localities in areas of insecurity were excluded from the sampling frame and did not have chance of selection into the study. Within selected clusters, a census of all outlets with the potential to sell or distribute modern contraceptives and/or provide associated FP services was completed.

Outlets were screened to determine eligibility. Outlets eligible for the survey met at least one of three criteria: 1) one or more modern contraceptive commodities (including oral contraceptives, emergency contraceptives, injectables, implants and/or IUDs were in stock on the day of the survey; 2) one or more modern contraceptive commodities were in stock in the three months preceding the survey; and/or 3) contraceptive services associated with commodities (contraceptive injections, implant insertions, IUD insertions) and/or permanent methods with no commodity (male/female sterilizations) were available. Some questions relating to condoms were asked of all outlets, regardless of eligibility for the full audit or provider interview, to collect information on the condom market. Outlets that do not serve the general public (e.g., military facilities) were excluded from the study. The results of the census are summarized in Figure 1. A detailed sample summary is provided in Annex 6.

A structured questionnaire was used to complete an audit of all modern contraceptive commodities as well as a provider interview for questions relating to contraceptive services (see Annex 7 for the FPwatch 2015 Nigeria questionnaire). See Annex 8 for detailed summaries of modern contraceptive commodities audited. Key informant interviews (KIIs) were conducted with specific stakeholders to supplement information for the country background.

Double data entry was completed using Microsoft Access. All data cleaning and analysis was performed using Stata 13.1 (©StataCorp, College Station, TX). Data were weighted to account for variation in probability of outlet selection (see Annex 9), and standard error calculation reflected clustering of outlets at *LGA* and *locality* levels. Standard indicators were constructed according to definitions applied across FPwatch project countries (see Annex 10).

Figure 1: Survey flow diagram, Nigeria, 2015



- 1: Modern contraceptive (including oral contraceptives, emergency contraceptives, injectables, implants or IUDs) in stock on day of visit
- 2: Modern contraceptives reportedly in stock during the previous 3 months but not on the day of the visit
- 3: Modern family planning services (including injections, implant or IUD insertions, or sterilizations) available but no modern contraceptives in stock
- * Identified as outlets with potential to sell or distribute modern contraceptive commodities (condoms, oral contraceptives, emergency contraceptives, injectables, implants, IUDs) and/or provide contraceptive procedures (contraceptive injections, implant insertions, IUD insertionss, male/female sterilizations) during the census
- † Administered questions assessing condom availability, price and volume regardless of eligibility
- ‡ Administered questions to assess current or recent (previous 3 months) availability of modern contraceptives and modern family planning services
- $\S\ \$ A partial or complete interview was conducted with an outlet representative

Summary of Key Findings

Results Section A: Core National Indicators

Table A1: Modern contraceptive method market composition: Relative proportion of outlets with 1 or more methods, by outlet type – National, 2015

,,,,	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total*
Proportion of outlet types stocking / providing at least 1 modern contraceptive method on the day of the survey, of all outlets stocking / providing at least 1 modern contraceptive method†:	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
Any method available, including condoms only	9.0	1.3	0.1	10.3	7.0	2.6	68.9	11.3	89.7
outlets [‡] N=3,547	(5.6, 14.1)	(0.3, 6.4)	(0.0, 0.3)	(6.4, 16.3)	(3.1, 14.9)	(1.4, 4.8)	(56.6, 79.0)	(4.5, 25.7)	(83.8, 93.6)
Any method available, excluding condoms only outlets§ N=2,245	12.8 (6.8, 22.7)	2.0 (0.4, 11.0)	0.1 (0.0, 0.4)	14.9 (7.8, 26.5)	9.0 (5.2, 15.2)	3.7 (1.9, 6.9)	71.6 (64.2, 78.0)	0.9 (0.2, 3.2)	85.1 (73.5, 92.2)

^{*} In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies, PPMVs and General Retailer/Kiosks.

[†] Family planning commodity stocking outlets have at least one family planning commodity in stock on the day of the survey, verified by the presence of at least one family planning commodity recorded in an audit sheet. There were 44 family planning commodity stocking outlets with partially completed interviews which were thus excluded from the denominator.

[‡] Includes: male condoms, female condoms, cyclebeads, oral contraceptives, emergency contraceptives, injectables, implants, and IUDs.

[§] Includes: oral contraceptives, emergency contraceptives, injectables, implants, and IUDs.

Table A2: Availability	Table A2: Availability of modern contraceptive method types, among outlets screened, by outlet type – National, 2015										
	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total	
	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	
Proportion of outlets screened, stocking / providing†:	N=214	N=12	N=15	N=241	N=331	N=229	N=2,802	N=3,362	N=9,762	N=13,365	
Any modern method	71.6 (60.3, 80.8)	47.2 (10.7, 86.9)	8.7 (1.5, 36.8)	64.8 (51.4, 76.2)	60.5 (35.3, 81.2)	97.5 (95.0, 98.8)	81.7 (72.2, 88.5)	79.7 (70.0, 86.8)	3.6 (1.3, 9.7)	23.6 (19.8, 27.9)	
Any short-acting method	71.6 (60.3, 80.8)	47.2 (10.7, 86.9)	8.7 (1.5, 36.8)	64.8 (51.4, 76.1)	59.1 (33.5, 80.6)	97.5 (95.0, 98.8)	81.7 (72.2, 88.5)	79.5 (69.8, 86.7)	3.6 (1.3, 9.7)	23.5 (19.7, 27.8)	
Any LARC method	26.7 (15.6, 41.6)	0.0	0.8 (0.1, 6.6)	21.0 (13.0, 32.1)	28.5 (16.5, 44.4)	1.2 (0.4, 3.4)	0.0 (0.0, 0.1)	3.4 (1.5, 7.7)	0.0	1.6 (1.1, 2.3)	
Any permanent method	1.0 (0.2, 4.8)	0.0	0.8 (0.1, 6.9)	0.8 (0.2, 3.8)	10.9 (4.5, 24.1)	0.0	0.0	1.3 (0.4, 4.2)	0.0	0.3 (0.1, 0.9)	
Any LARC/PM	27.5 (16.6, 41.9)	0.0	0.8 (0.1, 6.6)	21.7 (13.8, 32.3)	30.2 (18.9, 44.6)	1.2 (0.4, 3.4)	0.0 (0.0, 0.1)	3.6 (1.6, 7.7)	0.0	1.6 (1.2, 2.3)	

^{*} In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs. This category excludes General Retailers/Kiosks.

[†] The denominator includes 68 outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview).

Table A3: Availability of selected contraceptive commodities, among outlets screened, by outlet type – National, 2015									
Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
N=214	N=12	N=15	N=241	N=331	N=229	N=2,802	N=3,362	N=9,762	N=13,365
54.1 (41.4, 66.2)	0.4 (0.0, 4.0)	7.9 (1.4. 34.2)	42.7 (33.5, 52.6)	40.8 (22.2. 62.4)	94.3 (89.5, 97.0)	75.2 (64.5, 83.5)	71.7 (61.9. 79.8)	3.6 (1.3. 9.7)	20.9 (17.6, 24.6)
36.3	0.0	2.9	28.5	9.7	13.0	3.2	4.2	0.4	2.3 (1.4, 3.7)
7.2	0.0	0.1	5.7	2.6	0.1	1.2	1.3	0.0	0.5 (0.3, 0.9)
49.5	3.8	4.5	39.8	38.8	78.0	50.9	50.2	0.2	13.3 (10.9, 16.1)
49.5	3.8	4.5	39.8	38.6	78.0	50.7	50.0	0.2	13.2 (10.8, 16.1)
44.5	3.8	4.5	35.8	38.7	78.0	50.8	50.1	0.2	13.1 (10.7, 15.9)
38.3	0.0	4.5	30.3	0.3	0.1	0.3	0.3	0.0	1.2 (0.7, 2.2)
0.0	0.0	0.0	0.0	8.4	63.8	9.8	11.1	0.0	2.6 (1.4, 4.6)
0.0	0.0	0.0	0.0	8.0	50.7	8.5	9.6	0.0	2.2 (1.2, 4.2)
58.3	42.9 (8.3. 86.2)	5.3 (0.7, 29.3)	53.5	32.9	61.6	5.6	10.2	0.0	4.4 (3.5, 5.5)
55.7	1.0	5.3	44.1	21.7	56.5	4.8	8.1	0.0	3.5 (2.6, 4.8)
48.4	42.9	5.3	45.6	25.3	51.3	3.7	7.5	0.0	3.5 (2.7, 4.3)
0.0	0.0	0.0	0.0	0.2	1.0	0.4	0.4	0.0	0.1 (0.0, 0.3)
23.0 (11.8, 39.9)	0.0	0.1 (0.0, 0.5)	18.1 (10.0, 30.5)	24.1	0.6	0.0	2.8	0.0	1.3 (0.8, 2.1)
22.6	0.0	0.1	17.8	21.1	0.0	0.0	2.5	0.0	1.2 (0.8, 2.0)
15.3 (6.5, 32.0)	0.0	0.1 (0.0, 0.5)	12.0 (5.0, 26.3)	24.0 (11.1, 44.2)	0.6 (0.1, 4.0)	0.0 (0.0, 0.1)	2.8 (1.0, 8.0)	0.0	1.1 (0.7, 1.8)
	Public Health Facility % (95% CI) N=214 54.1 (41.4, 66.2) 36.3 (26.0, 48.0) 7.2 (3.4, 14.5) 49.5 (37.1, 62.0) 49.5 (37.1, 62.0) 44.5 (31.7, 58.0) 38.3 (25.4, 53.1) 0.0 (0.0, 0.4) 0.0 (0.0, 0.4) 58.3 (43.1, 72.1) 55.7 (40.3, 70.0) 48.4 (35.1, 61.8) 0.0 23.0 (11.8, 39.9) 22.6 (11.5, 39.8) 15.3	Public Health Facility	Public Health Facility Community Health Worker Private Not-For-Profit % (95% CI) % (95% CI) % (95% CI) N=214 N=12 N=15 54.1 (0.0, 4.0) (1.4, 34.2) 36.3 (0.0) 2.9 (0.3, 22.0) 7.2 (0.0) (0.1 (0.0, 0.5) 49.5 (37.1, 62.0) 3.8 (0.4, 29.6) (0.5, 30.7) 49.5 (37.1, 62.0) (0.4, 29.6) (0.5, 30.7) 44.5 (31.7, 58.0) (0.4, 29.6) (0.5, 30.7) 38.3 (25.4, 53.1) - (0.5, 30.7) 0.0 (0.0, 0.4) - 58.3 (43.1, 72.1) (8.3, 86.2) (0.7, 29.3) 55.7 (40.3, 70.0) (0.1, 10.0) (0.7, 29.3) 48.4 (42.9) 5.3 (35.1, 61.8) (8.3, 86.2) (0.7, 29.3) 0.0 0.0 0.0 0.0 0.0 0.0 0.0 23.0 0.0 0.0 0.1 (11.8, 39.9) - (0.0, 0.5) 15.3 0.0 0.1 0.1	Public Health Facility Community Health Worker Private Not-For-Profit Public Total % (95% CI) % (95% CI) % (95% CI) 95% CI) N=214 N=12 N=15 N=241 54.1 0.4 7.9 42.7 (41.4, 66.2) (0.0, 4.0) (1.4, 34.2) (33.5, 52.6) 36.3 0.0 2.9 28.5 (26.0, 48.0) - (0.3, 22.0) (19.0, 40.5) 7.2 0.0 0.1 5.7 (3.4, 14.5) - (0.0, 0.5) (26.8, 11.9) 49.5 3.8 4.5 39.8 (37.1, 62.0) (0.4, 29.6) (0.5, 30.7) (26.8, 54.3) 49.5 3.8 4.5 39.8 (37.1, 62.0) (0.4, 29.6) (0.5, 30.7) (26.8, 54.3) 44.5 3.8 4.5 39.8 (37.1, 62.0) (0.4, 29.6) (0.5, 30.7) (26.8, 54.3) 38.3 0.0 4.5 30.3 (25.4, 53.1) - (0.5, 30.7) (18.9,	Public Health Facility Community Health Health Facility Private Not-For-Profit Total Public Total Facility Private For-Profit Health Facility %	Public Health Facility Community Health Worker Private Not-For-Profit Not-For-Profit Total Public Health Health Facility Pharmacy Pharmacy % (95% CI) % (95% CI) % (95% CI) (94.3 (94.3 (94.3	Public Health Facility Community Health Facility Private Profit Public Total Private For-Profit Health Facility Pharmacy Frofit Facility <th< td=""><td>Public Health Facility Community Health Facility Private Not-For-Profit Total Profit Public Total Profit Health Facility Private Profit Health Facility Pharmacy Pharmacy PPMV Private Total % (95% CI) (95% CI)</td><td> Public Health Facility H</td></th<>	Public Health Facility Community Health Facility Private Not-For-Profit Total Profit Public Total Profit Health Facility Private Profit Health Facility Pharmacy Pharmacy PPMV Private Total % (95% CI) (95% CI)	Public Health Facility H

IUDs	16.3	0.0	0.8	12.9	20.3	0.6	0.0	2.4	0.0	1.0	
IODS	(8.0, 30.6)	-	(0.1, 6.6)	(6.7, 23.4)	(14.1, 28.3)	(0.2, 1.4)	(0.0, 0.1)	(1.4, 4.2)	-	(0.7, 1.6)	
*	* In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs. This category excludes General Retailers/Kiosks.										
+	The denominate	The denominator includes 68 outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial									
	interview).	interview).									
‡	‡ International quality-assured (IQA) contraceptives are defined as those with WHO Prequalification or those on a Stringent Regulatory Authority (SRA) list. See										
Annex 8 for a list of all brands found in the survey and quality-assurance indications.											
Source: FPwatch Outlet Survey, Nig	Source: FPwatch Outlet Survey, Nigeria, 2015										

Table A4: Availability o	of modern o	contracepti	ve method	diversity, a	mong outl	ets screene	d, by outle	t type – Na	tional, 201	5
	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	%	%	%	%	%	%	%	%	%	%
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
Proportion of outlets screened, currently stocking / providing†:	N=214	N=12	N=15	N=241	N=331	N=229	N=2,802	N=3,362	N=9,762	N=13,365
2	47.8	0.0	5.3	37.8	29.1	75.4	11.3	15.1	0.0	4.9
3+ methods [‡]	(37.7, 58.1)	-	(0.7, 29.3)	(28.9, 47.6)	(17.9, 43.6)	(62.0, 85.2)	(6.4, 19.2)	(9.0, 24.4)	-	(3.9, 6.1)
2 - marchine de codale LARC	26.6	0.0	0.8	21.0	25.6	1.2	0.0	3.0	0.0	1.5
3+ methods with LARC	(15.6, 41.6)	-	(0.1, 6.6)	(13.0, 32.1)	(13.1, 43.9)	(0.4, 3.4)	(0.0, 0.1)	(1.2, 7.8)	-	(1.0, 2.2)
2 - marchine de critic LADC/DAA	27.5	0.0	0.8	21.6	26.5	1.2	0.0	3.2	0.0	1.5
3+ methods with LARC/PM	(16.6, 41.9)	-	(0.1, 6.6)	(13.8, 32.3)	(14.3, 43.7)	(0.4, 3.4)	(0.0, 0.1)	(1.2, 7.7)	-	(1.1, 2.2)
F ath a daß	23.9	0.0	0.1	18.8	12.1	6.9	0.2	1.8	0.0	1.1
5+ methods§	(15.0, 36.0)	-	(0.0, 0.5)	(11.3, 29.5)	(6.0, 22.7)	(3.9, 11.7)	(0.1, 0.7)	(0.8, 3.9)	-	(0.8, 1.6)

^{*} In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs. This category excludes General Retailers/Kiosks.

[†] The denominator includes 68 outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview).

^{‡ 3} or more among: male condoms, female condoms, cyclebeads, oral contraceptives, emergency contraceptives, injectables, implants, IUDs commodities and/or male sterilizations, female sterilizations services. No other modern contraceptive methods were found in sampled outlets.

^{§ 5} or more among: male condoms, female condoms, cyclebeads, oral contraceptives, emergency contraceptives, injectables, implants, IUDs commodities and/or male sterilizations, female sterilizations services. No other modern contraceptive methods were found in sampled outlets.

Table A5: Current stock out* of selected modern contraceptive commodities on day of survey, among outlets reportedly stocking method in previous 3 months, by outlet type – National, 2015

	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [†]	Total
Proportion of outlets reportedly stocking method in previous 3 months, currently stocked out of [‡] :	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)
Oral contraceptives	14.3 ⁽¹³¹⁾	93.7 (3)	0.0 (2)	29.2 ⁽¹³⁶⁾	23.8 ⁽⁹³⁾	7.4 ⁽¹⁸⁵⁾	9.8 (1,866)	44.9 ⁽³²⁾	11.7 ^(2,176)	14.1 ^(2,312)
Oral contraceptives	(4.4, 37.8)	(46.8, 99.6)	-	(12.1, 55.4)	(17.5, 31.5)	(1.9, 25.1)	(5.1, 17.8)	(6.0, 91.3)	(7.7, 17.4)	(9.7, 20.1)
Emergency contraceptives	42.8 (2)	100.0 (1)	-	98.6 ⁽³⁾	50.1 ⁽¹⁴⁾	3.5 (124)	30.2 ⁽⁴⁹¹⁾	22.7 (10)	29.7 ⁽⁶³⁹⁾	31.5 ⁽⁶⁴²⁾
Emergency contraceptives	(2.9, 94.9)	-	-	(74.2, 99.9)	(48.0, 52.2)	(1.1, 10.2)	(19.3, 43.8)	(4.8, 63.0)	(22.7, 37.8)	(23.7, 40.6)
Contraceptive injectables	10.6 (144)	31.3 (5)	18.1 (4)	14.2 ⁽¹⁵³⁾	27.2 (117)	1.3 (129)	57.5 ⁽³⁸⁸⁾	0.0 (1)	43.5 (635)	33.1 (788)
Contraceptive injectables	(3.3, 29.1)	(3.3, 85.9)	(1.4, 77.2)	(6.7, 27.7)	(18.9, 37.4)	(0.3, 4.8)	(37.0, 75.7)	-	(29.0, 59.3)	(22.2, 46.0)
Implants	5.0 (64)	-	0.0 (1)	5.0 ⁽⁶⁵⁾	4.9 (47)	0.0 (1)	88.5 ⁽⁴⁾	-	7.8 ⁽⁵²⁾	6.4 (117)
inipiants	(1.0, 21.8)	-	-	(1.0, 21.8)	(1.0, 21.0)	-	(33.6, 99.2)	-	(1.7, 30.0)	(2.1, 17.8)
IUDs	4.9 (54)	-	0.0 (2)	4.9 (56)	9.4 (81)	19.8 ⁽⁹⁾	44.6 (11)	-	10.1 (101)	7.7 (157)
IODS	(0.6, 31.0)	-	-	(0.6, 30.8)	(3.5, 22.8)	(3.5, 62.7)	(15.7, 77.7)	-	(3.9, 23.7)	(2.6, 20.6)

^{*} This indicator is among all screened outlets. It does not account for whether the outlet is expected to provide the commodity according to national regulations. It is a point-in-time stock out indicator from http://www.rhsupplies.org/fileadmin/uploads/rhsc/Issues/Addressing_Stockouts/Takestock/Documents/Using-the_Power_of_Partnership_to_Speak_the_same_Languageoon_Stockouts.pdf. It is defined as the percentage of facilities reporting that they have stocked the method in the previous 3 months but were stocked out on the day of the assessment.

t In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies, PPMVs and General Retailer/Kiosks.

The denominator includes 68 outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview).

Table A6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – National, 2015

type National, 2013	Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total§
Median price of method, with interquartile range [∞]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]
Male condoms	[restri	[caca]	[1-2-1]	[Color	[]
	10.0 (75)	12.5 (212)	12.5 ^(2,269)	12.5 ⁽⁵²⁶⁾	12.5 (3,082)
Naira	[0.0, 12.5]	[12.5, 50.0]	[10.0, 12.5]	[10.0, 12.5]	[10.0, 12.5]
LICD.	\$ 0.05 ⁽⁷⁵⁾	\$ 0.06 (212)	\$ 0.06 (2,269)	\$ 0.06 (526)	\$ 0.06 (3,082)
USD	[0.00, 0.06]	[0.06, 0.25]	[0.05, 0.06]	[0.05, 0.06]	[0.05, 0.06]
LICD was CVD	\$ 6.00 (75)	\$ 7.50 (212)	\$ 7.50 (2,269)	\$ 7.50 ⁽⁵²⁶⁾	\$ 7.50 ^(3,082)
USD per CYP	[0.00, 7.50]	[7.50, 30.00]	[6.00, 30.0]	[6.00, 7.50]	[6.00, 7.50]
Female condoms					
Naira	0.0 (19)	125.0 ⁽²⁷⁾	50.0 ⁽⁹⁷⁾	20.0 (7)	50.0 (150)
Ivalia	[0.0, 0.0]	[50.0, 566.7]	[50.0, 75.0]	[20.0, 20.0]	[20.0, 50.0]
USD	\$ 0.00 ⁽¹⁹⁾	\$ 0.63 ⁽²⁷⁾	\$ 0.25 ⁽⁹⁷⁾	\$ 0.10 ⁽⁷⁾	\$ 0.25 (150)
030	[0.00, 0.00]	[0.25, 2.83]	[0.25, 0.38]	[0.10, 0.10]	[0.10, 0.25]
USD per CYP	\$ 0.00 (19)	\$ 75.00 ⁽²⁷⁾	\$ 30.00 (97)	\$ 12.00 ⁽⁷⁾	\$ 30.00 (150)
O3D per CTF	[0.00, 0.00]	[30.00, 340.00]	[30.00, 45.00]	[12.00, 12.00]	[12.00, 30.00]
Cyclebeads					
Naira	0.0 (4)	150.0 ⁽²⁾	50.0 (26)	-	50.0 ⁽³²⁾
- Nama	[0.0, 0.0]	[150.0, 150.0]	[0.0, 200.0]	-	[0.0, 200.0]
USD	\$ 0.00 (4)	\$ 0.75 (2)	\$ 0.25 ⁽²⁶⁾	-	\$ 0.25 (32)
	[0.00, 0.00]	[0.75, 0.75]	[0.00, 1.00]	-	[0.00, 1.00]
USD per CYP	\$ 0.00 (4)	\$ 0.50 (2)	\$ 0.17 (26)	-	\$ 0.16 (32)
	[0.00, 0.00]	[0.50, 0.50]	[0.00, 0.67]	-	[0.00, 0.67]
Oral contraceptives					
Naira	100.0 (76)	100.0 (202)	80.0 (1,643)	60.0 (28)	80.0 (1,949)
	[70.0, 100.0]	[50.0, 100.0]	[50.0 100.0]	[50.0 100.0]	[50.0, 100.0]
USD	\$ 0.50 (76)	\$ 0.50 (202)	\$ 0.40 (1,643)	\$ 0.30 (28)	\$ 0.40 (1,949)
	[0.35, 0.50]	[0.25, 0.50]	[0.25, 0.50]	[0.25, 0.50]	[0.25, 0.50]
USD per CYP	\$ 7.50 ⁽⁷⁶⁾	\$ 7.50 (202)	\$ 6.00 (1,643)	\$ 4.50 (28)	\$ 6.00 (1,949)
	[5.25, 7.50]	[3.75, 7.50]	[3.75, 7.50]	[3.75, 7.50]	[3.75, 7.50]
Combined oral contraceptives	(60)	/201)	7. 7. (4.634)	22.2 (20)	(4.030)
Naira	100.0 (69)	100.0 (201)	80.0 (1,631)	60.0 (28)	80.0 (1,929)
	[70.0, 100.0]	[50.0, 100.0]	[50.0 100.0]	[50.0 100.0]	[50.0, 100.0]
USD	\$ 0.50 (69)	\$ 0.50 (201)	\$ 0.40 (1,631)	\$ 0.30 (28)	\$ 0.40 (1,929)
	[0.35, 0.50]	[0.25, 0.50]	[0.25, 0.50]	[0.25, 0.50]	[0.25, 0.50]
USD per CYP	\$ 7.50 (69)	\$ 7.50 (201)	\$ 6.00 (1,631)	\$ 4.50 (28)	\$ 6.00 (1,929)
•	[5.25, 7.50]	[3.75, 7.50]	[3.75, 7.50]	[3.75, 7.50]	[3.75, 7.50]
Progestin-only pills					

Table A6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – National, 2015

type National, 2013	Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total§
Median price of method, with interquartile range [∞]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]
	0.0 (7)	100.0 (1)	70.0 (12)	-	0.70 (20)
Naira	[0.0, 0.0]	[100.0, 100.0]	[50.0 100.0]	-	[50.0, 100.0]
LICD	\$0.00 (7)	\$ 0.50 (1)	\$ 0.35 (12)	-	\$ 0.35 (20)
USD	[0.00, 0.00]	[0.50, 0.50]	[0.25, 0.50]	-	[0.25, 0.50]
LICD mar CVD	\$0.00 (7)	\$ 7.50 ⁽¹⁾	\$ 5.25 ⁽¹²⁾	-	\$ 5.25 ⁽²⁰⁾
USD per CYP	[0.00, 0.00]	[7.50, 7.50]	[3.75, 7.50]	-	[3.75, 7.50]
Emergency contraceptives					
Naira	300.0 ⁽⁶⁾	250.0 (191)	150.0 ⁽⁴⁴⁹⁾	200.0 (8)	200.0 (654)
Naira	[300.0, 500.0]	[50.0, 300.0]	[40.0, 250.0]	[200.0, 300.0]	[40.0, 250.0]
USD	\$1.50 ⁽⁶⁾	\$ 1.25 ⁽¹⁹¹⁾	\$ 0.75 ⁽⁴⁴⁹⁾	\$1.00 (8)	\$1.00 (654)
030	[1.50, 2.50]	[0.25, 1.50]	[0.20, 1.25]	[1.00, 1.50]	[0.20, 1.25]
LICD was CVD	\$30.00 (6)	\$ 25.00 (191)	\$ 15.00 (449)	\$20.00 (8)	\$20.00 (654)
USD per CYP	[30.00, 50.00]	[5.00, 30.00]	[4.00, 25.00]	[20.00, 30.00]	[4.00, 25.00]
Contraceptive injectables					
Naive	500.0 (137)	200.0 (217)	200.0 (394)	500.0 ⁽¹⁾	300.0 (749)
Naira	[400.0, 500.0]	[150.0, 300.0]	[150.0, 300.0]	[500.0, 500.0]	[150.0, 500.0]
LICD	\$2.50 ⁽¹³⁷⁾	\$ 1.00 (217)	\$ 1.00 (394)	\$2.50 ⁽¹⁾	\$1.50 ⁽⁷⁴⁹⁾
USD	[2.00, 2.50]	[0.75, 1.50]	[0.75, 2.00]	[2.50, 2.50]	[0.75, 2.50]
LICD was CVD	\$10.00 (137)	\$ 4.50 ⁽²¹⁷⁾	\$4.50 ⁽³⁹⁴⁾	\$15.00 ⁽¹⁾	\$6.00 (749)
USD per CYP	[10.00, 15.00]	[3.00, 6.00]	[4.00, 8.00]	[15.00, 15.00]	[4.00, 10.50]
Depo-provera injectables					
Naive	500.0 ⁽⁷⁶⁾	200.0 (114)	200.0 (201)	-	300.0 (391)
Naira	[350.0, 500.0]	[140.0, 300.0]	[150.0, 300.0]	-	[150.0, 500.0]
USD	\$2.50 ⁽⁷⁶⁾	\$ 1.00 (114)	\$ 1.00 (201)	-	\$1.50 ⁽³⁹¹⁾
030	(1.75, 2.50]	[0.70, 2.00]	[0.75, 2.00]	-	[0.75, 2.50]
LICD was CVD	\$10.00 ⁽⁷⁶⁾	\$ 4.00 (114)	\$ 4.00 (201)	-	\$6.00 (391)
USD per CYP	(7.00, 10.00]	[2.8, 6.00]	[3.00, 8.00]	-	[3.00, 10.00]
Noristerat injectables					
Naira	500.0 (61)	200.0 (103)	200.0 (193)	500.0 (1)	300.0 (358)
Naira	[500.0, 2000.0]	[150.0, 400.0]	[150.0, 300.0]	[500.0, 500.0]	[150.0, 500.0]
LICD	\$2.50 (61)	\$ 1.00 (103)	\$ 1.00 (193)	\$2.50 (1)	\$1.50 (358)
USD	(2.50, 10.00]	[0.75, 2.00]	[0.75, 1.50]	(2.50, 2.50]	[0.75, 2.50]
LICD man CVD	\$15.00 ⁽⁶¹⁾	\$ 6.00 (103)	\$ 6.00 (193)	\$15.00 ⁽¹⁾	\$9.00 (358)
USD per CYP	(15.00, 60.00]	[4.50, 12.00]	[4.50, 9.00]	[15.00, 15.00]	[4.50, 15.00]
Implants		- / -	. , .		. , ,
Naira	1,500.0 (42)	1,200.0 (1)	500.0 ⁽³⁾	-	1,500.0 (46)

Table A6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – National, 2015

type – National, 2013	Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [§]
Median price of method, with	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)
interquartile range [∞]	[IQR]	[IQR]	[IQR]	[IQR]	[IQR]
	[1000.0, 2000.0]	[1200.0, 1200.0]	[500.0, 500.0]	-	[1000.0, 2000.0]
USD	\$7.50 (42)	\$ 6.00 (1)	\$ 2.50 (3)	-	\$2.00 (46)
	(5.00, 10.00]	[6.00, 6.00]	[2.50, 2.50]	-	(1.97, 2.63]
USD per CYP	\$2.00 (42)	1.58 ⁽¹⁾	\$ 0.83 (3)	-	\$7.50 ⁽⁴⁶⁾
OSD per err	(1.97, 2.63]	[1.58, 1.58]	[0.66, 1.00]	-	(5.00, 10.00]
Implanon implants					
Naira	1,000.0 (14)	-	500.0 ⁽¹⁾	-	1,000.0 (15)
Ivalia	[1000.0, 2000.0]	-	[500.0, 500.0]	-	[1000.0, 2000.0]
USD	\$5.00 (14)	-	\$ 2.50 (1)	-	\$5.00 ⁽¹⁵⁾
OSD	(5.00, 10.00]	-	[2.50, 2.50]	-	(5.00, 10.00]
LICD was CVD	\$2.00 (14)	-	\$ 1.00 (1)	-	\$2.00 (15)
USD per CYP	(2.00, 4.00]	-	[1.00, 1.00]	-	(2.00, 4.00]
Jadelle implants					
NI=3:	1,000.0 (28)	1,200.0 ⁽¹⁾	500.0 ⁽²⁾	-	1,500.0 (31)
Naira	[1000.0, 1500.0]	[1200.0, 1200.0]	[500.0, 500.0]	-	[1500.0, 2000.0]
1160	\$7.50 ⁽²⁸⁾	\$ 6.00 ⁽¹⁾	\$ 2.50 ⁽²⁾	-	\$7.50 ⁽³¹⁾
USD	(7.50, 10.00]	[6.00, 6.00]	[2.50, 2.50]	-	(7.50, 10.00]
	\$1.97 ⁽²⁸⁾	\$ 1.57 ⁽¹⁾	\$ 0.66 ⁽²⁾	-	\$1.97 ⁽³¹⁾
USD per CYP	(1.97, 2.63]	[1.57, 1.57]	[0.66, 0.66]	-	(1.97, 2.63]
IUDs					
	1,000.0 (62)	250.0 ⁽⁹⁾	160.0 (8)	-	1,000.0 (79)
Naira	[1000.0, 1500.0]	[250.0, 250.0]	[150.0, 200.0]	_	[1000.0, 1500.0]
=	\$5.00 (62)	\$1.25 ⁽⁹⁾	\$ 0.80 (8)	-	\$5.00 (79)
USD	(5.00, 7.50]	(1.25, 1.25]	[0.75, 1.00]	_	(5.00, 7.50]
	\$1.08 (62)	\$0.27 (9)	\$ 0.17 (8)	-	\$1.09 (79)
USD per CYP	(1.09, 1.63]	(0.27, 0.27]	[0.16, 0.21]	_	(1.09, 1.63]
Male Sterilization	, , ,	, , ,			, , ,
	42,000.0 ⁽⁴⁾	-	-	_	42,000.0 (4)
Naira	[42000.0, 42000.0]	_	-	-	[42000.0, 42000.0]
-	\$ 210.00 (4)	-	_	_	\$ 210.00 (4)
USD	[210.00, 210.00]	-	_	_	[210.00, 210.00]
	\$ 22.58 (4)	-	-	_	\$ 22.58 (4)
USD per CYP	[22.58, 22.58]	_	-	_	[22.58, 22.58]
Female Sterilization	[22,30, 22,30]				[22.33, 22.30]
Terraic Stermization	15,000.0 (21)	_	_	_	15,000.0 (21)
Naira	[15000.0, 15000.0]		_	_	[15000.0, 15000.0]
	[13000.0, 13000.0]	-		_	[13000.0, 13000.0]

Table A6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – National, 2015

	Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [§]					
Median price of method, with	Median ^(N)	Median (N)	Median ^(N)	Median ^(N)	Median ^(ℕ)					
interquartile range [∞]	[IQR]	[IQR]	[IQR]	[IQR]	[IQR]					
USD	\$ 75.00 ⁽²¹⁾	-	-	-	\$ 75.00 ⁽²¹⁾					
USD	[75.00, 75.00]	-	-	-	[75.00, 75.00]					
LICD mar CVD	\$ 8.06 (21)	-	-	-	\$ 8.06 (21)					
USD per CYP	[8.06, 8.06]	-	-	-	[8.06, 8.06]					
*	Based on the average rate of exchange from August 10 to October 23, 2015 of 500 Naira per 1 USD.									
†	This price is determined for the	This price is determined for the unit used in CYP conversion factors: condoms: 1 condom; oral contraceptives: 1 cycle or blister package; emergency								

[†] This price is determined for the unit used in CYP conversion factors: condoms: 1 condom; oral contraceptives: 1 cycle or blister package; emergency contraceptives: 1 dose; injectables: 1 dose/injection; implants: 1 implant insertion (1 or 2 rods); IUDs: 1 IUD.

[‡] CYP – Couple Year Protection is the estimated protection provided by contraceptive methods during a one-year period, based upon the volume of all contraceptives sold or distributed free of charge to clients during that period (see Annex 11).

In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies, PPMVs and General Retailer/Kiosks.

The number of family planning products captured in audits sheets with missing price information are as follows: 37 male condoms, 8 female condoms, 22 cycle beads, 13 male vasectomies, 22 female tubal litigations, 47 oral contraceptives, 11 emergency contraceptives, 212 injections, 44 implants and 66 IUDs.
 Price for all commodities with a provider-dependent service (injectables, implants, IUDs) may include service charge.

Table A7: Median markup percentage for selected modern contraceptive commodities with interquartile range, by private outlet type – National, 2015

	Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total*
Median markup percentage [†] of commodity, with interquartile range ^{‡,5,∞} :	Median % ^(N) [IQR %]	Median % ^(N) [IQR %]	Median % ^(N) [IQR %]	Median % ^(N) [IQR %]	Median % ^(N) [IQR %]
Out and the continue	100% (27)	100% (99)	75% ^(1,272)	100% (21)	79% (1,419)
Oral contraceptives	[100%, 100%]	[47%, 150%]	[47%, 167%]	[92%, 116%]	[47%, 150%]
Emergency centrecentives	100% (2)	50% ⁽⁸⁴⁾	67% ⁽³⁵²⁾	33% (6)	67% ⁽⁴⁴⁴⁾
Emergency contraceptives	[100%, 100%]	[25%, 100%]	[45%, 100%]	[33%, 122%]	[40%, 100%]
Contracentive injectables	150% ⁽⁸⁰⁾	100% (113)	100% (327)	285% ⁽¹⁾	133% ⁽⁵²¹⁾
Contraceptive injectables	[150%, 200%]	[67%, 150%]	[58%, 140%]	[285%, 285%]	[67%, 150%]
Insulante	150% (12)	-	-	-	150% (12)
Implants	[100%, 150%]	-	-	-	[100%, 150%]
IIID.	3,900% (22)	50% ⁽⁴⁾	15% ⁽⁶⁾	-	3,900% (32)
IUDs	[400%, 3900%]	[50%, 54%]	[11%, 23%]	-	[400%, 3,900%]

^{*} In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies, PPMVs and General Retailer/Kiosks.

[†] To determine median markup percentage, we first determined the profit margin for selected modern contraceptives at private sector outlet categories: retail price – wholesale price. We then determined a profit margin proportion by: profit margin/retail price. Finally, we converted profit margin to markup by: wholesale price/(1- profit margin proportion). We converted to a percentage and determined the median markup with IQR range. Using oral contraceptives sold in private health facilities as an example, this can be interpreted as private health facilities adding 50% to the wholesale costs to set the retail cost.

[‡] The number of family planning products captured in audit sheets with missing retail and/or wholesale price information are as follows: 530 oral contraceptives, 210 emergency contraceptives, 228 injections, 34 implants and 47 IUDs.

[§] This price is determined for the unit CYP conversion factors: condoms: 1 condom; oral contraceptives: 1 cycle or blister package: emergency contraceptives: 1 does; injectables: 1 dose/injection; implants: 1 implant insertion (1 or 2 rods): IUDs: 1 IUD.

[∞] Price for all commodities with a provider-dependent service (injectables, implants, IUDs) may include service charge.

Table A8: Contraceptive method market share: Relative proportion of total CYP sold/distributed, by method and outlet type – National, 2015

, ====										
CYP sold or distributed in previous 1 month by outlet type and contraceptive method type as a % of total	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [‡]	TOTAL§
CYP sold / distributed*,†:	%	%	%	%	%	%	%	%	%	%
1. Male condoms	3.8	0.0	0.0	3.8	0.8	1.1	15.7	1.8	19.4	23.2
2. Female condoms	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2
3. Cyclebeads	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1
4. Oral contraceptives	0.9	0.0	0.0	0.9	0.6	0.3	5.0	0.0	5.9	6.8
IQA [∞] oral contraceptives	0.9	0.0	0.0	0.9	0.6	0.3	5.0	0.0	5.9	6.7
Combined oral contraceptives	0.5	0.0	0.0	0.5	0.6	0.3	5.0	0.0	5.9	6.4
Progestin-only pills	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.4
5. Emergency contraceptives	0.0	0.0	0.0	0.0	0.0	0.5	2.1	0.0	2.6	2.6
IQA [∞] emergency contraceptives	0.0	0.0	0.0	0.0	0.0	0.2	1.3	0.0	1.6	1.6
6. Contraceptive injectables	4.6	0.1	0.0	4.7	1.2	0.6	2.5	0.0	4.3	9.0
Depo-provera	3.2	0.0	0.0	3.2	0.7	0.3	1.5	0.0	2.5	5.7
Noristerat	1.4	0.1	0.0	1.5	0.5	0.3	1.0	0.0	1.8	3.3
Sayana Press	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1
7. Implants	13.7	0.0	0.0	13.7	28.7	0.0	0.0	0.0	28.7	42.4
Implanon	4.9	0.0	0.0	4.9	17.5	0.0	0.0	0.0	17.5	22.4
Jadelle	8.7	0.0	0.0	8.8	11.2	0.0	0.0	0.0	11.2	20.0
8. IUDs	2.6	0.0	0.0	2.6	12.4	0.0	0.2	0.0	12.6	15.2
9. Male sterilization	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1
10. Female sterilization	0.1	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.3	0.4
OUTLET TYPE TOTAL§	25.9	0.1	0.0	26.0	44.1	2.5	25.5	1.9	74.0	100.0

- * A total of 964,052 CYP (weighted) were reportedly distributed in the previous 1 month. This is based on the number of commodities reportedly sold for categories 1-8 (not number of services performed for categories 6-8) and number of sterilizations reportedly performed for categories 9-10.
- † A total of 4,295 FP products were audited (3,007 contraceptive tablets, 1,004 injection products). In addition, 1,923 outlets were audited for male condoms, 223 for female condoms, 72 for CycleBeads, 37 outlets for female sterilization services and 15 outlets for male sterilization services. A total of 2 injection products and 4 tablet products were excluded from market share analysis due to inconsistent or missing generic names. 56 emergency contraceptive products, 129 oral contraceptives, 205 male condoms, 17 female condoms and 10 CycleBeads were excluded from analysis for missing volume information. 2 male sterilizations and 4 female sterilizations were excluded for similar missing volume information as well. A total of 49 products were excluded due to outlier volumes and prices.
- ‡ In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs.
- § Row total equals CYP volume for the specified contraceptive method type. Column total equals market share for the specified outlet type method categories 1-10.
- Internationally quality-assured (IQA) contraceptives are defined as those with WHO Pre-qualification or those on a Stringent Regulatory authority (SRA) list. See Annex 8 for a list of all quality-assured brands found in the survey.

Table A9: Contraceptive method market share within outlet type: Relative proportion of total CYP sold / distributed within outlet type, by method – National, 2015

1,60,0,00000000000000000000000000000000	,								
CYP sold or distributed in previous 1-month contraceptive method type as a % of total CYP sold /	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [‡]
distributed within outlet type*,†:	%	%	%	%	%	%	%	%	%
1. Male condoms	14.7	2.5	1.0	14.7	1.8	42.5	61.6	98.6	26.2
2. Female condoms	0.7	0.0	0.0	0.7	0.0	0.0	0.1	0.0	0.1
3. CycleBeads	0.2	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.1
4. Oral contraceptives	3.3	0.0	3.4	3.3	1.3	10.9	19.7	1.1	8.0
IQA§ oral contraceptives	3.3	0.0	3.4	3.3	1.3	10.9	19.6	1.1	7.9
Combined oral contraceptives	2.0	0.0	0.0	2.0	1.3	10.9	19.6	1.1	8.0
Progestin-only pills	1.3	0.0	3.4	1.3	0.0	0.0	0.1	0.0	0.0
5. Emergency contraceptives	0.0	0.0	0.0	0.0	0.0	20.4	8.1	0.2	3.5
IQA§ emergency contraceptives	0.0	0.0	0.0	0.0	0.0	9.7	5.3	0.1	2.2
6. Contraceptive injectables	17.8	97.5	43.4	18.1	2.8	24.9	9.6	0.0	5.8
Depo-provera	12.3	6.5	30.6	12.4	1.6	12.2	5.8	0.0	3.4
Noristerat	5.5	91.0	12.8	5.8	1.2	12.7	3.8	0.0	2.5
Sayana Press	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.1
7. Implants	52.8	0.0	9.4	52.6	65.1	0.0	0.1	0.0	38.8
Implanon	19.0	0.0	4.6	18.9	39.7	0.0	0.1	0.0	23.7
Jadelle	33.8	0.0	4.9	33.7	25.5	0.0	0.0	0.0	15.2
8. IUDs	9.9	0.0	42.8	10.0	28.1	1.3	0.6	0.0	17.0
9. Male sterilization	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1
10. Female sterilization	0.4	0.0	0.0	0.4	0.6	0.0	0.0	0.0	0.4

- * A total of 964,052 CYP (weighted) were reportedly distributed in the previous 1 month. This is based on the number of commodities reportedly sold for categories 1-8 (not number of services performed for categories 6-8) and number of sterilizations reportedly performed for categories 9-10.
- † A total of 4,295 FP products were audited (3,007 contraceptive tablets, 1,004 injection products). In addition, 1,923 outlets were audited for male condoms, 223 for female condoms, 72 for CycleBeads, 37 outlets for female sterilization services and 15 outlets for male sterilization services. A total of 2 injection products and 4 tablet products were excluded from market share analysis due to inconsistent or missing generic names. 56 emergency contraceptive products, 129 oral contraceptives, 205 male condoms, 17 female condoms and 10 CycleBeads were excluded from analysis for missing volume information. 2 male sterilizations and 4 female sterilizations were excluded for similar missing volume information as well. A total of 49 products were excluded due to outlier volumes and prices.
- ‡ In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs.
- Internationally quality-assured (IQA) contraceptives are defined as those with WHO Pre-qualification or those on a Stringent Regulatory authority (SRA) list. See Annex 8 for a list of all quality-assured brands found in the survey.
 - Categories 1 through 10 sum to 100% within each column.

Table A10: Availability	of selected	d contracep	tive service	es, among o	outlets scre	ened, by o	utlet type -	National, 2	2015	
	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	%	%	%	%	%	%	%	%	%	%
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
Proportion of outlets screened, providing†:	N=214	N=12	N=15	N=241	N=331	N=229	N=2,802	N=3,362	N=9,762	N=13,365
Contraceptive injection	66.1	46.8	7.0	60.3	52.3	27.8	10.0	15.4	0.0	5.8
service	(53.0, 77.1)	(10.4, 86.9)	(1.3, 29.8)	(48.5, 71.1)	(34.8, 69.2)	(12.1, 51.8)	(6.6, 14.9)	(10.6, 21.8)	-	(4.6, 7.3)
Implant insertion service	22.0	0.0	0.1	17.3	29.4	0.4	0.1	3.5	0.0	1.5
implant insertion service	(12.1, 36.5)	-	(0.0, 0.5)	(9.4, 29.6)	(17.6, 44.8)	(0.1, 3.1)	(0.0, 0.8)	(1.6, 7.8)	-	(1.1, 2.0)
IUD insertion service	19.8	0.0	1.4	15.6	35.9	0.0	0.0	4.2	0.0	1.6
IOD IIIsel tion service	(10.1, 35.2)	-	(0.2, 11.3)	(7.6, 29.4)	(25.5, 47.9)	-	-	(2.2, 8.0)	-	(1.2, 2.1)
Male sterilization service	0.9	0.0	0.0	0.7	1.6	0.0	0.0	0.2	0.0	0.1
iviale sterilization service	(0.1, 5.3)	-	-	(0.1, 4.3)	(0.6, 4.3)			(0.1, 0.4)		(0.0, 0.2)
Female sterilization service	0.2	0.0	0.8	0.2	10.6	0.0	0.0	1.2	0.0	0.3
remaie stermzation service	(0.1, 0.6)	-	(0.1, 6.9)	(0.1, 0.6)	(4.2, 24.3)	-	-	(0.3, 4.3)	-	(0.1, 0.9)

^{*} In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs. This category excludes General Retailers/Kiosks.

[†] The denominator includes 68 outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview).

Table A111: Service readiness* to provide provider-dependent contraceptive services, among outlets reportedly offering the procedure, by outlet type – National, 2015

procedure, by outlet	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total [†]
Proportion of outlets	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾
offering service, with [‡] :	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
Contraceptive injection								
service			_			_		
Availability of	88.1	91.8	75.2	88.5	62.9	94.1	33.4	48.0
commodity	[71.9, 95.5] ⁽¹⁵⁴⁾	[35.2, 99.6] ⁽³⁾	[24.0, 96.7] ⁽⁵⁾	[78.4, 94.2] ⁽¹⁶²⁾	[53.4, 71.4] ⁽¹⁵⁰⁾	[79.4, 98.5] ⁽⁴⁹⁾	[18.3, 52.9] (258)	[34.1, 62.2] (459)
Availability of	71.3	2.2	100.0	62.1	93.5	65.4	40.5	62.8
credentials	[47.7, 87.1] ⁽¹⁵⁴⁾	[0.1, 35.4] (3)	[100.0,100.0] (5)	[38.2, 81.3] (162)	[75.6, 98.5] ⁽¹⁵⁰⁾	[30.8, 88.9] (49)	[20.6, 64.1] (258)	[37.0, 82.8] (459)
Availability of	86.1	100.0	100.0	88.0	99.0	100.0	93.6	96.1
equipment	[53.9, 97.1] ⁽¹⁵⁴⁾	[100.0,100.0] (3)	[100.0,100.0] (5)	[57.7, 97.5] ⁽¹⁶²⁾	[95.4, 99.8] ⁽¹⁵⁰⁾	[100.0,100.0](49)	[86.8, 97.0] ⁽²⁵⁶⁾	[91.7, 98.2] ⁽⁴⁵⁷⁾
Service readiness	59.8	2.2	75.2	52.1	59.0	63.2	15.1	34.9
Service reduiriess	[36.5, 79.4] ⁽¹⁵⁴⁾	$[0.1, 35.4]^{(3)}$	[24.0, 96.7] (5)	[26.5, 76.7] ⁽¹⁶²⁾	[46.9, 70.0] ⁽¹⁵⁰⁾	[28.2, 88.2] (49)	[7.4, 28.2] ⁽²⁵⁶⁾	[22.6, 49.6] ⁽⁴⁵⁷⁾
Implant insertion service								
Availability of	85.5	-	100.0	85.5	82.2	0.0	11.1	79.8
commodity	[64.9, 95.0] ⁽⁶⁹⁾	-	(1)	[64.9, 95.0] ⁽⁷⁰⁾	[50.7, 95.4] ⁽⁸⁰⁾	(1)	[0.6, 71.0] (4)	[45.7, 94.9] ⁽⁸⁵⁾
Availability of	90.0	-	100.0	90.0	99.8	100.0	92.3	99.5
credentials	[73.4, 96.7] ⁽⁶⁹⁾	-	(1)	[73.4, 96.7] ⁽⁷⁰⁾	[97.7, 100.0] ⁽⁸⁰⁾	(1)	[89.7, 94.3] ⁽⁴⁾	[97.5, 99.9] ⁽⁸⁵⁾
Availability of	94.9	-	0.0	94.9	98.2	100.0	18.5	95.8
equipment	[90.2, 97.4] ⁽⁶⁹⁾	-	(1)	[90.2, 97.4] ⁽⁷⁰⁾	[91.8, 99.6] ⁽⁸⁰⁾	(1)	[3.7, 57.4] (4)	[81.6, 99.1] ⁽⁸⁵⁾
	73.0	-	0.0	73.0	82.2	0.0	11.1	79.8
Service readiness	[47.9, 88.9] ⁽⁶⁹⁾	-	(1)	[47.9, 88.9] ⁽⁷⁰⁾	[50.6, 95.4] ⁽⁸⁰⁾	(1)	[0.6, 71.0] (4)	[45.7, 94.9] ⁽⁸⁵⁾
IUD insertion service								
Availability of	59.0	-	59.3	59.0	56.4	-	29.2	56.4
commodity	[18.6, 90.1] (71)	-	[54.5, 64.0] ⁽³⁾	[18.7, 90.0] (74)	[40.6, 71.0] ⁽¹⁰⁸⁾	-	[1.6, 91.2] (2)	[40.6, 70.9] (110)
Availability of	94.9	-	96.4	94.9	99.6	-	0.0	99.5
credentials	[82.0, 98.7] (71)	-	[51.3, 99.8] ⁽³⁾	[82.0, 98.7] ⁽⁷⁴⁾	[96.8,100.0] ⁽¹⁰⁸⁾	-	[0.0, 0.0] (2)	[97.2, 99.9] ⁽¹¹⁰⁾
Availability of	87.0	-	96.4	87.1	96.9	_	70.8	96.8
equipment	[67.2, 95.6] ⁽⁶⁹⁾	-	[51.3, 99.8] ⁽³⁾	[67.3, 95.7] ⁽⁷²⁾	[90.1, 99.1] ⁽¹⁰⁸⁾	-	[8.8, 98.4] (2)	[90.0, 99.0] (110)
	46.7	_	55.7	46.8	54.9	_	0.0	54.8
Service readiness	[11.4, 85.7] (69)	_	[49.1, 62.1] ⁽³⁾	[11.5, 85.6] ⁽⁷²⁾	[39.6, 69.3] (108)	_	[0.0, 0.0] (2)	[39.6, 69.2] (110)
Male sterilization	[11.1,00.7]		[1311, 0211]	[11.5, 55.0]	[33.0, 03.3]		[0.0, 0.0]	[55.5, 55.2]
Availability of	7.2	_	_	7.2	100.0	_	-	100.0
credentials	[0.3, 65.4] (2)	_	_	[0.3, 65.4] (2)	[100.0,100.0] ⁽¹⁷⁾	_	_	[100.0,100.0] ⁽¹⁷⁾
Availability of	7.2	_	_	7.2	78.1	_	_	78.1
equipment	[0.3, 65.4] (2)	_	_	[0.3, 65.4] (2)	[33.7, 96.1] ⁽¹⁷⁾	_	_	[33.7, 96.1] (17)
ечиринент	7.2	_	_	7.2	78.1		_	78.1
Service readiness	[0.3, 65.4] (2)	_	-	[0.3, 65.4] (2)	[33.7, 96.1] ⁽¹⁷⁾			[33.7, 96.1] (17)
	[0.3, 05.4] (2)	-	-	[0.3, 03.4]	[55.7, 90.1] (17)	-	-	[33.7, 90.1] (17)

Table A111: Service readiness* to provide provider-dependent contraceptive services, among outlets reportedly offering the procedure, by outlet type – National, 2015

<u> </u>								
	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total [†]
Proportion of outlets	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾
offering service, with [‡] :	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
Female sterilization								
Cuadantiala	90.1	-	100.0	91.8	98.4	-	-	98.4
Credentials	[42.8, 99.1] (5)	-	(1)	[48.0, 99.3] ⁽⁶⁾	[84.1, 99.9] ⁽⁴³⁾	-	-	[84.1, 99.9] ⁽⁴³⁾
Favriage and	69.4	-	0.0	57.2	92.4	-	-	92.4
Equipment	[22.1, 94.8] (5)	-	(1)	[25.0, 84.3] ⁽⁶⁾	[64.7, 98.8] ⁽⁴²⁾	-	-	[64.7, 98.8] ⁽⁴²⁾
Comice readiness	69.4	-	0.0	57.2	92.4	-	-	92.4
Service readiness	[22.1, 94.8] (5)	-	(1)	[25.0, 84.3] ⁽⁶⁾	[64.7, 98.8] ⁽⁴²⁾	-	-	[64.7, 98.8] ⁽⁴²⁾


^{*} Full service readiness is defined as having available: 1. The commodity (not applicable for male/female sterilization); 2. A provider with credentials meeting the guidelines to perform the service (http://www.healthpolicyproject.com/ns/docs/CIP_Nigeria.pdf); and 3. A minimum set of sentinel equipment (http://www.cpc.unc.edu/measure/prh/rh_indicators/specific/long-acting-permanent-methods/percent-of-facilities-with-appropriate) for providing the service. Observations that are missing information for commodity availability, provider credentials, or equipment are excluded from the 'service readiness' denominator.

[†] In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs. This category excludes General Retailers/Kiosks.

One rural outlet in the South West region reported offering female tubal litigation, however equipment data was missing for that outlet and was therefore excluded from the denominator.

Figure A1. Modern contraceptive method market composition - National, 2015


Among all outlets stocking at least 1 modern contraceptive or providing at least 1 contraceptive service, by outlet type



The private sector accounted for 86 percent of outlets stocking at least one modern contraceptive above the level of condoms only or providing services, the public sector accounted for 15 percent of this contraceptive market composition and the not-for-profit sector accounted for less than 1 percent. The private sector contraceptive market composition was largely PPMVs (72 percent) with an additional 4 percent of the market composition from pharmacies and 9 percent from private facilities. General retailers accounted for an additional 1 percent of the private market composition. Looking at the public sector, 13 percent of the total market composition was from public facilities and 2 percent from CHWs.

Figure A2. Percentage of modern contraceptive commodity-stocking outlets with selected non-hormonal short-acting contraceptives available – National, 2015


Among all screened outlets, by outlet type



In the Nigerian public sector, slightly more than half of public health facilities had male condoms available and about 40 percent had female condoms and 5 percent cyclebeads available. CHWs and not-for-profit outlets were not commonly stocking non-hormonal short-acting methods. Nearly all pharmacies and over three-quarters of PPMVs stocked male condoms. Over 10 percent of pharmacies stocked female condoms. Less than 5 percent of the numerous general retailers were found to be stocking male condoms.

Figure A3. Percentage of modern contraceptive commodity-stocking outlets with selected hormonal short-acting contraceptives available – National, 2015

Among all screened outlets, by outlet type





Looking at hormonal short-acting methods, about half of public facilities carried oral contraceptives (both combined and progestin-only pills) and 60 percent stocked injectables on the day of the survey. CHWs did not commonly stock any hormonal short-acting methods other than injectables (40 percent) and less than 5 percent of not-for-profit outlets stocked any hormonal short-acting methods. Emergency contraceptives were not stocked in the public sector. In the private sector, about 40 percent of private facilities, 80 percent of pharmacies and half of PPMVs stocked oral contraceptives but rarely progestin-only pills. Emergency contraceptives were commonly stocked in pharmacies (60 percent) but in less than 10 percent of private facilities or PPMVs. Injectables were commonly stocked in private facilities (about one-third) and pharmacies (almost two-thirds) but rarely in PPMVs (<5 percent).







For LARC commodities in the Nigerian public sector, more than 20 percent of public health facilities had implants and nearly 20 percent had IUDs available. Few not-for-profit outlets or pharmacies and no PPMVs were found to be stocking LARCs. A little over 20 percent of not-for-profit outlets stocked either implants or IUDs.







Nearly three-quarters of public facilities and half of CHWs had at least one method in stock whereas less than 10 percent of not-for-profit outlets stocked at least one method. In the private sector, 60 percent of private facilities, nearly all pharmacies and over 80 percent of PPMVs had at least one method in stock on the day of the survey. Looking at method mixes in public sector, nearly half of private facilities had at least three methods in stock and one-quarter had five or more methods available. No CHWs and few not-for-profit outlets had three or more methods available and 15 percent had five or more methods available. Over three-quarters of pharmacies but only about 10 percent of PPMVs had three or more methods available.





In previous graphs, availability (and the converse, non-availability) was reported by method and outlet type. In this graph, outlets reportedly stocking the method at any time in the previous three months but currently out of stock of the method is reported. In the public sector, about 15 percent of public health facilities offering oral contraceptives or injectables in the previous three months were out of stock of all brands on the day of the survey. Less than 5 percent of those carrying implants or IUDs were currently out of stock. While very few public facilities reportedly carried emergency contraceptives in the last three months, nearly 40 percent of those that did were currently out of stock. Nearly one-quarter of not-for-profit outlets reportedly stocking the method in the previous three months were currently stocked out of oral contraceptives and injectables while less than 5 and 10 percent were stocked out of implants or IUDs, respectively. Stock outs were rarely reported in pharmacies in Nigeria. For PPMVs, the most numerous outlet type commonly carrying methods, about 10 percent were currently stocked out of oral contraceptives, 30 percent were currently stocked out of emergency contraceptives and nearly 60 percent were stocked out of injectables.






The median price per CYP ranged from \$0.16 for CycleBeads and \$1.09 per CYP for IUDs to \$6.00 per CYP for contraceptive injectables and \$7.50 per CYP for male condoms and implants. Female condoms were rare and emergency contraceptives were priced very high, \$20.00 per CYP compared to other methods. With some variation, prices tended to be lower for a given method in PPMVs compared to pharmacies and private health facilities.





As a % of total CYP sold/distributed, by outlet type and sector




As a proportion of the total volume of CYP for all methods, the public sector accounts for about one-quarter of total volume of CYP, almost entirely from public health facilities. Implants (14 percent), followed by contraceptive injectables (5 percent) and male condoms (4 percent) are the primary contributors in the public sector, of total CYP. The private sector accounted for nearly three-quarters of the total volume of CYP reportedly distributed in the previous month. This share came largely from private facilities (44 percent) with a large contribution also from PPMVs (26 percent). In the private sector, 29 percent of the total volume reportedly distributed came from implants distributed by private facilities and a further 12 percent came from IUDs distributed in private facilities. In PPMVs, 16 percent of the total volume of CYP distributed in Nigeria was from male condoms distributed at PPMVs and a further 5 percent was from oral contraceptives. Pharmacies accounted for only about 3 percent of the total CYP volume and general retailers for about 2 percent of the total CYP volume, with both mostly from distribution of male condoms.


Figure A9. Within outlet market share for contraceptive methods – National, 2015







Of the total volume within outlet types, LARCs (implants, 53 percent; and IUDs, 10 percent) account for more than 60 percent of public sector outlet CYP. CHWs and not-for-profit outlets contributed only a very small proportion (< 0.1 percent) of the total volume of CYP in Nigeria. The majority of CYP volume in private facilities was from implants (65 percent) and IUDs (28 percent); in PPMVs from male condoms (62 percent) and oral contraceptives (20 percent); and in pharmacies from male condoms (43 percent) and oral and emergency contraceptives (20 percent each). LARCs account for over 60 percent of the total CYP volume distributed within public sector outlets and nearly 60 percent of the total CYP volume distributed in private sector outlets.





Two-thirds of public sector facilities offered contraceptive injection services, while only about 20 percent offer implant or IUD insertion procedures. Male or female sterilizations were rarely offered, with less than 1 percent of public health facilities reportedly offering either male or female sterilizations. Over half of all private health facilities screened offered contraceptive injection services while about one-third offered implant and/or IUD insertions services. Over 10 percent also offered female sterilization services. In addition, over one-quarter of pharmacies and 10 percent of PPMVs reported offering contraceptive injection services.





For injection services, nearly 60 percent of public and private health facilities, over 60 percent of pharmacies and 15 percent of PPMVs reportedly offering contraceptive injection services were found to meet service readiness requirements. Service readiness for implant insertion services was relatively high for public and private facilities, with over 70 percent of those providing services meeting conditions. Only about 45 percent of all public health facilities and slightly over half of private health facilities met conditions for service readiness for IUD insertions.

Results Section B: Core Indicators by Geopolitical Zone

Table B1: Modern contraceptive method market composition: Relative proportion of outlets with 1 or more methods, by outlet type – by Geopolitical Zone, 2015

type – by Geopolitica	1 Zone, 2015								
	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total*
Proportion of outlet types stocking / providing at least 1 modern contraceptive method on the day of the survey, of all outlets stocking / providing at least 1 modern contraceptive method†:	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
Any method available, including condoms only outlets [‡]									
North Central; N=540	11.4 (6.6, 19.0)	5.3 (1.5, 16.5)	0.1 (0.0, 2.4)	16.8 (13.2, 21.1)	6.2 (2.5, 14.9)	1.4 (0.2, 9.2)	50 (29.8, 70.3)	25.6 (8.4, 56.4)	83.2 (78.9, 86.8)
North East; N=130	24.6 (7.3, 57.4)	-	0.0 (0.0, 0.3)	24.6 (7.3, 57.4)	0.3 (0.0, 4.8)	1.2 (0.1, 9.6)	64.9 (28.6, 89.5)	9.1 (1.3, 43.1)	75.4 (42.6, 92.7)
North West; N=255	26.7 (9.0, 57.3)	0.0	0.0	26.7 (9.0, 57.3)	1.5 (0.4, 5.7)	0.4 (0.1, 2.1)	71.0 (43.4, 88.6)	0.5 (0.1, 2.3)	73.3 (42.7, 91.0)
South East; N=331	8.3 (2.5, 24.1)	0.0	0.0	8.3 (2.5, 24.1)	6.3 (5.5, 7.4)	2.2 (0.5, 8.4)	75.4 (55.3, 88.4)	7.8 (3.7, 15.7)	91.7 (75.9, 97.5)
South South; N=233	7.0 (1.4, 29.4)	0.0	0.0	7.0 (1.4, 29.4)	12.6 (3.4, 37.0)	2.0 (0.6, 6.6)	76.8 (73.6, 79.7)	1.6 (0.2, 14.0)	93.0 (70.6, 98.7)
South West; N=2,058	2.2 (0.8, 6.0)	0.4 (0.0, 4.1)	0.1 (0.0, 1.1)	2.7 (0.9, 8.1)	3.3 (1.4, 7.5)	5.3 (1.8, 14.8)	73.1 (30.2, 94.5)	15.5 (2.5, 56.8)	97.3 (91.9, 99.1)
Any method available, excluding condoms only outlets [§]									
North Central; N=376	16.8 (10.8, 25.3)	9.4 (1.9, 36.5)	0.2 (0.0, 3.8)	26.5 (17.4, 38.1)	10.8 (4.9, 21.9)	2.2 (0.3, 13.1)	60.1 (50.5, 69.1)	0.4 (0.0, 4.1)	73.5 (61.9, 82.6)
North East; N=107	35.2 (8.2, 76.8)	-	0.0 (0.0, 0.4)	35.2 (8.2, 76.8)	0.4 (0.0, 7.5)	0.4 (0.0, 9.8)	64.0 (23.5, 91.2)	0.0	64.8 (23.2, 91.8)
North West; N=229	28.8 (10.2, 59.0)	0.0	0.0	28.8 (10.2, 59.0)	1.6 (0.4, 6.6)	0.4 (0.1, 2.4)	69.2 (41.4, 87.7)	0.0	71.2 (41.0, 89.8)
South East; N=195	9.4 (4.7, 17.8)	0.0	0.0	9.4 (4.7, 17.8)	9.5 (8.2, 11.1)	3.3 (1.0, 10.6)	72.2 (54.5, 84.9)	5.6 (0.6, 35.9)	90.6 (82.2, 95.3)

Table B1: Modern contraceptive method market composition: Relative proportion of outlets with 1 or more methods, by outlet type – by Geopolitical Zone, 2015

,, , ,	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total*
Proportion of outlet types stocking / providing at least 1 modern contraceptive method on the day of the survey, of all outlets stocking / providing at least 1 modern contraceptive method†:	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
South South; N=157	10.1	0.0	0.0	10.1	14.1	2.5	73.3	0.0	89.9
30dtii 30dtii, N-13 /	(1.0, 56.9)	-	-	(1.0, 56.9)	(7.4, 25.0)	(1.1, 5.8)	(55.6, 85.8)	-	(43.1, 99.1)
South West; N=1,181	3.4 (1.3, 8.8)	0.8 (0.1, 7.3)	0.0 (0.0, 0.4)	4.2 (1.4, 12.2)	4.7 (1.8, 11.7)	8.9 (3.0, 24.0)	81.1 (57.4, 93.2)	1.1 (0.4, 2.5)	95.8 (87.8, 98.6)

^{*} In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies, PPMVs and General Retailer/Kiosks.

[†] Family planning commodity stocking outlets have at least one family planning commodity in stock on the day of the survey, verified by the presence of at least one family planning commodity recorded in an audit sheet. There were 44 family planning commodity stocking outlets with partially completed interviews which were thus excluded from the denominator. In Region 1 (NC), there were 9 incomplete interviews. In Region 2 (NE), there were 8 incomplete interviews. In Region 3 (NW), there were 2 incomplete interviews. In Region 4 (SE), there were 44 incomplete interviews. In Region 5 (SS), there were 6 incomplete interviews. In Region 6 (SW), there were 39 incomplete interviews.

[‡] Includes: male condoms, female condoms, oral contraceptives, emergency contraceptives, injectables, implants, and IUDs.

[§] Includes: oral contraceptives, emergency contraceptives, injectables, implants, and IUDs.

Table B2: Availa	ability of mo	dern contr	aceptive m	ethod types	, among ou	tlets screen	ed, by outlet	type – by Ge	opolitical Zo	ne, 2015
	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	%	%	%	%	%	%	%	%	%	%
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	NC: N=48	NC: N=3	NC: N=1	NC: N=52	NC: N=51	NC: N=43	NC: N=415	NC: N=509	NC: N=1,253	NC: N=1,814
Proportion of	NE: N=25	NE: N=0	NE: N=1	NE: N=26	NE: N=13	NE: N=7	NE: N=127	NE: N=147	NE: N=394	NE: N=567
outlets screened,	NW: N=44	NW: N=1	NW: N=1	NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=304	NW: N=927	NW: N=1,277
stocking /	SE: N=21	SE: N=3	SE: N=4	SE: N=28	SE: N=53	SE: N=20	SE: N=329	SE: N=402	SE: N=1,091	SE: N=1,521
providing†:	SS: N=19	SS: N=1	SS: N=1	SS: N=21	SS: N=28	SS: N=21	SS: N=195	SS: N=244	SS: N=879	SS: N=1,144
	SW: N=56	SW: N=4	SW: N=7	SW: N=67	SW: N=171	SW: N=134	SW: N=1,451	SW: N=1,756	SW: N=5,212	SW: N=7,035
Any modern method										
North Central	66.8	100.0	100.0	74.7	62.1	100.0	90.3	86.3	12.9	34.9
North Central	(44.5, 83.4)	-	-	(46.1, 91.1)	(39.3, 80.5)	-	(73.2, 96.9)	(77.9, 91.8)	(3.2, 40.2)	(22.8, 49.2)
No. atla Foot	59.1	-	100.0	59.1	3.2	82.1	60.6	56.4	2.9	21.1
North East	(48.8, 68.6)	-	-	(48.8, 68.7)	(0.1, 43.1)	(39.7, 97.0)	(20.6, 90.1)	(26.8, 82.1)	(0.3, 20.8)	(15.6, 27.8)
	58.3	0.0	0.0	58.0	28.8	100.0	48.2	47.6	0.1	11.2
North West	(28.3, 83.2)	-	-	(28.3, 82.9)	(17.0, 44.3)	-	(24.3, 72.9)	(25.2, 71.1)	(0.0, 0.5)	(5.5, 21.7)
C E .	88.1	0.0	0.0	50.8	49.6	92.5	76.3	73.6	2.9	24.9
South East	(37.1, 98.9)	-	-	(9.2, 91.3)	(37.6, 61.6)	(61.3, 99.0)	(72.2, 80.0)	(68.8, 77.9)	(1.4, 5.9)	(19.9, 30.8)
S 11 S 11	94.9	0.0	0.0	84.8	75.9	99.0	88.7	86.9	0.4	20.8
South South	(76.0, 99.1)	-	-	(75.0, 91.2)	(23.1, 97.1)	(90.9, 99.9)	(52.7, 98.2)	(50.5, 97.7)	(0.0, 4.8)	(18.1, 23.7)
	89.3	11.2	14.2	38.5	41.4	97.7	92.3	88.2	6.4	29.2
South West	(68.6, 96.9)	(0.5, 76.5)	(0.4, 87.4)	(10.1, 77.9)	(21.8, 64.1)	(92.5, 99.3)	(90.4, 93.9)	(83.8, 91.5)	(1.5, 23.0)	(23.4, 35.9)
Any short-acting method		, , ,		, ,		, ,	, , ,	, , ,		, , ,
Nauth Cantual	66.8	100.0	100.0	74.7	62.1	100.0	90.3	86.3	12.9	34.9
North Central	(44.5, 83.4)	-	_	(46.1, 91.1)	(39.3, 80.5)	-	(73.2, 96.9)	(77.9, 91.8)	(3.2, 40.2)	(22.8, 49.2)
Nauth Fast	59.1	-	100.0	59.1	0.4	82.1	60.6	56.2	2.9	21.0
North East	(48.8, 68.6)	-	-	(48.8, 68.7)	(0.2, 1.2)	(39.7, 97.0)	(20.6, 90.1)	(26.8, 81.8)	(0.3, 20.8)	(15.5, 27.9)
Ni a urbia NA/a arb	58.3	0.0	0.0	58.0	28.8	100.0	48.2	47.6	0.1	11.2
North West	(28.3, 83.2)	-	-	(28.3, 82.9)	(17.0, 44.3)	-	(24.3, 72.9)	(25.2, 71.1)	(0.0, 0.5)	(5.5, 21.7)
Cauth Fast	88.1	0.0	0.0	50.8	46.6	92.5	76.3	73.3	2.9	24.8
South East	(37.1, 98.9)	-	-	(9.2, 91.3)	(33.5, 60.1)	(61.3, 99.0)	(72.2, 80.0)	(68.8, 77.4)	(1.4, 5.9)	(19.8, 30.7)
S 11 S 11	94.9	0.0	0.0	84.8	75.9	99.0	88.7	86.9	0.4	20.8
South South	(76.0, 99.1)	-	-	(75.0, 91.2)	(23.1, 97.1)	(90.9, 99.9)	(52.7, 98.2)	(50.5, 97.7)	(0.0, 4.8)	(18.1, 23.7)
	89.1	11.2	14.2	38.5	36.0	97.7	92.3	87.7	6.4	29.1
South West	(68.3, 96.9)	(0.5, 76.5)	(0.4, 87.4)	(10.1, 77.7)	(17.5, 59.8)	(92.5, 99.3)	(90.4, 93.9)	(83.2, 91.1)	(1.5, 23.0)	(23.3, 35.7)
Any LARC method	(==,==,==)	(//	\- / /	, , , , , , , , ,	, ,,,,,,,	(= = / = = / = /	(//	(//	(-,,	(= = , = =)

Table B2: Availa	bility of mo	dern conti	aceptive m	ethod types	, among ou	tlets screen	ed, by outlet	type – by Ge	opolitical Zo	ne, 2015
	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	%	%	%	%	%	%	%	%	%	%
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	NC: N=48	NC: N=3	NC: N=1	NC: N=52	NC: N=51	NC: N=43	NC: N=415	NC: N=509	NC: N=1,253	NC: N=1,814
Proportion of	NE: N=25	NE: N=0	NE: N=1	NE: N=26	NE: N=13	NE: N=7	NE: N=127	NE: N=147	NE: N=394	NE: N=567
outlets screened,	NW: N=44	NW: N=1	NW: N=1	NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=304	NW: N=927	NW: N=1,277
stocking /	SE: N=21	SE: N=3	SE: N=4	SE: N=28	SE: N=53	SE: N=20	SE: N=329	SE: N=402	SE: N=1,091	SE: N=1,521
providing [†] :	SS: N=19	SS: N=1	SS: N=1	SS: N=21	SS: N=28	SS: N=21	SS: N=195	SS: N=244	SS: N=879	SS: N=1,144
	SW: N=56	SW: N=4	SW: N=7	SW: N=67	SW: N=171	SW: N=134	SW: N=1,451	SW: N=1,756	SW: N=5,212	SW: N=7,035
North Central	26.7	0.0	0.0	20.3	29.5	0.3	0.1	4.5	0.0	2.6
North Central	(8.0, 60.5)	-	-	(9.6, 37.9)	(8.1, 66.7)	(0.0, 5.8)	(0.0, 0.9)	(1.7, 11.2)	-	(1.2, 5.8)
North East	16.7	-	100.0	16.7	0.4	0.0	0.1	0.1	0.0	1.5
NOITH East	(0.9, 81.2)	-	-	(0.9, 81.2)	(0.2, 1.2)	-	(0.0, 1.4)	(0.0, 1.2)	-	(0.1, 15.9)
North West	7.7	0.0	0.0	7.7	0.0	0.0	0.0	0.0	0.0	0.4
north west	(2.2, 24.0)	_	-	(2.2, 23.7)	-	_	(0.0, 0.4)	(0.0, 0.4)	-	(0.1, 1.1)
C 11 5 1	2.0	0.0	0.0	1.2	15.9	1.3	0.1	1.9	0.0	0.6
South East	(0.3, 13.7)	_	_	(0.1, 13.3)	(2.2, 61.7)	(0.1, 16.1)	(0.0, 1.7)	(0.3, 12.1)	-	(0.1, 3.4)
C 11 C 11	63.8	0.0	0.0	57.0	40.0	2.5	0.0	6.4	0.0	2.4
South South	(31.5, 87.1)	-	-	(25.2, 83.8)	(26.0, 55.8)	(0.5, 12.8)	(0.0, 0.5)	(2.1, 18.1)	-	(1.6, 3.4)
C 11.144 1	57.5	0.0	2.7	20.2	16.2	0.8	0.0	1.5	0.0	0.8
South West	(18.2, 89.1)	_	(0.1, 42.3)	(7.3, 44.9)	(5.8, 37.9)	(0.2, 3.5)	-	(0.5, 4.2)	-	(0.5, 1.2)
Any permanent method										
North Control	0.1	0.0	0.0	0.1	2.9	0.0	0.0	0.4	0.0	0.1
North Central	(0.0, 2.0)	_	-	(0.0, 1.7)	(0.5, 15.9)	_	-	(0.1, 2.5)	-	(0.0, 0.7)
Nowth Foot	7.6	-	0.0	7.6	2.8	0.0	0.0	0.2	0.0	0.7
North East	(0.8, 47.2)	-	-	(0.7, 47.2)	(0.1, 55.0)	-	-	(0.0, 6.1)	-	(0.0, 11.4)
	0.4	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0
North West	(0.1, 2.4)	-	-	(0.1, 2.3)	-	-	-	-	-	(0.0, 0.1)
C 11 E 1	0.0	0.0	0.0	0.0	10.4	0.0	0.0	1.2	0.0	0.3
South East	_	-	_	-	(5.1, 20.0)	-	-	(0.7, 1.8)	-	(0.2, 0.7)
	0.0	0.0	0.0	0.0	17.9	0.0	0.0	2.8	0.0	0.6
South South	-	_	_	_	(7.9, 35.7)	_	-	(0.6, 11.9)	-	(0.2, 2.3)
	1.1	0.0	2.7	0.7	5.7	0.0	0.0	0.5	0.0	0.1
South West	(0.2, 7.1)	-	(0.1, 42.3)	(0.1, 7.4)	(0.9, 28.4)	-	-	(0.0, 5.3)	-	(0.0, 1.1)
Any LARC/PM	(= , : :=,		(= , ===/	(- , ,	(==,==:,			(,,		(= = / = = /
•	26.7	0.0	0.0	20.3	31.4	0.3	0.1	4.8	0.0	2.7
North Central	(8.0, 60.5)	_	_	(9.6, 37.9)	(9.5, 66.6)	(0.0, 5.8)	(0.0, 0.9)	(2.0, 11.1)	-	(1.3, 5.7)

Table B2: Availa	Table B2: Availability of modern contraceptive method types, among outlets screened, by outlet type – by Geopolitical Zone, 2015													
	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total				
	%	%	%	%	%	%	%	%	%	%				
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)				
	NC: N=48	NC: N=3	NC: N=1	NC: N=52	NC: N=51	NC: N=43	NC: N=415	NC: N=509	NC: N=1,253	NC: N=1,814				
Proportion of	NE: N=25	NE: N=0	NE: N=1	NE: N=26	NE: N=13	NE: N=7	NE: N=127	NE: N=147	NE: N=394	NE: N=567				
outlets screened,	NW: N=44	NW: N=1	NW: N=1	NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=304	NW: N=927	NW: N=1,277				
stocking /	SE: N=21	SE: N=3	SE: N=4	SE: N=28	SE: N=53	SE: N=20	SE: N=329	SE: N=402	SE: N=1,091	SE: N=1,521				
providing [†] :	SS: N=19	SS: N=1	SS: N=1	SS: N=21	SS: N=28	SS: N=21	SS: N=195	SS: N=244	SS: N=879	SS: N=1,144				
	SW: N=56	SW: N=4	SW: N=7	SW: N=67	SW: N=171	SW: N=134	SW: N=1,451	SW: N=1,756	SW: N=5,212	SW: N=7,035				
North East	24.3	_	100.0	24.3	3.2	0.0	0.1	0.3	0.0	2.2				
NOITH Last	(6.7, 58.9)	-	-	(6.7, 58.9)	(0.1, 43.1)	-	(0.0, 1.4)	(0.0, 3.0)	-	(0.4, 10.2)				
North West	7.8	0.0	0.0	7.8	0.0	0.0	0.0	0.0	0.0	0.4				
North West	(2.2, 24.2)	-	-	(2.2, 23.9)	-	-	(0.0, 0.4)	(0.0, 0.4)	-	(0.1, 1.1)				
Courth Fact	2.0	0.0	0.0	1.2	23.3	1.3	0.1	2.7	0.0	0.8				
South East	(0.3, 13.7)	_	-	(0.1, 13.3)	(6.9, 55.6)	(0.1, 16.1)	(0.0, 1.7)	(0.8, 9.1)	-	(0.3, 2.6)				
Courth Courth	63.8	0.0	0.0	57.0	40.0	2.5	0.0	6.4	0.0	2.4				
South South	(31.5, 87.1)	-	-	(25.2, 83.8)	(26.0, 55.8)	(0.5, 12.8)	(0.0, 0.5)	(2.1, 18.1)	-	(1.6, 3.4)				
South Wost	58.6	0.0	2.7	20.6	18.3	0.8	0.0	1.7	0.0	0.9				
South West	(19.7, 89.1)	-	(0.1, 42.3)	(7.5, 45.3)	(6.3, 42.9)	(0.2, 3.5)	-	(0.5, 5.3)	-	(0.5, 1.4)				

^{*} In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs. This category excludes General Retailers/Kiosks.

[†] The denominator includes 68 outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview). In Region 1 (NC), the denominator includes 9 outlets that met screening criteria for a full interview but did not complete the interview. In Region 2 (NE), the denominator includes 8 outlets that met screening criteria for a full interview but did not complete the interview. In Region 3 (NW), the denominator includes 2 outlets that met screening criteria for a full interview but did not complete the interview. In Region 4 (SE), the denominator includes 4 outlets that met screening criteria for a full interview but did not complete the interview. In Region 6 (SW), the denominator includes 39 outlets that met screening criteria for a full interview but did not complete the interview.

Table B3: Avail	ability of se	lected conti	aceptive m	nethods, am	ong outlets	screened,	by outlet ty	pe – by Geor	oolitical Zone	e, 2015
	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	%	%	%	%	%	%	%	%	%	%
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	NC: N=48	NC: N=3	NC: N=1	NC: N=52	NC: N=51	NC: N=43	NC: N=415	NC: N=509	NC: N=1,253	NC: N=1,814
Proportion of	NE: N=25	NE: N=0	NE: N=1	NE: N=26	NE: N=13	NE: N=7	NE: N=127	NE: N=147	NE: N=394	NE: N=567
outlets screened,	NW: N=44	NW: N=1	NW: N=1	NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=304	NW: N=927	NW: N=1,277
currently	SE: N=21	SE: N=3	SE: N=4	SE: N=28	SE: N=53	SE: N=20	SE: N=329	SE: N=402	SE: N=1,091	SE: N=1,521
stocking [†] :	SS: N=19	SS: N=1	SS: N=1	SS: N=21	SS: N=28	SS: N=21	SS: N=195	SS: N=244	SS: N=879	SS: N=1,144
	SW: N=56	SW: N=4	SW: N=7	SW: N=67	SW: N=171	SW: N=134	SW: N=1,451	SW: N=1,756	SW: N=5,212	SW: N=7,035
Male condoms										
North Central	55.3	0.9	100.0	42.9	32.0	96.1	79.7	72.9	12.9	29.2
Troitin Central	(29.8, 78.3)	(0.0, 26.1)	-	(32.1, 54.4)	(14.1, 57.5)	(71.7, 99.6)	(70.6, 86.5)	(64.2, 80.1)	(3.2, 40.3)	(20.5, 39.7)
North East	56.3	-	100.0	56.4	0.3	82.1	56.9	52.8	2.9	20.0
North East	(42.8, 69.0)	-	-	(42.8, 69.0)	(0.1, 1.9)	(39.7, 97.0)	(22.9, 85.5)	(28.2, 76.2)	(0.3, 20.8)	(13.8, 27.9)
North West	22.2	0.0	0.0	22.1	4.7	72.5	23.3	22.8	0.1	5.1
NOITH WEST	(13.1, 35.1)	-	-	(13.1, 34.8)	(3.2, 6.8)	(62.5, 80.7)	(7.4, 53.7)	(7.6, 51.2)	(0.0, 0.5)	(1.9, 13.3)
South East	73.3	0.0	0.0	42.2	27.8	85.6	72.7	67.9	2.9	23.0
Jouin Last	(32.6, 94.0)	-	-	(7.1, 87.5)	(24.0, 31.9)	(58.3, 96.2)	(68.3, 76.7)	(63.4, 72.1)	(1.4, 5.9)	(18.3, 28.5)
South South	93.4	0.0	0.0	82.5	58.0	93.7	88.3	83.6	0.4	19.9
South South	(71.8, 98.7)	-	-	(69.1, 90.8)	(29.4, 82.1)	(56.5, 99.4)	(54.0, 98.0)	(59.2, 94.7)	(0.0, 4.8)	(17.0, 23.3)
Carrella MALANT	54.6	0.0	11.6	20.2	28.7	96.7	88.2	83.6	6.4	27.6
South West	(18.0, 86.9)	-	(0.3, 83.1)	(5.8, 51.0)	(11.3, 56.0)	(89.6, 99.0)	(84.0, 91.5)	(80.4, 86.3)	(1.5, 23.0)	(22.3, 33.6)
Female condoms										
North Central	20.2	0.0	0.0	15.3	0.7	14.1	11.7	10.1	2.6	5.3
North Central	(12.4, 31.2)	-	-	(7.0, 30.5)	(0.0, 9.3)	(3.6, 42.2)	(2.9, 36.6)	(2.8, 30.4)	(0.5, 12.4)	(2.1, 13.0)
North Foot	51.7	_	100.0	51.8	0.0	17.2	0.2	0.4	0.0	4.7
North East	(33.0, 70.0)	-	-	(33.0, 70.0)	-	(2.3, 64.7)	(0.0, 5.6)	(0.0, 10.5)	-	(0.9, 20.1)
NI	12.1	0.0	0.0	12.0	0.0	34.8	1.4	1.4	0.0	0.9
North West	(3.3, 35.8)	-	_	(3.3, 35.6)	-	(24.3, 47.1)	(0.5, 3.5)	(0.6, 3.5)	(0.0, 0.1)	(0.2, 3.3)
6 11 5 1	50.3	0.0	0.0	29.0	4.8	5.2	3.0	3.2	0.0	2.1
South East	(11.2, 89.1)	_	-	(3.8, 80.8)	(0.8, 23.6)	(0.6, 32.6)	(0.9, 9.5)	(0.9, 10.9)	-	(0.8, 5.3)
	85.4	0.0	0.0	75.4	17.7	8.2	1.5	4.2	0.0	2.1
South South	(69.1, 93.8)	_	-	(47.2, 91.3)	(7.4, 36.7)	(1.1, 42.3)	(0.3, 6.5)	(1.4, 11.7)	-	(1.1, 4.0)
0 11 111	52.4	0.0	9.6	19.2	5.8	15.8	1.9	3.0	0.1	1.3
South West	(17.6, 85.0)	-	(0.3, 78.7)	(5.2, 50.7)	(1.7, 18.1)	(5.2, 39.3)	(1.0, 3.5)	(1.3, 7.0)	(0.0, 0.4)	(0.8, 1.9)
Cyclebeads	(=:::, ==:0)		(515)	(==, ==,)	(=::, ==:=)	(3:=, 22:3)	(=,)	(===, ===,	(212, 211)	(3.5, 2.3)
	0.2	0.0	0.0	0.2	0.0	0.0	0.3	0.2	0.0	0.1
North Central	(0.0, 3.3)	-	_	(0.0, 2.8)	-	_	(0.1, 0.8)	(0.1, 0.6)	_	(0.0, 0.1)

Table B3: Avail	ability of se	lected conti	raceptive n	nethods, am	ong outlets	screened,	by outlet ty	pe – by Geor	oolitical Zone	e, 2015
	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	%	%	%	%	%	%	%	%	%	%
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	NC: N=48	NC: N=3	NC: N=1	NC: N=52	NC: N=51	NC: N=43	NC: N=415	NC: N=509	NC: N=1,253	NC: N=1,814
Proportion of	NE: N=25	NE: N=0	NE: N=1	NE: N=26	NE: N=13	NE: N=7	NE: N=127	NE: N=147	NE: N=394	NE: N=567
outlets screened,	NW: N=44	NW: N=1	NW: N=1	NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=304	NW: N=927	NW: N=1,277
currently	SE: N=21	SE: N=3	SE: N=4	SE: N=28	SE: N=53	SE: N=20	SE: N=329	SE: N=402	SE: N=1,091	SE: N=1,521
stocking [†] :	SS: N=19	SS: N=1	SS: N=1	SS: N=21	SS: N=28	SS: N=21	SS: N=195	SS: N=244	SS: N=879	SS: N=1,144
	SW: N=56	SW: N=4	SW: N=7	SW: N=67	SW: N=171	SW: N=134	SW: N=1,451	SW: N=1,756	SW: N=5,212	SW: N=7,035
North East	0.0	-	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NOITH Last	-	_	_	(0.0, 0.6)	_	-	-	-	-	(0.0, 0.1)
North West	13.2	0.0	0.0	13.2	0.0	0.0	1.4	1.4	0.0	0.9
North West	(4.4, 33.5)	-	-	(4.4, 33.3)	-	-	(0.5, 4.4)	(0.5, 4.0)	-	(0.3, 2.6)
Carable Face	9.1	0.0	0.0	5.2	5.0	0.0	5.2	5.1	0.0	1.7
South East	(0.7, 59.0)	-	_	(0.4, 45.6)	(0.8, 26.7)	-	(0.6, 34.0)	(0.7, 27.8)	-	(0.4, 7.2)
0 11 0 11	12.1	0.0	0.0	10.8	4.4	0.0	0.4	1.1	0.0	0.4
South South	(1.0, 64.6)	_	_	(0.9, 61.5)	(0.2, 55.6)	-	(0.1, 2.0)	(0.2, 6.5)	-	(0.1, 1.5)
6 11 147 1	11.9	0.0	0.0	4.1	0.1	0.3	0.7	0.6	0.0	0.2
South West	(1.5, 53.9)	-	_	(0.3, 35.6)	(0.0, 1.0)	(0.0, 6.5)	(0.1, 4.2)	(0.1, 3.1)	-	(0.1, 1.2)
Oral contraceptives										
Namel Cambrol	33.6	0.0	100.0	26.1	42.4	81.4	57.9	56.1	0.1	15.2
North Central	(16.1, 57.0)	-	_	(8.3, 57.9)	(22.1, 65.6)	(52.5, 94.5)	(40.4, 73.6)	(40.6, 70.4)	(0.0, 1.0)	(11.8, 19.3)
N .1 5 .	48.3	-	100.0	48.3	0.4	17.9	39.5	36.2	0.0	13.2
North East	(27.4, 69.7)	_	_	(27.5, 69.7)	(0.2, 1.2)	(3.0, 60.3)	(11.0, 77.5)	(12.9, 68.5)	-	(7.8, 21.4)
	35.3	0.0	0.0	35.2	3.2	100.0	35.8	34.8	0.0	7.8
North West	(22.1, 51.2)	_	_	(22.0, 51.0)	(0.1, 53.1)	_	(20.4, 54.7)	(20.8, 52.0)	_	(4.2, 14.1)
	43.0	0.0	0.0	24.8	11.8	66.9	38.9	36.4	1.1	12.1
South East	(16.3, 74.5)	_	_	(4.5, 69.5)	(3.5, 32.8)	(20.0, 94.2)	(18.6, 64.0)	(18.4, 59.4)	(0.1, 13.0)	(6.8, 20.8)
	93.9	0.0	0.0	83.8	58.0	83.5	55.6	56.4	0.0	13.8
South South	(71.4, 98.9)	-	-	(73.5, 90.7)	(29.6, 82.0)	(40.5, 97.4)	(9.6, 93.6)	(12.0, 92.5)	-	(7.8, 23.1)
	79.2	11.2	0.0	33.5	16.8	78.5	57.2	54.9	0.2	15.7
South West	(44.3, 94.8)	(0.5, 76.5)	-	(8.3, 73.5)	(8.7, 30.0)	(53.4, 92.0)	(38.2, 74.2)	(41.8, 67.4)	(0.1, 0.4)	(12.7, 19.4)
IQA [‡] oral contraceptives	(11.5, 51.0)	(0.0) 7 0.0)		(5.5, 75.5)	(317) 3010)	(33.1,32.0)	(33.2) 7 1.2)	(12:0) 07:4)	(0.1, 0.1)	(12.17) 13.17)
	33.6	0.0	100.0	26.1	42.4	81.4	57.9	56.0	0.1	15.2
North Central	(16.1, 57.0)	-	-	(8.3, 57.9)	(22.1, 65.6)	(52.5, 94.5)	(40.4, 73.6)	(40.6, 70.4)	(0.0, 1.0)	(11.8, 19.3)
North East	48.3	_	100.0	48.3	0.4	17.9	39.5	36.2	0.0	13.2

Public Health Facility Hea	Table B3: Avail	ability of se	lected conti	aceptive n	nethods, am	ong outlets	screened,	by outlet ty	pe – by Geor	olitical Zone	, 2015
		Public Health	Community Health	Private Not-For-		Private For- Profit Health				General	
Proportion of outlets screened, currently NC: N=15						*	-			*	
Proportion of outlets screened, Now. No. MS. Ne. 25 outlets screened, Currently SE: N=21 SE: N=21 SE: N=3 SE: N=4 SE: N=28 SE: N=28 SE: N=58 SE: N=20 SE: N=39 SE: N=20 SE: N=329 SE: N=40 SE: N=21 SE: N=1,091 SE: N=1,144 SW: N=1,145 SW:							(95% CI)	(95% CI)		(95% CI)	(95% CI)
outlets screened, currently NW. N=44 (Aurently) NW. N=44 (SE. N=21) NW. N=14 (SE. N=21) NW. N=14 (SE. N=21) NW. N=15 (SE. N=23) NW. N=1277 (SE. N=23) NW. N=285 (SE. N=23) SE. N=402 (SE. N=1,091) SE. N=1,124 (SE. N=1,211) SE. N=1,124 (SE. N=23) SE. N=1,241 (SE. N=23)					NC: N=52	NC: N=51	NC: N=43	NC: N=415	NC: N=509	NC: N=1,253	,
currently stocking: SE: N=214 SEN = 25 SEN = 35 SEN = 4 SEN = 25 SEN = 25 SEN = 20 SEN =	Proportion of							NE: N=127		NE: N=394	NE: N=567
stocking*: SS: N=190 SS: N=190 SS: N=190 SS: N=190 SS: N=190 SS: N=190 SS: N=210 SS: N=191 SS: N=244 SS: N=879 SS: N=1,174 SW: N=1,755 SW: N=1,755 <td>outlets screened,</td> <td></td> <td></td> <td></td> <td>NW: N=46</td> <td>NW: N=15</td> <td>NW: N=4</td> <td>NW: N=285</td> <td>NW: N=304</td> <td>NW: N=927</td> <td>· · · · · · · · · · · · · · · · · · ·</td>	outlets screened,				NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=304	NW: N=927	· · · · · · · · · · · · · · · · · · ·
	•									,	
North West	stocking [†] :										
North West 35.3 0.0 0.0 35.2 3.2 100.0 35.8 24.8 0.0 7.8 (22.1, 51.2)		SW: N=56	SW: N=4	SW: N=7	SW: N=67	SW: N=171	SW: N=134			SW: N=5,212	
North West (22.1, 51.2)		(27.4, 69.7)	-	-	(27.5, 69.7)	(0.2, 1.2)	(3.0, 60.3)	(11.0, 77.5)	(12.9, 68.5)	-	(7.8, 21.4)
South East	North Wost	35.3	0.0	0.0	35.2	3.2	100.0	35.8	34.8	0.0	7.8
South East (16.3, 74.5) - (4.5, 69.5) (3.0, 33.4) (20.0, 94.2) (18.6, 64.0) (18.4, 59.1) (0.1, 13.0) (6.8, 20.7) South South (71.4, 98.9) (73.5, 90.7) (29.6, 80.7) (40.5, 97.4) (9.6, 93.6) (12.0, 92.5) (7.8, 23.1) South West (44.3, 94.8) (0.5, 76.5) (8.3, 73.5) (8.5, 29.1) (53.5, 92.1) (38.9, 72.4) (42.2, 65.8) (0.1, 0.4) (12.3, 19.4) Combined oral contraceptives North Central (29.5) 0.0 100.0 23.0 42.4 81.4 57.8 56.0 0.1 41.9 (27.4, 69.7) (7.0, 54.2) (22.1, 65.6) (52.5, 94.5) (40.2, 73.6) (40.4, 70.5) (0.1, 0.1) (11.6, 19.0) North West (21.0, 48.4) (20.8, 48.3) (0.1, 53.1) (20.5, 53.7) (20.8, 51.1) (4.1, 13.7) South East (96.68.3) (3.1, 62.1) (3.0, 33.4) (20.0, 94.2) (18.6, 64.0) (18.4, 59.1) (0.1, 13.0) (66.2, 02.4) South South (33.5, 98.9) (37.5, 69.7) (29.6, 82.0) (40.0, 94.2) (18.6, 64.0) (18.4, 59.1) (0.1, 13.0) (66.2, 02.4) South South (35.9, 88.9) (57.3, 92.0) (29.6, 82.0) (40.5, 97.4) (96.9, 93.6) (12.0, 92.5) (7.8, 22.9) South South (35.9, 88.9) (57.3, 92.0) (29.6, 82.0) (40.5, 97.4) (96.9, 93.6) (12.0, 92.5) (7.8, 22.9) South South (35.9, 88.9) (57.3, 92.0) (29.6, 82.0) (40.5, 97.4) (96.9) (41.6, 67.4) (0.1, 0.1) (66.2, 02.4) South South (35.9, 88.9) (57.3, 92.0) (29.6, 82.0) (40.5, 97.4) (96.9) (12.0, 92.5) (7.8, 22.9) South West (49.4) 11.2 0.0 23.1 16.8 78.5 57.2 54.9 0.2 15.5 Frogestin-only pills (41.4, 50.2) (6.6, 49.2) (0.0, 11.5) (0.0, 11.6) (0.0, 1.0) (0.7, 4.1) North Central (14.0, 0.1) 1.0 0.1 0.0 0.	NOITH West	(22.1, 51.2)	_	-	(22.0, 51.0)	(0.1, 53.1)	-	(20.4, 54.7)	(20.8, 52.0)	-	(4.2, 14.1)
South South 16.5, 74.5 (4.5, 69.5 3.0, 33.4) (20.0, 94.2 (18.6, 64.0) (18.4, 99.1) (0.1, 13.0) (6.8, 20.7)	Courth Fact	43.0	0.0	0.0	24.8	11.1	66.9	38.9	36.4	1.1	12.1
South South (71.4, 98.9) (73.5, 90.7) (29.6, 82.0) (40.5, 97.4) (9.6, 93.6) (12.0, 92.5) (7.8, 23.1) South West 79.2 11.2 0.0 33.5 16.3 78.5 56.4 54.2 0.2 15.5 (44.3, 94.8) (0.5, 76.5) (8.3, 73.5) (8.5, 29.1) (53.5, 92.1) (38.9, 72.4) (42.2, 65.8) (0.1, 0.4) (12.3, 19.4) Combined oral contraceptives (70.54.2) (22.1, 65.6) (52.5, 94.5) (40.2, 73.6) (40.4, 70.5) (0.0, 1.0) (11.6, 19.0) North Central 48.3 100.0 48.3 0.4 17.9 39.5 36.2 0.0 13.2 North West 33.3 0.0 0.0 33.1 3.2 100.0 35.3 34.4 0.0 7.6 (21.0, 48.4) (20.8, 48.3) (0.1, 53.1) (20.5, 53.7) (20.8, 51.1) (4.1, 13.7) South South 89.2 0.0 0.0 79.7 58.0 83.5 55.6 56.4 0.0 13.7 South West 49.4 11.2 0.0 23.1 16.8 78.5 55.6 56.4 0.0 13.7 South West 49.4 11.2 0.0 23.1 16.8 78.5 55.6 55.4 0.0 13.7 South West 49.4 11.2 0.0 23.1 16.8 78.5 55.6 55.4 0.0 13.7 South West 49.4 11.2 0.0 23.1 16.8 78.5 55.6 55.4 0.0 13.7 South West 49.4 11.2 0.0 23.1 16.8 78.5 57.2 54.9 0.2 15.5 South West 49.4 11.2 0.0 23.1 16.8 78.5 57.2 54.9 0.2 15.5 South West 49.4 11.2 0.0 23.1 16.8 78.5 57.2 54.9 0.2 15.5 South West 49.4 11.2 0.0 23.1 16.8 78.5 57.2 54.9 0.2 15.5 South West 49.4 11.2 0.0 23.1 16.8 78.5 57.2 54.9 0.2 15.5 South West 49.4 11.2 0.0 66.6,49.2 (5.6,60.6) 60.1 0.1 0.1 0.0 0.1 0.0 South West 41.4,50.2 (5.6,60.6) 68.7,30.0 53.4,92.0 68.2,74.2 (41.8,67.4) (0.1,0.4) (12.2,19.5) South Central 41.0 (6.6,49.2) (6.6,49.2) (0.0,11.5) (0.0,11.5) (0.0,1.4) (0.0,0.0) (0.7,47.5) (0.0,7.7) South Central 41.0 (6.6,49.2) (6.6,49.2)	South East	(16.3, 74.5)	-	-	(4.5, 69.5)	(3.0, 33.4)	(20.0, 94.2)	(18.6, 64.0)	(18.4, 59.1)	(0.1, 13.0)	(6.8, 20.7)
South West 79.2 11.2 0.0 33.5 16.3 78.5 156.4 54.2 0.2 15.5 (44.3, 94.8) (0.5, 76.5) - (8.3, 73.5) (8.5, 29.1) (53.5, 92.1) (38.9, 72.4) (42.2, 65.8) (0.1, 0.4) (12.3, 19.4) (15.5 (44.3, 94.8) (0.5, 76.5) - (8.3, 73.5) (8.5, 29.1) (53.5, 92.1) (38.9, 72.4) (42.2, 65.8) (0.1, 0.4) (12.3, 19.	C 11 C 11	93.9	0.0	0.0	83.8	58.0	83.5	55.6	56.4	0.0	13.8
South West (44.3, 94.8) 79.2 (44.3, 94.8) 11.2 (0.5, 76.5) 33.5 (8.3, 73.5) 16.3 (8.5, 29.1) 78.5 (53.5, 92.1) 56.4 (38.9, 72.4) 54.2 (42.2, 65.8) 0.2 (12.3, 19.4) Combined oral contraceptives Combined oral contraceptives Secondary (22.3, 55.5) Company (20.3, 55.5) <	South South	(71.4, 98.9)	_	-	(73.5, 90.7)	(29.6, 82.0)	(40.5, 97.4)	(9.6, 93.6)	(12.0, 92.5)	-	(7.8, 23.1)
Combined oral contraceptives			11.2	0.0	33.5					0.2	
Combined oral contraceptives 29.5 (12.3, 55.5) 0.0 (100.0) 23.0 (7.0, 54.2) 42.4 (22.1, 65.6) 81.4 (57.8) 56.0 (40.4, 70.5) 0.1 (10.0) 14.9 (11.6, 19.0) North Central 48.3 (27.4, 69.7) - 100.0 48.3 (27.5, 69.7) (0.2, 1.2) (30.6 6.3) (11.0, 77.5) (12.9, 68.5) - (7.8, 21.4) North East 33.3 (27.4, 69.7) - (27.5, 69.7) (0.2, 1.2) (30.6 6.3) (11.0, 77.5) (12.9, 68.5) - (7.8, 21.4) North West 33.3 (21.0, 48.4) - (20.8, 48.3) (0.1, 53.1) - (20.5, 53.7) (20.8, 51.1) - (41.1, 13.7) South East 32.3 (9.0 (9.6, 68.3) - (31.6, 62.1) (30.3, 34.4) (20.0, 94.2) (18.6, 64.0) (18.4, 59.1) (0.1, 13.0) (66.6, 20.4) South South 89.2 (9.6, 68.3) - (57.3, 92.0) (29.6, 82.0) (40.5, 97.4) (9.6, 93.6) (12.0, 92.5) - (7.8, 22.9) South West 49.4 (11.2 (9.0) 0.0 (23.1 (8.7, 39.0) (29.6, 82.0) (40.5, 97.4) (9.6, 93.6) (12.0, 92.5) - (7.8, 22.9) North Central 49.4 (15.9, 83.5) (0.5, 76.5)	South West	(44.3, 94.8)	(0.5, 76.5)	-	(8.3, 73.5)	(8.5, 29.1)	(53.5, 92.1)	(38.9, 72.4)	(42.2, 65.8)	(0.1, 0.4)	(12.3, 19.4)
North Central (12.3,55.5) - - (7.0,54.2) (22.1,65.6) (52.5,94.5) (40.2,73.6) (40.4,70.5) (0.0,1.0) (11.6,19.0) North East 48.3 - 100.0 48.3 0.4 17.9 39.5 36.2 0.0 13.2 North West 33.3 0.0 0.0 33.1 3.2 100.0 35.3 34.4 0.0 7.6 South East 32.3 0.0 0.0 18.6 11.1 66.9 38.9 36.4 1.1 1.9 South South 89.2 0.0 0.0 18.6 11.1 66.9 38.9 36.4 1.1 1.1.9 South South 89.2 0.0 0.0 79.7 58.0 83.5 55.6 56.4 0.0 13.7 South West 49.4 11.2 0.0 23.1 16.8 78.5 57.2 54.9 0.2 15.5 Progestin-only pills 26.5 0.0 100.0 20.7											
North East	North Control	29.5	0.0	100.0	23.0	42.4	81.4	57.8	56.0	0.1	14.9
North East	North Central	(12.3, 55.5)	-	-	(7.0, 54.2)	(22.1, 65.6)	(52.5, 94.5)	(40.2, 73.6)	(40.4, 70.5)	(0.0, 1.0)	(11.6, 19.0)
North East (27.4, 69.7)		48.3	-	100.0		0.4	17.9	39.5		0.0	
North West 33.3	North East	(27.4, 69.7)	_	-	(27.5, 69.7)	(0.2, 1.2)	(3.0, 60.3)	(11.0, 77.5)	(12.9, 68.5)	-	(7.8, 21.4)
North West (21.0, 48.4)			0.0	0.0						0.0	
South East 32.3 (9.6, 68.3) 0.0 (0.0) 18.6 (3.1, 62.1) 11.1 (3.0, 33.4) 66.9 (20.0, 94.2) 38.9 (18.6, 64.0) 36.4 (1.1 (0.1, 13.0) 11.9 (6.6, 20.4) South South 89.2 (43.5, 98.9) 0.0 (0.0) 79.7 (57.3, 92.0) 58.0 (29.6, 82.0) (40.5, 97.4) (9.6, 93.6) (12.0, 92.5) - (7.8, 22.9) South West 49.4 (11.2) 0.0 (57.3, 92.0) 23.1 (8.7, 30.0) 16.8 (8.7, 30.0) (53.4, 92.0) (38.2, 74.2) (41.8, 67.4) (0.1, 0.4) (12.2, 19.5) Progestin-only pills 26.5 (0.0) 100.0 20.7 (6.6, 49.2) - (0.0, 11.5) (0.0, 1.4) (0.0, 1.0) - (0.7, 4.1) North East 14.0 (12, 68.9) - (10.0, 68.9) 0.1 (0.0, 5.1) - (0.0, 0.5) - (0.0, 0.5) - (0.0, 0.5) - (0.0, 7.2)	North West	(21.0, 48.4)	_	-	(20.8, 48.3)	(0.1, 53.1)	-	(20.5, 53.7)	(20.8, 51.1)	-	
South South South (9.6, 68.3) (3.1, 62.1) (3.0, 33.4) (20.0, 94.2) (18.6, 64.0) (18.4, 59.1) (0.1, 13.0) (6.6, 20.4) South South (43.5, 98.9) (57.3, 92.0) (29.6, 82.0) (40.5, 97.4) (9.6, 93.6) (12.0, 92.5) - (7.8, 22.9) South West (15.9, 83.5) (0.5, 76.5) - (5.6, 60.6) (8.7, 30.0) (53.4, 92.0) (38.2, 74.2) (41.8, 67.4) (0.1, 0.4) (12.2, 19.5) Progestin-only pills 2 26.5			0.0	0.0	18.6		66.9			1.1	
South South 89.2 (43.5, 98.9) 0.0 (57.3, 92.0) 58.0 (29.6, 82.0) 83.5 (40.5, 97.4) 55.6 (12.0, 92.5) 0.0 (13.7) 13.7 (7.8, 22.9)	South East	(9.6, 68.3)	_	_			(20.0, 94.2)	E .		B.	
South South (43.5, 98.9)			0.0	0.0	, , ,				. , ,		
South West 49.4 (15.9, 83.5) 11.2 (0.5, 76.5) 23.1 (5.6, 60.6) 16.8 (8.7, 30.0) 78.5 (53.4, 92.0) 57.2 (38.2, 74.2) 54.9 (41.8, 67.4) 0.2 (15.5 (12.2, 19.5) Progestin-only pills North Central 26.5 (0.0) 100.0 20.7 (6.6, 49.2) 0.0 (0.0, 11.5) 0.0 (0.0, 1.4) 0.1 (0.0, 1.0) 0.0 (0.7, 4.1) North East 14.0 (1.2, 68.9) - (10.2, 68.9) 0.0 (0.0, 5.1) - (0.0, 5.1) - (0.0, 0.3) - (0.0, 0.3) - (0.2, 7.2)	South South		_	_			Į.			_	
South West (15.9, 83.5) (0.5, 76.5) - (5.6, 60.6) (8.7, 30.0) (53.4, 92.0) (38.2, 74.2) (41.8, 67.4) (0.1, 0.4) (12.2, 19.5) Progestin-only pills 26.5 0.0 100.0 20.7 0.0 0.6 0.1 0.1 0.0 1.7 North Central 14.0 - - (6.6, 49.2) - (0.0, 11.5) (0.0, 1.4) (0.0, 1.0) - (0.7, 4.1) North East 14.0 - 100.0 14.0 0.1 0.0 0.0 0.0 0.0 1.2 (1.2, 68.9) - - (1.2, 68.9) (0.0, 5.1) - - (0.0, 0.3) - (0.2, 7.2)			11.2	0.0						0.2	
Progestin-only pills 26.5 (11.4, 50.2) 0.0 (6.6, 49.2) 0.0 (6.6, 49.2) 0.0 (0.0, 11.5) 0.0 (0.0, 1.4) 0.0 (0.0, 1.0) 0.0 (0.7, 4.1) North East 14.0 (1.2, 68.9) - (1.2, 68.9) (0.0, 5.1) - (0.0, 5.1) - (0.0, 0.3) - (0.0, 0.3) - (0.2, 7.2)	South West	_		-			Į.				
North Central 26.5 (11.4, 50.2) (6.6, 49.2) (0.0, 11.5) 0.0 0.1 0.1 0.0 1.7 (0.0, 1.4) 0.0, 1.0) - (0.7, 4.1) 14.0 - 100.0 1.2 (1.2, 68.9) (1.2, 68.9) 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	Progestin-only nills	(20.0) 00.0)	(0.0, 70.0)		(5.5, 55.5)	(3.7, 30.0)	(33, 32.0)	(33.2) / 1.2)	(12.0) 0711	(0.2) 0.1)	(22.2, 23.3)
North Central (11.4, 50.2) (6.6, 49.2) - (0.0, 11.5) (0.0, 1.4) (0.0, 1.0) - (0.7, 4.1) North East (12, 68.9) (1.2, 68.9) (0.0, 5.1) (0.0, 0.3) - (0.2, 7.2)	rrogestiii oiliy pilis	26.5	0.0	100.0	20.7	0.0	0.6	0.1	0.1	0.0	1 7
North East 14.0 - 100.0 14.0 0.1 0.0 0.0 0.0 0.0 0.0 1.2 (1.2, 68.9) - (1.2, 68.9) (0.0, 5.1) (0.0, 0.3) - (0.2, 7.2)	North Central		-	-	_	-		_	_	-	
North East (1.2, 68.9) (1.2, 68.9) (0.0, 5.1) (0.0, 0.3) - (0.2, 7.2)			_	100.0		0.1	, ,			0.0	
	North East		_	-			-	-		-	l.
	North West	18.9	0.0	0.0	18.8	0.0	0.0	2.4	2.3	0.0	1.4

	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	%	%	%	%	%	%	%	%	%	%
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	NC: N=48	NC: N=3	NC: N=1	NC: N=52	NC: N=51	NC: N=43	NC: N=415	NC: N=509	NC: N=1,253	NC: N=1,814
Proportion of	NE: N=25	NE: N=0	NE: N=1	NE: N=26	NE: N=13	NE: N=7	NE: N=127	NE: N=147	NE: N=394	NE: N=567
outlets screened,	NW: N=44	NW: N=1	NW: N=1	NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=304	NW: N=927	NW: N=1,277
currently	SE: N=21	SE: N=3	SE: N=4	SE: N=28	SE: N=53	SE: N=20	SE: N=329	SE: N=402	SE: N=1,091	SE: N=1,521
stocking [†] :	SS: N=19	SS: N=1	SS: N=1	SS: N=21	SS: N=28	SS: N=21	SS: N=195	SS: N=244	SS: N=879	SS: N=1,144
	SW: N=56	SW: N=4	SW: N=7	SW: N=67	SW: N=171	SW: N=134	SW: N=1,451	SW: N=1,756	SW: N=5,212	SW: N=7,035
	(8.4, 37.4)	-	-	(8.4, 37.1)	-	-	(0.6, 9.1)	(0.6, 8.4)	-	(0.4, 4.2)
South East	34.9	0.0	0.0	20.1	2.3	0.0	0.0	0.3	0.0	0.9
Journ Lust	(12.9, 66.1)	-	-	(3.6, 62.9)	(0.4, 12.8)	-	(0.0, 0.8)	(0.0, 1.8)	-	(0.2, 3.8)
South South	93.2	0.0	0.0	83.2	0.0	0.0	0.0	0.0	0.0	1.4
Journ Journ	(70.6, 98.7)	-	-	(72.0, 90.5)	-	-	-	-	-	(0.2, 7.8)
South West	74.9	0.0	0.0	25.9	0.2	0.0	0.0	0.0	0.0	0.5
South West	(42.6, 92.3)	-	-	(9.3, 54.4)	(0.0, 1.0)	-	(0.0, 0.1)	(0.0, 0.1)	-	(0.2, 1.2)
Emergency contraceptives										
Nouth Control	0.0	0.0	0.0	0.0	1.7	55.5	13.2	12.3	0.0	2.9
North Central	-	-	_	-	(0.3, 9.1)	(29.1, 79.1)	(5.5, 28.4)	(5.5, 25.2)	-	(1.6, 5.0)
N 5 .	0.5	-	0.0	0.5	0.0	17.9	3.2	3.1	0.0	0.8
North East	(0.0, 22.3)	-	-	(0.0, 22.3)	_	(3.0, 60.3)	(0.7, 13.7)	(0.7, 12.5)	-	(0.3, 2.6)
	0.0	0.0	0.0	0.0	0.0	43.8	2.9	2.9	0.0	0.5
North West	-	_	-	-	_	(26.7, 62.5)	(0.7, 10.8)	(0.8, 10.3)	-	(0.1, 2.1)
	0.0	0.0	0.0	0.0	0.0	51.6	5.8	6.1	0.0	1.8
South East	_	_	-	_	-	(12.1, 89.1)	(3.3, 10.0)	(2.9, 12.1)	(0.0, 1.1)	(0.8, 3.7)
	0.0	0.0	0.0	0.0	17.7	70.0	16.1	17.3	0.0	3.8
South South	-	_	-	_	(7.4, 36.7)	(23.0, 94.8)	(3.6, 49.6)	(4.4, 48.6)	-	(1.3, 10.6)
Canada Marat	0.0	0.0	0.0	0.0	1.0	67.1	6.3	9.4	0.1	2.6
South West	-	-	-	-	(0.1, 7.1)	(53.7, 78.3)	(2.5, 14.8)	(3.7, 22.2)	(0.0, 0.4)	(1.6, 4.2)
IQA [‡] emergency contraceptives										
	0.0	0.0	0.0	0.0	0.0	47.0	11.4	10.4	0.0	2.4
North Central	-	-	-	-	-	(25.0, 70.1)	(3.8, 29.8)	(3.8, 25.5)	-	(1.1, 5.2)
	0.5	_	0.0	0.5	0.0	17.9	3.2	3.1	0.0	0.8
North East	(0.0, 22.3)	_	_	(0.0, 22.3)	_	(3.0, 60.3)	(0.7, 13.7)	(0.7, 12.5)	-	(0.3, 2.6)
	0.0	0.0	0.0	0.0	0.0	43.8	2.5	2.6	0.0	0.4
North West	0.0	0.0	-	-	0.0	(26.7, 62.5)	(0.6, 10.1)	(0.6, 9.7)	0.0	(0.1, 2.0)

Table B3: Avail	ability of se	lected conti	aceptive n	nethods, am	ong outlets	screened,	by outlet ty	pe – by Geop	olitical Zone	e, 2015
	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	%	%	%	%	%	%	%	%	%	%
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	NC: N=48	NC: N=3	NC: N=1	NC: N=52	NC: N=51	NC: N=43	NC: N=415	NC: N=509	NC: N=1,253	NC: N=1,814
Proportion of	NE: N=25	NE: N=0	NE: N=1	NE: N=26	NE: N=13	NE: N=7	NE: N=127	NE: N=147	NE: N=394	NE: N=567
outlets screened,	NW: N=44	NW: N=1	NW: N=1	NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=304	NW: N=927	NW: N=1,277
currently	SE: N=21	SE: N=3	SE: N=4	SE: N=28	SE: N=53	SE: N=20	SE: N=329	SE: N=402	SE: N=1,091	SE: N=1,521
stocking [†] :	SS: N=19	SS: N=1	SS: N=1	SS: N=21	SS: N=28	SS: N=21	SS: N=195	SS: N=244	SS: N=879	SS: N=1,144
	SW: N=56	SW: N=4	SW: N=7	SW: N=67	SW: N=171	SW: N=134	SW: N=1,451	SW: N=1,756	SW: N=5,212	SW: N=7,035
South East	0.0	0.0	0.0	0.0	0.0	51.6	4.9	5.3	0.0	1.5
Journ Lust	-	-	-	-	-	(12.1, 89.1)	(3.3, 7.1)	(2.9, 9.4)	(0.0, 1.1)	(0.8, 2.9)
South South	0.0	0.0	0.0	0.0	17.7	70.0	14.4	16.0	0.0	3.5
30utii 30utii	-	-	-	-	(7.4, 36.7)	(23.0, 94.8)	(3.3, 45.7)	(4.2, 45.6)	-	(1.2, 9.8)
Courth Most	0.0	0.0	0.0	0.0	0.4	43.7	5.0	6.9	0.0	1.9
South West	-	-	-	-	(0.1, 2.8)	(34.4, 53.4)	(2.5, 9.9)	(3.1, 14.6)	(0.0, 0.1)	(1.3, 2.8)
Contraceptive injectables										
North Central	41.4	99.1	100.0	55.2	38.6	74.9	4.5	11.0	0.0	6.9
North Central	(18.3, 69.0)	(73.9, 100.0)	-	(44.0, 65.9)	(7.1, 83.7)	(62.4, 84.3)	(1.5, 12.6)	(3.4, 30.6)	-	(4.3, 10.8)
Nicotic Foot	56.3	-	100.0	56.4	0.0	17.9	11.8	10.9	0.0	7.6
North East	(42.8, 69.0)	-	-	(42.8, 69.0)	-	(3.0, 60.3)	(2.2, 44.4)	(2.1, 40.8)	-	(2.4, 21.8)
	54.2	0.0	0.0	54.0	28.8	72.5	26.3	26.5	0.0	7.3
North West	(20.4, 84.5)	_	-	(20.5, 84.3)	(17.0, 44.3)	(62.5, 80.7)	(15.8, 40.4)	(16.2, 40.2)	-	(3.5, 14.8)
_	48.2	0.0	0.0	27.8	22.9	16.5	1.2	3.9	0.0	2.2
South East	(31.0, 65.9)	_	_	(8.2, 62.3)	(8.4, 49.0)	(2.5, 60.0)	(0.4, 3.2)	(1.9, 8.0)	-	(1.2, 4.1)
	93.9	0.0	0.0	83.8	40.3	75.4	1.7	9.2	0.0	3.5
South South	(71.4, 98.9)	_	_	(73.5, 90.7)	(26.8, 55.5)	(21.7, 97.1)	(0.5, 5.5)	(3.2, 23.4)	_	(2.7, 4.5)
	78.2	0.0	2.7	27.4	19.7	62.1	1.3	6.5	0.0	2.3
South West	(45.6, 93.9)	_	(0.1, 42.3)	(9.6, 57.2)	(9.4, 36.9)	(23.9, 89.6)	(0.2, 7.5)	(2.4, 16.4)	-	(1.3, 4.0)
Depo-provera injectables	(1010) 3013)		(012) 1210)	(3.0) 37.27	(511) 5615)	(20.0) 00.0)	(0.2)	(=: :, =::::,		(2.0)
Namela Cambual	39.4	2.3	100.0	31.1	27.1	60.5	3.5	8.2	0.0	4.3
North Central	(16.6, 67.8)	(0.1, 49.1)	-	(8.7, 68.0)	(4.5, 74.5)	(42.2, 76.3)	(1.3, 9.0)	(2.7, 22.5)	-	(1.5, 11.8)
	47.8	-	100.0	47.8	0.0	17.9	5.9	5.6	0.0	5.6
North East	(25.0, 71.5)	-	-	(25.0, 71.5)	_	(3.0, 60.3)	(1.7, 18.7)	(1.6, 18.0)	-	(2.0, 14.4)
	53.9	0.0	0.0	53.6	16.5	37.7	23.7	23.5	0.0	6.8
North West	(20.3, 84.3)	-	-	(20.3, 84.0)	(5.3, 41.2)	(20.0, 59.4)	(13.8, 37.6)	(14.3, 36.1)	-	(3.2, 13.9)
South East	46.2	0.0	0.0	26.6	22.9	16.5	1.2	3.9	0.0	2.2

Table B3: Avail	ability of se	lected conti	raceptive n	nethods, am	ong outlets	screened,	by outlet ty	pe – by Geor	oolitical Zone	e, 2015
	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	%	%	%	%	%	%	%	%	%	%
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	NC: N=48	NC: N=3	NC: N=1	NC: N=52	NC: N=51	NC: N=43	NC: N=415	NC: N=509	NC: N=1,253	NC: N=1,814
Proportion of	NE: N=25	NE: N=0	NE: N=1	NE: N=26	NE: N=13	NE: N=7	NE: N=127	NE: N=147	NE: N=394	NE: N=567
outlets screened,	NW: N=44	NW: N=1	NW: N=1	NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=304	NW: N=927	NW: N=1,277
currently	SE: N=21	SE: N=3	SE: N=4	SE: N=28	SE: N=53	SE: N=20	SE: N=329	SE: N=402	SE: N=1,091	SE: N=1,521
stocking [†] :	SS: N=19	SS: N=1	SS: N=1	SS: N=21	SS: N=28	SS: N=21	SS: N=195	SS: N=244	SS: N=879	SS: N=1,144
	SW: N=56	SW: N=4	SW: N=7	SW: N=67	SW: N=171	SW: N=134	SW: N=1,451	SW: N=1,756	SW: N=5,212	SW: N=7,035
	(28.2, 65.2)	-	-	(8.1, 59.8)	(8.4, 49.0)	(2.5, 60.0)	(0.4, 3.2)	(1.9, 8.0)	-	(1.2, 4.1)
South South	93.9	0.0	0.0	83.8	22.1	65.0	1.6	6.0	0.0	2.8
Journ Journ	(71.4, 98.9)	_	-	(73.5, 90.7)	(18.6, 26.0)	(14.5, 95.3)	(0.5, 5.3)	(2.5, 13.7)	-	(1.5, 4.9)
South West	59.6	0.0	2.7	20.9	17.8	61.1	1.1	6.1	0.0	2.1
South West	(19.8, 89.9)	-	(0.1, 42.3)	(7.8, 45.2)	(8.3, 34.2)	(22.7, 89.4)	(0.1, 7.6)	(2.3, 15.1)	-	(1.3, 3.3)
Noristerat injectables										
Namel Cambrol	36.7	99.1	100.0	51.7	21.5	66.6	3.5	7.5	0.0	5.8
North Central	(16.4, 63.2)	(73.9, 100.0)	-	(37.6, 65.4)	(3.2, 69.3)	(56.0, 75.7)	(1.0, 11.0)	(1.9, 25.1)	-	(3.9, 8.6)
North Foot	46.2	_	100.0	46.2	0.0	17.2	9.6	9.0	0.0	6.3
North East	(24.6, 69.3)	_	-	(24.7, 69.2)	-	(2.3, 64.7)	(1.2, 48.1)	(1.2, 43.8)	-	(2.1, 17.2)
A1 .1 .4	31.1	0.0	0.0	31.0	25.6	72.5	19.5	19.9	0.0	5.0
North West	(14.9, 53.8)	-	_	(14.9, 53.6)	(17.7, 35.5)	(62.5, 80.7)	(8.1, 40.1)	(8.4, 40.2)	-	(2.2, 11.0)
0 11 5 1	39.6	0.0	0.0	22.8	5.2	2.6	0.1	0.7	0.0	1.1
South East	(15.3, 70.4)	-	-	(3.9, 68.1)	(2.0, 12.6)	(0.2, 28.7)	(0.0, 1.6)	(0.2, 2.2)	-	(0.3, 4.3)
0 11 0 11	91.8	0.0	0.0	82.0	40.3	75.4	0.3	8.0	0.0	3.2
South South	(58.6, 98.9)	_	_	(67.6, 90.9)	(26.8, 55.5)	(21.7, 97.1)	(0.1, 0.6)	(2.8, 20.7)	-	(2.2, 4.5)
	76.8	0.0	2.7	26.9	9.1	46.8	0.6	4.1	0.0	1.7
South West	(44.2, 93.2)	-	(0.1, 42.3)	(9.6, 56.0)	(3.4, 22.1)	(14.9, 81.5)	(0.1, 4.9)	(1.8, 9.1)	-	(1.1, 2.6)
Sayana Press injectables				, , ,	,					
•	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0
North Central	-	-	-	-	-	(0.1, 17.9)	-	(0.0, 0.5)	-	(0.0, 0.1)
	0.0	_	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North East	-	_	_	-	-	_	-	-	_	-
	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North West	-	-	-	-	-	-	-	-	-	-
	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.1
South East	0.0	0.0	0.0	0.0	0.0	0.0	(0.0, 10.0)	(0.0, 8.6)	0.0	(0.0, 2.1)

Table B3: Availa	ability of se	lected conti	raceptive n	nethods, am	ong outlets	screened,	by outlet ty	pe – by Geor	oolitical Zone	e, 2015
	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	%	%	%	%	%	%	%	%	%	%
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	NC: N=48	NC: N=3	NC: N=1	NC: N=52	NC: N=51	NC: N=43	NC: N=415	NC: N=509	NC: N=1,253	NC: N=1,814
Proportion of	NE: N=25	NE: N=0	NE: N=1	NE: N=26	NE: N=13	NE: N=7	NE: N=127	NE: N=147	NE: N=394	NE: N=567
outlets screened,	NW: N=44	NW: N=1	NW: N=1	NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=304	NW: N=927	NW: N=1,277
currently	SE: N=21	SE: N=3	SE: N=4	SE: N=28	SE: N=53	SE: N=20	SE: N=329	SE: N=402	SE: N=1,091	SE: N=1,521
stocking†:	SS: N=19	SS: N=1	SS: N=1	SS: N=21	SS: N=28	SS: N=21	SS: N=195	SS: N=244	SS: N=879	SS: N=1,144
	SW: N=56	SW: N=4	SW: N=7	SW: N=67	SW: N=171	SW: N=134	SW: N=1,451	SW: N=1,756	SW: N=5,212	SW: N=7,035
South South	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.9	0.0	0.2
	-	-	-	-	-	-	(0.2, 5.8)	(0.2, 4.2)	-	(0.1, 0.8)
South West	0.0	0.0	0.0	0.0	1.1	1.6	0.1	0.3	0.0	0.1
	-	-	-	-	(0.2, 5.6)	(0.5, 4.7)	(0.0, 1.0)	(0.0, 2.7)	-	(0.0, 0.5)
Implants										
North Central	21.4	0.0	0.0	16.3	20.1	0.0	0.0	3.0	0.0	2.0
North Central	(3.9, 64.6)	-	-	(5.0, 41.6)	(3.2, 65.9)	-	-	(0.5, 14.9)	-	(0.5, 7.1)
North Fast	16.7	-	100.0	16.7	0.1	0.0	0.0	0.0	0.0	1.5
North East	(0.9, 81.2)	-	-	(0.9, 81.2)	(0.0, 5.1)	-	-	(0.0, 0.3)	-	(0.1, 16.4)
No while NA/o oh	7.7	0.0	0.0	7.7	0.0	0.0	0.0	0.0	0.0	0.4
North West	(2.2, 24.0)	-	-	(2.2, 23.7)	-	-	-	-	-	(0.1, 1.1)
C	2.0	0.0	0.0	1.2	14.0	0.0	0.0	1.6	0.0	0.5
South East	(0.3, 13.7)	-	-	(0.1, 13.3)	(1.2, 68.1)	-	-	(0.1, 15.8)	-	(0.1, 4.6)
Carrella Carrella	59.1	0.0	0.0	52.8	39.7	2.5	0.0	6.3	0.0	2.3
South South	(23.0, 87.5)	-	_	(19.8, 83.5)	(25.3, 56.2)	(0.5, 12.8)	(0.0, 0.5)	(2.0, 18.3)	-	(1.5, 3.4)
C	33.0	0.0	0.0	11.4	4.1	0.0	0.0	0.4	0.0	0.3
South West	(9.3, 70.2)	-	-	(5.4, 22.4)	(0.7, 19.5)	-	(0.0, 0.1)	(0.0, 3.6)	-	(0.1, 0.8)
Implanon implants										
North Control	21.3	0.0	0.0	16.2	19.6	0.0	0.0	2.9	0.0	2.0
North Central	(3.8, 64.8)	-	_	(4.9, 41.8)	(2.9, 66.4)	_	-	(0.5, 15.4)	-	(0.5, 7.2)
	16.5	-	100.0	16.6	0.1	0.0	0.0	0.0	0.0	1.5
North East	(0.9, 81.8)	-	-	(0.9, 81.8)	(0.0, 5.1)	-	-	(0.0, 0.3)	-	(0.1, 16.8)
	6.9	0.0	0.0	6.9	0.0	0.0	0.0	0.0	0.0	0.4
North West	(1.5, 26.2)	-	-	(1.5, 25.9)	_	-	-	-	-	(0.1, 1.1)
	2.0	0.0	0.0	1.2	11.0	0.0	0.0	1.2	0.0	0.4
South East	(0.3, 13.7)	_	-	(0.1, 13.3)	(1.1, 58.8)	-	-	(0.1, 12.3)	-	(0.0, 3.6)
	59.1	0.0	0.0	52.8	35.4	0.0	0.0	5.6	0.0	2.1
South South	(23.0, 87.5)	-	-	(19.8, 83.5)	(13.4, 66.0)	-	(0.0, 0.5)	(1.2, 23.0)	-	(1.4, 3.1)
South West	31.3	0.0	0.0	10.8	0.6	0.0	0.0	0.1	0.0	0.2

	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	%	%	%	%	%	%	%	%	%	%
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	NC: N=48	NC: N=3	NC: N=1	NC: N=52	NC: N=51	NC: N=43	NC: N=415	NC: N=509	NC: N=1,253	NC: N=1,814
Proportion of	NE: N=25	NE: N=0	NE: N=1	NE: N=26	NE: N=13	NE: N=7	NE: N=127	NE: N=147	NE: N=394	NE: N=567
outlets screened,	NW: N=44	NW: N=1	NW: N=1	NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=304	NW: N=927	NW: N=1,27
currently	SE: N=21	SE: N=3	SE: N=4	SE: N=28	SE: N=53	SE: N=20	SE: N=329	SE: N=402	SE: N=1,091	SE: N=1,521
stocking [†] :	SS: N=19	SS: N=1	SS: N=1	SS: N=21	SS: N=28	SS: N=21	SS: N=195	SS: N=244	SS: N=879	SS: N=1,144
	SW: N=56	SW: N=4	SW: N=7	SW: N=67	SW: N=171	SW: N=134	SW: N=1,451	SW: N=1,756	SW: N=5,212	SW: N=7,03!
	(8.2, 69.9)	-	-	(5.2, 21.2)	(0.2, 1.8)	-	-	(0.0, 0.4)	-	(0.1, 0.5)
Jadelle implants	0.0		0.0							
North Central	3.0	0.0	0.0	2.3	19.6	0.0	0.0	2.9	0.0	0.9
	(0.4, 20.5)	-	-	(0.3, 17.6)	(2.9, 66.5)	-	-	(0.5, 15.4)	-	(0.3, 2.6)
North East	1.9	-	100.0	1.9	0.0	0.0	0.0	0.0	0.0	0.2
	(0.3, 11.6)	-	-	(0.3, 11.9)	_	-	-	-	-	(0.0, 1.8)
North West	7.5	0.0	0.0	7.5	0.0	0.0	0.0	0.0	0.0	0.4
	(2.2, 22.9)	_	-	(2.2, 22.6)	_	-	-	-	-	(0.1, 1.1)
South East	2.0	0.0	0.0	1.2	14.0	0.0	0.0	1.6	0.0	0.5
Journ East	(0.3, 13.7)	-	-	(0.1, 13.3)	(1.2, 68.1)	-	-	(0.1, 15.8)	-	(0.1, 4.6)
South South	59.1	0.0	0.0	52.8	39.7	2.5	0.0	6.3	0.0	2.3
Journ Journ	(23.0, 87.5)	-	-	(19.8, 83.5)	(25.3, 56.2)	(0.5, 12.8)	(0.0, 0.5)	(2.0, 18.3)	-	(1.5, 3.4)
South West	24.7	0.0	0.0	8.6	3.5	0.0	0.0	0.3	0.0	0.3
Jodin West	(4.1, 71.6)	_	_	(3.3, 20.4)	(0.6, 18.5)	-	(0.0, 0.1)	(0.0, 3.3)	-	(0.1, 0.6)
IUDs										
North Central	19.0	0.0	0.0	14.4	29.5	0.3	0.1	4.5	0.0	2.2
North Central	(5.9, 46.7)	_	_	(6.6, 28.7)	(8.0, 66.7)	(0.0, 5.8)	(0.0, 0.9)	(1.7, 11.3)	-	(0.9, 5.1)
North East	4.3	-	100.0	4.3	0.4	0.0	0.1	0.1	0.0	0.4
INUITII EdSt	(0.3, 39.1)	-	-	(0.3, 39.0)	(0.2, 1.2)	-	(0.0, 1.4)	(0.0, 1.2)	-	(0.1, 1.9)
North Wort	3.5	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.2
North West	(0.5, 21.7)	-	-	(0.5, 21.4)	-	-	(0.0, 0.4)	(0.0, 0.4)	-	(0.0, 0.9)
Courth Foot	2.0	0.0	0.0	1.2	14.4	1.3	0.1	1.7	0.0	0.5
South East	(0.3, 13.7)	_	-	(0.1, 13.3)	(2.2, 55.8)	(0.1, 16.1)	(0.0, 1.7)	(0.3, 10.4)	-	(0.1, 3.0)
S 11 S 11	34.6	0.0	0.0	30.9	22.3	0.0	0.0	3.5	0.0	1.3
South South	(5.8, 82.0)	-	-	(6.5, 74.1)	(18.8, 26.2)	-	-	(1.6, 7.7)	-	(0.6, 2.8)
	53.9	0.0	2.7	18.9	15.6	0.8	0.0	1.4	0.0	0.8
South West	(14.5, 89.0)		(0.1, 42.3)	(6.6, 43.4)	(5.5, 37.0)	(0.2, 3.5)		(0.5, 3.9)		(0.5, 1.1)

^{*} In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs. This category excludes General Retailers/Kiosks.

The denominator includes 68 outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview). In Region 1 (NC), the denominator includes 9 outlets that met screening criteria for a full interview but did not complete the interview. In Region 2 (NE), the

Table B3: Avail	Table B3: Availability of selected contraceptive methods, among outlets screened, by outlet type – by Geopolitical Zone, 2015												
	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total			
	%	%	%	%	%	%	%	%	%	%			
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)			
	NC: N=48	NC: N=3	NC: N=1	NC: N=52	NC: N=51	NC: N=43	NC: N=415	NC: N=509	NC: N=1,253	NC: N=1,814			
Proportion of	NE: N=25	NE: N=0	NE: N=1	NE: N=26	NE: N=13	NE: N=7	NE: N=127	NE: N=147	NE: N=394	NE: N=567			
outlets screened,	NW: N=44	NW: N=1	NW: N=1	NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=304	NW: N=927	NW: N=1,277			
currently	SE: N=21	SE: N=3	SE: N=4	SE: N=28	SE: N=53	SE: N=20	SE: N=329	SE: N=402	SE: N=1,091	SE: N=1,521			
stocking [†] :	SS: N=19	SS: N=1	SS: N=1	SS: N=21	SS: N=28	SS: N=21	SS: N=195	SS: N=244	SS: N=879	SS: N=1,144			
	SW: N=56	SW: N=4	SW: N=7	SW: N=67	SW: N=171	SW: N=134	SW: N=1,451	SW: N=1,756	SW: N=5,212	SW: N=7,035			

denominator includes 8 outlets that met screening criteria for a full interview but did not complete the interview. In Region 3 (NW), the denominator includes 2 outlets that met screening criteria for a full interview but did not complete the interview. In Region 4 (SE), the denominator includes 4 outlets that met screening criteria for a full interview but did not complete the interview. In Region 5 (SS), the denominator includes 6 outlets that met screening criteria for a full interview but did not complete the interview. In Region 6 (SW), the denominator includes 39 outlets that met screening criteria for a full interview but did not complete the interview.

International quality-assured (IQA) contraceptives are defined as those with WHO Prequalification or those on a Stringent Regulatory Authority (SRA) list. See Annex 8 for a list of all brands found in survey and quality-assurance indications.

Table B4: Availability of modern contraceptive method diversity, among outlets screened, by outlet type – by Geopolitical Zone, 2015

	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	%	%	%	%	%	%	%	%	%	%
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	NC: N=48	NC: N=3	NC: N=1	NC: N=52	NC: N=51	NC: N=43	NC: N=415	NC: N=509	NC: N=1,253	NC: N=1,814
Proportion of	NE: N=25	NE: N=0	NE: N=1	NE: N=26	NE: N=13	NE: N=7	NE: N=127	NE: N=147	NE: N=394	NE: N=567
outlets screened,	NW: N=44	NW: N=1	NW: N=1	NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=304	NW: N=927	NW: N=1,277
currently stocking	SE: N=21	SE: N=3	SE: N=4	SE: N=28	SE: N=53	SE: N=20	SE: N=329	SE: N=402	SE: N=1,091	SE: N=1,521
/ providing [†] :	SS: N=19	SS: N=1	SS: N=1	SS: N=21	SS: N=28	SS: N=21	SS: N=195	SS: N=244	SS: N=879	SS: N=1,144
	SW: N=56	SW: N=4	SW: N=7	SW: N=67	SW: N=171	SW: N=134	SW: N=1,451	SW: N=1,756	SW: N=5,212	SW: N=7,035
3+ methods [‡]										
North Central	44.3	0.0	100.0	34.3	30.8	82.3	14.0	17.9	0.0	6.9
North Central	(28.4, 61.5)	-	-	(21.5, 49.8)	(13.6, 55.6)	(43.1, 96.6)	(6.4, 28.1)	(8.7, 33.3)	-	(5.2, 8.9)
North East	56.3	-	100.0	56.4	0.4	17.9	10.7	10.0	0.0	7.4
NOITH East	(42.8, 69.0)	-	-	(42.8, 69.0)	(0.2, 1.2)	(3.0, 60.3)	(1.3, 52.1)	(1.3, 47.7)	-	(2.2, 22.5)
Nouth Most	24.0	0.0	0.0	23.9	0.0	72.5	12.2	12.0	0.0	3.3
North West	(13.5, 39.0)	-	-	(13.5, 38.7)	-	(62.5, 80.7)	(4.0, 31.8)	(4.2, 29.9)	-	(1.3, 8.0)
Carrella Fairt	40.6	0.0	0.0	23.4	23.1	47.0	7.3	9.9	0.0	3.8
South East	(13.7, 74.7)	-	_	(4.2, 68.1)	(9.8, 45.3)	(6.0, 92.5)	(2.3, 20.8)	(3.6, 24.2)	-	(1.6, 8.5)
C 11 C 11	84.5	0.0	0.0	75.4	40.3	72.9	14.5	19.6	0.0	5.6
South South	(70.1, 92.6)	_	_	(52.1, 89.7)	(26.8, 55.5)	(25.9, 95.4)	(3.3, 45.3)	(5.7, 49.8)	-	(3.9, 8.0)
	60.7	0.0	2.7	21.3	12.3	82.4	7.2	12.1	0.0	3.7
South West	(21.5, 89.7)	_	(0.1, 42.3)	(8.1, 45.4)	(3.8, 33.3)	(58.3, 94.0)	(2.6, 18.5)	(4.4, 29.2)	(0.0, 0.1)	(2.3, 6.1)
3+ methods with LARC	, , ,				,			, ,		
North Central	26.7	0.0	0.0	20.3	20.9	0.3	0.1	3.2	0.0	2.3
North Central	(8.0, 60.5)	-	_	(9.6, 37.9)	(3.6, 65.2)	(0.0, 5.8)	(0.0, 0.9)	(0.7, 13.9)	-	(0.9, 5.8)
Nouth Foot	16.7	-	100.0	16.7	0.4	0.0	0.1	0.1	0.0	1.5
North East	(0.9, 81.2)	-	_	(0.9, 81.2)	(0.2, 1.2)	-	(0.0, 1.4)	(0.0, 1.2)	-	(0.1, 15.9)
A1 11 147 1	7.7	0.0	0.0	7.7	0.0	0.0	0.0	0.0	0.0	0.4
North West	(2.2, 24.0)	_	_	(2.2, 23.7)	_	-	(0.0, 0.4)	(0.0, 0.4)	-	(0.1, 1.1)
·	2.0	0.0	0.0	1.2	14.4	1.3	0.0	1.6	0.0	0.5
South East	(0.3, 13.7)	_	-	(0.1, 13.3)	(2.2, 55.8)	(0.1, 16.1)	-	(0.2, 10.5)	-	(0.1, 3.1)
	63.8	0.0	0.0	57.0	40.0	2.5	0.0	6.4	0.0	2.4
South South	(31.5, 87.1)	-	-	(25.2, 83.8)	(26.0, 55.8)	(0.5, 12.8)	(0.0, 0.5)	(2.1, 18.1)	-	(1.6, 3.4)
	57.3	0.0	2.7	20.1	10.6	0.8	0.0	1.0	0.0	0.7
South West	(18.0, 89.1)	-	(0.1, 42.3)	(7.3, 44.8)	(3.4, 28.3)	(0.2, 3.5)	-	(0.3, 3.7)	-	(0.4, 1.2)
3+ methods with	(10.0, 05.1)		(0.1) 72.3)	(7.5) 44.0)	(3.1, 20.3)	(0.2, 5.5)		(0.5, 5.7)		(0.1) 1.2)
J. IIICIIIOUS WILII									II	

Table B4: Availability of modern contraceptive method diversity, among outlets screened, by outlet type – by Geopolitical Zone, 2015

	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	%	%	%	%	%	%	%	%	%	%
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	NC: N=48	NC: N=3	NC: N=1	NC: N=52	NC: N=51	NC: N=43	NC: N=415	NC: N=509	NC: N=1,253	NC: N=1,814
Proportion of	NE: N=25	NE: N=0	NE: N=1	NE: N=26	NE: N=13	NE: N=7	NE: N=127	NE: N=147	NE: N=394	NE: N=567
outlets screened,	NW: N=44	NW: N=1	NW: N=1	NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=304	NW: N=927	NW: N=1,277
currently stocking	SE: N=21	SE: N=3	SE: N=4	SE: N=28	SE: N=53	SE: N=20	SE: N=329	SE: N=402	SE: N=1,091	SE: N=1,521
/ providing [†] :	SS: N=19	SS: N=1	SS: N=1	SS: N=21	SS: N=28	SS: N=21	SS: N=195	SS: N=244	SS: N=879	SS: N=1,144
	SW: N=56	SW: N=4	SW: N=7	SW: N=67	SW: N=171	SW: N=134	SW: N=1,451	SW: N=1,756	SW: N=5,212	SW: N=7,035
LARC/PM										
North Central	26.7	0.0	0.0	20.3	22.3	0.3	0.1	3.4	0.0	2.4
North Central	(8.0, 60.5)	-	_	(9.6, 37.9)	(4.6, 63.2)	(0.0, 5.8)	(0.0, 0.9)	(0.8, 13.1)	-	(1.0, 5.7)
Nowth Foot	24.3	-	100.0	24.3	0.4	0.0	0.1	0.1	0.0	2.2
North East	(6.7, 58.9)	-	-	(6.7, 58.9)	(0.2, 1.2)	-	(0.0, 1.4)	(0.0, 1.2)	-	(0.4, 10.6)
AL .1. 147 .	7.7	0.0	0.0	7.7	0.0	0.0	0.0	0.0	0.0	0.4
North West	(2.2, 24.0)	-	_	(2.2, 23.7)	_	_	(0.0, 0.4)	(0.0, 0.4)	_	(0.1, 1.1)
0 11 5 1	2.0	0.0	0.0	1.2	18.4	1.3	0.0	2.1	0.0	0.6
South East	(0.3, 13.7)	-	-	(0.1, 13.3)	(6.2, 43.7)	(0.1, 16.1)	-	(0.6, 7.0)	-	(0.2, 2.1)
Carrella Carrella	63.8	0.0	0.0	57.0	40.0	2.5	0.0	6.4	0.0	2.4
South South	(31.5, 87.1)	-	_	(25.2, 83.8)	(26.0, 55.8)	(0.5, 12.8)	(0.0, 0.5)	(2.1, 18.1)	-	(1.6, 3.4)
	58.4	0.0	2.7	20.5	11.2	0.8	0.0	1.0	0.0	0.7
South West	(19.4, 89.1)	_	(0.1, 42.3)	(7.5, 45.2)	(3.5, 30.5)	(0.2, 3.5)	-	(0.3, 4.2)	-	(0.4, 1.3)
5+ methods§						,		,		
	14.2	0.0	0.0	10.8	2.2	10.9	0.2	0.7	0.0	1.0
North Central	(5.9, 30.3)	-	_	(4.4, 24.1)	(0.3, 15.1)	(3.0, 32.4)	(0.0, 0.5)	(0.1, 3.8)	-	(0.5, 2.0)
	12.1	-	100.0	12.1	0.0	17.2	0.2	0.4	0.0	1.2
North East	(3.6, 33.7)	-	_	(3.6, 33.6)	-	(2.3, 64.7)	(0.0, 3.3)	(0.0, 7.7)	-	(0.2, 5.9)
	11.0	0.0	0.0	11.0	0.0	34.8	0.0	0.1	0.0	0.6
North West	(2.7, 35.7)	-	-	(2.7, 35.5)	_	(24.3, 47.1)	(0.0, 0.4)	(0.0, 0.6)	-	(0.1, 3.4)
	2.0	0.0	0.0	1.2	3.2	1.3	0.0	0.4	0.0	0.2
South East	(0.3, 13.7)	-	-	(0.1, 13.3)	(0.8, 12.1)	(0.1, 16.1)	-	(0.1, 1.6)	-	(0.1, 0.4)
	71.1	0.0	0.0	63.5	22.1	4.4	0.5	4.0	0.0	2.0
South South	(43.7, 88.6)	_	_	(33.1, 85.9)	(18.6, 26.0)	(0.9, 19.1)	(0.1, 4.2)	(1.9, 7.9)	-	(0.9, 4.2)
	45.2	0.0	0.0	15.6	8.1	7.2	0.0	1.1	0.0	0.6
South West	(12.4, 82.8)	_	_	(3.5, 48.5)	(2.8, 21.2)	(2.9, 16.6)	(0.0, 0.2)	(0.2, 5.4)	_	(0.3, 1.2)

^{*} In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs. This category excludes General Retailers/Kiosks.

[†] The denominator includes 68 outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview). In Region 1 (NC), the denominator includes 9 outlets that met screening criteria for a full interview but did not complete the interview. In Region 2 (NE), the

Table B4: Availability of modern contraceptive method diversity, among outlets screened, by outlet type – by Geopolitical Zone, 2015

	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	%	%	%	%	%	%	%	%	%	%
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	NC: N=48	NC: N=3	NC: N=1	NC: N=52	NC: N=51	NC: N=43	NC: N=415	NC: N=509	NC: N=1,253	NC: N=1,814
Proportion of	NE: N=25	NE: N=0	NE: N=1	NE: N=26	NE: N=13	NE: N=7	NE: N=127	NE: N=147	NE: N=394	NE: N=567
outlets screened,	NW: N=44	NW: N=1	NW: N=1	NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=304	NW: N=927	NW: N=1,277
currently stocking	SE: N=21	SE: N=3	SE: N=4	SE: N=28	SE: N=53	SE: N=20	SE: N=329	SE: N=402	SE: N=1,091	SE: N=1,521
/ providing [†] :	SS: N=19	SS: N=1	SS: N=1	SS: N=21	SS: N=28	SS: N=21	SS: N=195	SS: N=244	SS: N=879	SS: N=1,144
	SW: N=56	SW: N=4	SW: N=7	SW: N=67	SW: N=171	SW: N=134	SW: N=1,451	SW: N=1,756	SW: N=5,212	SW: N=7,035

denominator includes 8 outlets that met screening criteria for a full interview but did not complete the interview. In Region 3 (NW), the denominator includes 2 outlets that met screening criteria for a full interview but did not complete the interview. In Region 4 (SE), the denominator includes 4 outlets that met screening criteria for a full interview but did not complete the interview. In Region 5 (SS), the denominator includes 6 outlets that met screening criteria for a full interview but did not complete the interview. In Region 6 (SW), the denominator includes 39 outlets that met screening criteria for a full interview but did not complete the interview.

- ‡ 3 or more among: male condoms, female condoms, cyclebeads, oral contraceptives, emergency contraceptives, injectables, implants, IUDs commodities and/or male sterilizations, female sterilizations services. No other modern contraceptive methods were found in sampled outlets.
- § 5 or more among: male condoms, female condoms, cyclebeads, oral contraceptives, emergency contraceptives, injectables, implants, IUDs commodities and/or male sterilizations, female sterilizations services. No other modern contraceptive methods were found in sampled outlets.

Table B5: Current stock out* of selected modern contraceptive commodities on day of survey, among outlets reportedly stocking method in previous 3 months, by outlet type – by Geopolitical Zone, 2015

metnod in prev	Public Health	Community Health	Private Not-For-	Public Total	Private For- Profit	Pharmacy	PPMV	General	Private Total [†]	Total
	Facility	Worker	Profit	rubiic rotai	Health Facility	Filatillacy	FFIVIV	Retailer	riivate iotai	Total
Proportion of outlets reportedly stocking method in previous 3 months, currently stocked out of*:	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)
Oral contraceptives										
North Central	19.6 ⁽³¹⁾ (4.4, 56.6)	100.0 (1)	0.0 (1)	52.5 ⁽³³⁾ (14.4, 87.9)	17.8 ⁽¹⁷⁾ (2.1, 68.5)	14.0 ⁽⁴⁰⁾ (2.6, 49.4)	12.3 ⁽³¹⁰⁾ (2.6, 42.6)	0.0 (5)	12.9 ⁽³⁷²⁾ (2.9, 42.3)	21.7 ⁽⁴⁰⁵⁾ (11.8, 36.5)
North East	0.0 (15)	-	0.0 (1)	0.0 (16)	96.9 ⁽⁴⁾ (90.1, 99.1)	43.3 ⁽³⁾ (38.2, 48.6)	16.7 ⁽⁸⁷⁾ (3.1, 55.7)	-	18.9 ⁽⁹⁴⁾ (5.1, 50.2)	13.7 ⁽¹¹⁰⁾ (3.0, 44.8)
North West	34.8 ⁽²⁹⁾ (5.4, 83.3)	-	-	34.8 ⁽²⁹⁾ (5.4, 83.3)	79.6 ⁽²⁾ (8.7, 99.4)	0.0 (4)	22.1 ⁽²⁰²⁾ (12.1, 36.7)	-	22.6 ⁽²⁰⁸⁾ (12.1, 38.2)	25.8 ⁽²³⁷⁾ (11.6, 48.1)
South East	11.7 ⁽⁹⁾ (0.4, 80.9)	-	-	11.7 ⁽⁹⁾ (0.4, 80.9)	46.1 ⁽¹⁵⁾ (15.8, 79.7)	4.2 ⁽¹⁴⁾ (0.2, 44.3)	5.1 ⁽¹³⁹⁾ (1.0, 22.9)	0.0 (3)	7.1 ⁽¹⁷¹⁾ (1.4, 29.7)	7.5 ⁽¹⁸⁰⁾ (1.3, 33.5)
South South	0.0 (15)	-	-	0.0 (15)	23.4 ⁽⁸⁾ (18.0, 29.7)	0.0 ⁽¹⁶⁾ -	3.0 ⁽¹¹³⁾ (0.3, 24.6)		6.9 ⁽¹³⁷⁾ (4.4, 10.8)	6.2 ⁽¹⁵²⁾ (4.4, 8.8)
South West	2.8 ⁽³²⁾ (0.1, 36.5)	80.1 ⁽²⁾ (7.6, 99.5)	-	42.9 ⁽³⁴⁾ (4.2, 92.8)	12.1 ⁽⁴⁷⁾ (4.0, 31.2)	9.3 ⁽¹⁰⁸⁾ (0.6, 62.0)	12.2 ⁽¹⁰¹⁵⁾ (6.6, 21.3)	77.1 ⁽²⁴⁾ (11.8, 98.8)	14.3 ⁽¹¹⁹⁴⁾ (8.8, 22.5)	16.2 ⁽¹²²⁸⁾ (8.7, 27.9)
Emergency contraceptives										
North Central	-	-	-	-	0.0 (2)	0.5 ⁽²³⁾ (0.0, 12.6)	19.3 ⁽¹¹³⁾ (4.3, 55.9)	100.0 (1)	17.8 ⁽¹³⁹⁾ (4.6, 49.6)	17.8 ⁽¹³⁹⁾ (4.6, 49.6)
North East	0.0 (1)	-	-	0.0 (1)	-	0.0 (2)	16.9 ⁽¹⁴⁾ (2.7, 59.9)	-	15.9 ⁽¹⁶⁾ (2.4, 58.8)	15.2 ⁽¹⁷⁾ (2.2, 58.3)
North West	1	1	-	1	1 1	39.6 ⁽³⁾ (23.5, 58.4)	17.2 ⁽²⁴⁾ (9.3, 29.6)	-	18.2 ⁽²⁷⁾ (9.9, 31.1)	18.2 ⁽²⁷⁾ (9.9, 31.1)
South East	-	-	-	-	100.0 (3)	2.5 ⁽¹⁰⁾ (0.4, 13.1)	34.1 ⁽⁴⁹⁾ (14.5, 61.1)	0.0 (1)	32.3 ⁽⁶³⁾ (12.0, 62.6)	32.3 ⁽⁶³⁾ (12.0, 62.6)
South South	-	-	-	-	50.0 ⁽²⁾ (50.0, 50.0)	0.0 ⁽⁷⁾	25.1 ⁽⁵⁶⁾ (12.6, 43.9)	-	29.4 ⁽⁶⁵⁾ (20.7, 39.9)	29.4 ⁽⁶⁵⁾ (20.7, 39.9)
South West	100.0 (1)	100.0 (1)	-	100.0 (2)	51.4 ⁽⁷⁾ (22.5, 79.4)	5.0 ⁽⁷⁹⁾ (1.4, 16.6)	51.5 ⁽²³⁵⁾ (28.1, 74.2)	11.7 ⁽⁸⁾ (11.7, 11.7)	38.7 ⁽³²⁹⁾ (17.7, 65.0)	45.2 ⁽³³¹⁾ (20.9, 72.1)
Contraceptive injectables						,	,			,

Table B5: Current stock out* of selected modern contraceptive commodities on day of survey, among outlets reportedly stocking method in previous 3 months, by outlet type – by Geopolitical Zone, 2015

	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [†]	Total
Proportion of outlets reportedly stocking method in previous 3 months, currently stocked out of*:	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)
North Central	29.1 ⁽³⁴⁾ (5.9, 72.8)	0.0 ⁽²⁾	0.0 (1)	18.9 ⁽³⁷⁾ (7.9, 38.9)	19.1 ⁽¹⁹⁾ (4.5, 54.0)	0.0 (34)	82.5 ⁽⁸⁴⁾ (34.8, 97.7)	-	63.0 ⁽¹³⁷⁾ (17.4, 93.2)	43.8 ⁽¹⁷⁴⁾ (18.1, 73.4)
North East	0.0 (1)	-	0.0 (1)	0.0 (18)	100.0 (5)	43.3 ⁽³⁾ (38.2, 48.6)	26.0 ⁽³⁹⁾ (1.6, 88.6)	-	41.1 ⁽⁴⁷⁾ (3.4, 93.4)	19.8 ⁽⁶⁵⁾ (1.0, 85.4)
North West	4.3 ⁽²⁹⁾ (0.3, 37.0)	100.0 (1)	100.0 ⁽¹⁾ -	5.0 ⁽³¹⁾ (0.5, 34.1)	0.0 ⁽⁵⁾ -	0.0 ⁽³⁾	21.4 ⁽¹⁴¹⁾ (14.4, 30.4)	-	20.6 ⁽¹⁴⁹⁾ (14.3, 28.8)	15.3 ⁽¹⁸⁰⁾ (7.2, 29.6)
South East	14.4 ⁽¹¹⁾ (0.7, 78.9)	-	-	14.4 ⁽¹¹⁾ (0.7, 78.9)	14.9 ⁽¹⁷⁾ (1.5, 67.3)	0.0 ⁽⁵⁾ -	57.7 ⁽¹⁴⁾ (26.5, 83.8)	-	32.1 ⁽³⁶⁾ (13.6, 58.7)	24.2 ⁽⁴⁷⁾ (5.7, 62.8)
South South	0.0 ⁽¹⁵⁾ -	-	-	0.0 ⁽¹⁵⁾ -	30.5 ⁽⁷⁾ (21.5, 41.3)	1.5 ⁽¹²⁾ (0.1, 17.4)	72.9 ⁽¹³⁾ (56.1, 84.9)	-	41.6 ⁽³²⁾ (37.4, 46.0)	29.4 ⁽⁴⁷⁾ (11.6, 56.9)
South West	7.7 ⁽³⁸⁾ (1.2, 35.7)	100.0 ⁽²⁾	0.0 (1)	54.4 ⁽⁴¹⁾ (14.4, 89.4)	20.7 ⁽⁶⁴⁾ (6.4, 50.0)	0.9 ⁽⁷²⁾ (0.0, 15.5)	84.8 ⁽⁹⁷⁾ (40.6, 97.8)	0.0 (1)	50.0 ⁽²³⁴⁾ (18.1, 82.0)	51.2 ⁽²⁷⁵⁾ (22.2, 79.4)
Implants										
North Central	4.2 ⁽¹⁶⁾ (0.2, 48.4)	-	-	4.2 ⁽¹⁶⁾ (0.2, 48.4)	10.9 ⁽⁹⁾ (1.0, 60.5)	-	100.0 ⁽¹⁾ -	-	12.4 ⁽¹⁰⁾ (1.2, 62.8)	7.3 ⁽²⁶⁾ (0.6, 50.9)
North East	3.5 ⁽⁹⁾ (0.0, 73.2)	-	0.0 ⁽¹⁾	3.5 ⁽¹⁰⁾ (0.0, 73.2)	72.5 ⁽²⁾ (1.5, 99.8)	-	-	-	72.5 ⁽²⁾ (1.5, 99.8)	3.9 ⁽¹²⁾ (0.1, 70.5)
North West	0.0 ⁽¹⁵⁾ -	-	-	0.0 (15)	-	-	100.0 ⁽¹⁾ -	-	100.0 (1)	24.3 ⁽¹⁶⁾ (5.8, 62.8)
South East	0.0 (1)	-	-	0.0 ⁽¹⁾ -	23.6 ⁽⁹⁾ (0.9, 91.6)	-	- -	-	23.6 ⁽⁹⁾ (0.9, 91.6)	21.8 ⁽¹⁰⁾ (0.8, 91.1)
South South	0.0 (4)	-	-	0.0 (4)	0.0 ⁽⁴⁾ -	0.0 ⁽¹⁾ -	0.0 ⁽¹⁾ -	-	0.0 ⁽⁶⁾	0.0 ⁽¹⁰⁾ -
South West	34.8 ⁽¹⁹⁾ (5.4, 83.5)	-	-	34.8 ⁽¹⁹⁾ (5.4, 83.5)	24.0 ⁽²³⁾ (19.8, 28.8)	-	0.0 (1)	- -	23.9 ⁽²⁴⁾ (19.5, 28.8)	32.0 ⁽⁴³⁾ (8.5, 70.3)
IUDs										-
North Central	0.0 (12)	-	-	0.0 (12)	4.9 ⁽¹²⁾ (1.8, 12.8)	0.0 (1)	0.0 (1)	-	4.8 ⁽¹⁴⁾ (1.8, 12.2)	2.4 ⁽²⁶⁾ (0.9, 6.3)
North East	0.0 (5)	-	0.0 (1)	0.0 (6)	0.0 (2)	-	50.0 ⁽²⁾ (50.0, 50.0)	-	37.4 ⁽⁴⁾ (25.2, 51.5)	3.0 ⁽¹⁰⁾ (0.0, 68.3)

Table B5: Current stock out* of selected modern contraceptive commodities on day of survey, among outlets reportedly stocking method in previous 3 months, by outlet type – by Geopolitical Zone, 2015

	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [†]	Total
Proportion of outlets reportedly stocking method in previous 3 months, currently stocked out of*:	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)
North West	0.0 ⁽⁷⁾	-	-	0.0 ⁽⁷⁾	100.0 (1)	-	0.0 (1)	-	95.2 ⁽²⁾ (32.4, 99.9)	27.9 ⁽⁹⁾ (11.4, 53.8)
South East	0.0 (1)	-	-	0.0 (1)	15.1 ⁽¹¹⁾ (8.1, 26.4)	0.0 (1)	61.9 ⁽³⁾ (5.1, 98.0)	-	18.4 ⁽¹⁵⁾ (11.0, 29.2)	17.1 ⁽¹⁶⁾ (10.2, 27.2)
South South	0.0 (4)	-	-	0.0 (4)	0.0 (4)	-	-		0.0 (4)	0.0 (8)
South West	24.5 ⁽²⁵⁾ (2.2, 82.1)	-	0.0 (1)	24.2 ⁽²⁶⁾ (2.3, 81.3)	28.5 ⁽⁵¹⁾ (27.2, 29.9)	25.5 ⁽⁷⁾ (3.7, 75.1)	62.1 ⁽⁴⁾ (43.8, 77.5)	-	29.0 ⁽⁶²⁾ (26.9, 31.2)	26.7 ⁽⁸⁸⁾ (9.5, 55.6)

^{*} This indicator is among all screened outlets. It does not account for whether the outlet is expected to provide the commodity according to national regulations. It is a point-in-time stock out indicator from http://www.rhsupplies.org/fileadmin/uploads/rhsc/Issues/Addressing_Stockouts/Takestock/Documents/Using-the_Power_of_Partnership_to_Speak_the_same_Languageoon_Stockouts.pdf. It is defined as the percentage of facilities reporting that they have stocked the method in the previous 3 months but were stocked out on the day of the assessment.

- † In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies, PPMVs and General Retailer/Kiosks.
- [‡] The denominator includes 68 outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview). In Region 1 (NC), the denominator includes 9 outlets that met screening criteria for a full interview but did not complete the interview. In Region 2 (NE), the denominator includes 8 outlets that met screening criteria for a full interview but did not complete the interview. In Region 3 (NW), the denominator includes 2 outlets that met screening criteria for a full interview but did not complete the interview. In Region 4 (SE), the denominator includes 4 outlets that met screening criteria for a full interview but did not complete the interview. In Region 5 (SS), the denominator includes 6 outlets that met screening criteria for a full interview but did not complete the interview. In Region 6 (SW), the denominator includes 39 outlets that met screening criteria for a full interview but did not complete the interview.

Table B6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – by Geopolitical Zone, 2015

		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total§
Median price of me	thod, with	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)
interquartile range [∞]	•	[IQR]	[IQR]	[IQR]	[IQR]	[IQR]
Male condoms						
	Naira	0.00 (15)	33.33 (41)	10.00 (370)	10.00 (45)	10.00 (471)
	Naira	[0.00-0.00]	[10.00-133.33]	[7.50-12.50]	[7.50-12.50]	[7.50-12.50]
Nauth Cantual	LICD	\$0.00 (15)	\$0.17 ⁽⁴¹⁾	\$0.05 (370)	\$0.05 (45)	\$0.05 (471)
North Central	USD	[0.00-0.00]	[0.05-0.67]	[0.04-0.06]	[0.04-0.06]	[0.04-0.06]
	LICD man CVD	\$0.00 (15)	\$20.00 (41)	\$6.00 (370)	\$6.00 (45)	\$6.00 (471)
	USD per CYP	[0.00-0.00]	[6.00-80.00]	[4.50-7.50]	[4.50-7.50]	[4.50-7.50]
	Naira	0.00 (1)	\$12.50 ⁽⁵⁾	10.00 (88)	7.50 ⁽³⁾	10.00 (97)
	Ivalia	-	[12.50-33.33]	[7.50-12.50]	[7.50-7.50]	[7.50-12.50]
North East	USD	\$0.00 (1)	\$0.06 (5)	\$0.05 ⁽⁸⁸⁾	\$0.04 ⁽³⁾	\$0.05 ⁽⁹⁷⁾
NOI (II Last	03D	-	[0.06-0.17]	[0.04-0.06]	[0.04-0.04]	[0.04-0.06]
	USD per CYP	\$0.00 (1)	\$7.50 ⁽⁵⁾	\$6.00 (88)	\$4.50 ⁽³⁾	\$6.00 (97)
	O3D per CTP	-	[7.50-20.00]	[4.50-7.50]	[4.50-4.50]	[4.50-7.50]
	Naira	0.00 (1)	12.50 ⁽³⁾	12.50 (106)	12.50 ⁽⁴⁾	12.50 (114)
North West	Ivalia	-	[10.00-33.33]	[7.50-16.67]	[12.50-33.33]	[7.50-16.67]
	USD	\$0.00 (1)	\$0.06 (3)	\$0.06 (106)	\$0.06 (4)	\$0.06 (114)
NOITH WEST	02D	-	[0.05-0.17]	[0.04-0.08]	[0.06-0.17]	[0.04-0.08]
	USD per CYP	\$0.00 (1)	\$7.50 ⁽³⁾	\$7.50 ⁽¹⁰⁶⁾	\$7.50 ⁽⁴⁾	\$7.50 ⁽¹¹⁴⁾
		-	[6.00-20.00]	[4.50-10.00]	[7.50-20.00]	[4.50-10.00]
	Naira	0.00 (9)	12.50 ⁽¹⁷⁾	12.50 ⁽²³⁶⁾	12.50 (21)	12.50 ⁽²⁸³⁾
	Naira	[0.00-5.00]	[12.50-23.33]	[10.00-12.50]	[7.50-16.67]	[7.50-12.50]
South East	USD	\$0.00 (9)	\$0.06 ⁽¹⁷⁾	\$0.06 (236)	\$0.06 (21)	\$0.06 (283)
South East	030	[0.00-0.03]	[0.06-0.12]	[0.05-0.06]	[0.04-0.08]	[0.04-0.06]
	USD per CYP	\$0.00 ⁽⁹⁾	\$7.50 ⁽¹⁷⁾	\$7.50 ⁽²³⁶⁾	\$7.50 ⁽²¹⁾	\$7.50 ⁽²⁸³⁾
	O3D per CTP	[0.00-3.00]	[7.50-14.00]	[6.00-7.50]	[4.50-10.00]	[4.50-7.50]
	Naira	12.50 ⁽⁸⁾	12.50 ⁽¹⁸⁾	12.50 ⁽¹⁷⁹⁾	12.50 ⁽⁶⁾	12.50 (211)
	Ivalia	[0.00-12.50]	[12.50-12.50]	[12.50-12.50]	[12.50-12.50]	[12.50-12.50]
South South	USD	\$0.06 (8)	\$0.06 (18)	\$0.06 (179)	\$0.06 (6)	\$0.06 (211)
South South	030	[0.00-0.06]	[0.06-0.06]	[0.06-0.06]	[0.06-0.06]	[0.06-0.06]
	LICD man CVD	\$7.50 ⁽⁸⁾	\$7.50 ⁽¹⁸⁾	\$7.50 ⁽¹⁷⁹⁾	\$7.50 ⁽⁶⁾	\$7.50 ⁽²¹¹⁾
	USD per CYP	[0.00-7.50]	[7.50-7.50]	[7.50-7.50]	[7.50-7.50]	[7.50-7.50]
	Naira	0.00 (42)	12.50 ⁽¹²⁸⁾	12.50 (1,290)	12.50 (447)	12.50 ^(1,907)
	Naira	[0.00-16.67]	[12.50-133.33]	[10.00-12.50]	[12.50-12.50]	[10.00-12.50]
South West	LICD	\$0.00 (42)	\$0.06 ⁽¹²⁸⁾	\$0.06 (1,290)	\$0.06 (447)	\$0.06 (1,907)
	USD	[0.00-0.08]	[0.06-0.67]	[0.05-0.06]	[0.06-0.06]	[0.05-0.06]
	USD per CYP	\$0.00 (42)	\$7.50 (128)	\$7.50 (1,290)	\$7.50 ⁽⁴⁴⁷⁾	\$7.50 (1,907)

Table B6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – by Geopolitical Zone, 2015

		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total§
Median price of me	thod, with	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)
interquartile range [~]		[IQR]	[IQR]	[IQR]	[IQR]	[IQR]
		[0.00-10.00]	[7.50-80.00]	[6.00-7.50]	[7.50-7.50]	[6.00-7.50]
Female condoms		. ,	. ,			
	Naira	0.00 ⁽³⁾ [0.00-0.00]	237.50 ⁽⁵⁾ [87.50-375.00]	50.00 ⁽¹⁶⁾ [50.00-50.00]	20.00 (1)	50.00 ⁽²⁵⁾ [20.00-50.00]
North Central	USD	\$0.00 ⁽³⁾ [0.00-0.00]	\$1.19 ⁽⁵⁾ [0.44-1.88]	\$0.25 (16) [0.25-0.25]	\$0.10 ⁽¹⁾	\$0.25 ⁽²⁵⁾ [0.10-0.25]
	USD per CYP	\$0.00 ⁽³⁾ [0.00-0.00]	\$142.50 ⁽⁵⁾ [52.50-225.00]	\$30.00 ⁽¹⁶⁾ [30.00-30.00]	\$12.00 ⁽¹⁾	\$30.00 ⁽²⁵⁾ [12.00-30.00]
	Naira	-	50.00 ⁽¹⁾ -	50.00 ⁽¹⁾ -	-	50.00 ⁽²⁾ [50.00-50.00]
North East	USD	- -	\$0.25 ⁽¹⁾ -	\$0.25 ⁽¹⁾ -	- -	\$0.25 ⁽²⁾ [0.25-0.25]
	USD per CYP	- -	\$30.00 ⁽¹⁾ -	\$30.00 ⁽¹⁾ -	- -	\$30.00 ⁽²⁾ [30.00-30.00]
	Naira	-	200.00 ⁽¹⁾	50.00 ⁽⁵⁾ [50.00-100.00]	30.00 ⁽¹⁾	50.00 ⁽⁷⁾ [50.00-100.00]
North West	USD	-	\$1.00 ⁽¹⁾ -	\$0.25 ⁽⁵⁾ [0.25-0.50]	\$0.15 ⁽¹⁾ -	\$0.25 ⁽⁷⁾ [0.25-0.50]
	USD per CYP	-	\$120.00 ⁽¹⁾ -	\$30.00 ⁽⁵⁾ [30.00-60.00]	\$18.00 ⁽¹⁾ -	\$30.00 ⁽⁷⁾ [30.00-60.00]
	Naira	0.00 ⁽⁵⁾ [0.00-0.00]	100.00 ⁽²⁾ [100.00-100.00]	100.00 ⁽¹⁴⁾ [50.00-150.00]	- -	50.00 ⁽²¹⁾ [25.00-100.00]
outh East	USD	\$0.00 ⁽⁵⁾ [0.00-0.00]	\$0.50 ⁽²⁾ [0.50-0.50]	\$0.50 ⁽¹⁴⁾ [0.25-0.75]	-	\$0.25 ⁽²¹⁾ [0.13-0.50]
	USD per CYP	\$0.00 ⁽⁵⁾ [0.00-0.00]	\$60.00 ⁽²⁾ [60.00-60.00]	\$60.00 ⁽¹⁴⁾ [30.00-90.00]	- -	\$30.00 ⁽²¹⁾ [15.00-60.00]
	Naira	0.00 ⁽¹⁾ [0.00-0.00]	25.00 ⁽³⁾ [25.00-100.00]	50.00 ⁽¹⁴⁾ [50.00-100.00]	- -	0.00 ⁽¹⁸⁾ [0.00-50.00]
outh South	USD	\$0.00 ⁽¹⁾ [0.00-0.00]	\$0.13 ⁽³⁾ [0.13-0.50]	\$0.25 ⁽¹⁴⁾ [0.25-0.50]	- -	\$0.00 ⁽¹⁸⁾ [0.00-0.25]
	USD per CYP	\$0.00 ⁽¹⁾ [0.00-0.00]	\$15.00 ⁽³⁾ [15.00-60.00]	\$30.00 ⁽¹⁴⁾ [30.00-60.00]	- -	\$0.00 ⁽¹⁸⁾ [0.00-30.00]
South West	Naira	0.00 ⁽¹⁰⁾ [0.00-0.00]	566.67 ⁽¹⁵⁾ [100.00-566.67]	60.00 ⁽⁴⁷⁾ [25.00-100.00]	75.00 ⁽⁵⁾ [50.00-75.00]	75.00 ⁽⁷⁷⁾ [25.00-150.00]
South West	USD	\$0.00 ⁽¹⁰⁾ [0.00-0.00]	\$2.83 ⁽¹⁵⁾ [0.50-2.83]	\$0.30 ⁽⁴⁷⁾ [0.13-0.50]	\$0.38 ⁽⁵⁾ [0.25-0.38]	\$0.38 ⁽⁷⁷⁾ [0.13-0.75]

Table B6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – by Geopolitical Zone, 2015

		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total§
Median price of me interquartile range°		Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]
	USD per CYP	\$0.00 ⁽¹⁰⁾ [0.00-0.00]	\$340.00 ⁽¹⁵⁾ [60.00-340.00]	\$36.00 ⁽⁴⁷⁾ [15.00-60.00]	\$45.00 ⁽⁵⁾ [30.00-45.00]	\$45.00 ⁽⁷⁷⁾ [15.00-90.00]
Cyclebeads						
	Naira	-	-	150.00 ⁽⁷⁾ [0.00-200.00]	- -	150.00 ⁽⁷⁾ [0.00-200.00]
North Central	USD	-	-	\$0.75 ⁽⁷⁾ [0.00-1.00]	-	\$0.75 ⁽⁷⁾ [0.00-1.00]
	USD per CYP	-	-	\$0.50 ⁽⁷⁾ [0.00-0.67]	-	\$0.50 ⁽⁷⁾ [0.00-0.67]
	Naira	-	-	-	-	-
North East	USD	-	-	-	-	-
	USD per CYP	-	-	-	-	-
	Naira	-	-	50.00 ⁽²⁾ [50.00-50.00]	-	50.00 ⁽²⁾ [50.00-50.00]
North West	USD	-	-	\$0.25 ⁽²⁾ [0.25-0.25]	-	\$0.25 ⁽²⁾ [0.25-0.25]
	USD per CYP	-	-	\$0.17 ⁽²⁾ [0.17-0.17]	-	\$0.17 ⁽²⁾ [0.17-0.17]
	Naira	0.00 ⁽²⁾ [0.00-0.00]	-	0.00 ⁽²⁾ [0.00-0.00]	-	0.00 ⁽⁴⁾ [0.00-0.00]
South East	USD	\$0.00 ⁽²⁾ [0.00-0.00]	- -	\$0.00 ⁽²⁾ [0.00-0.00]	- -	\$0.00 ⁽⁴⁾ [0.00-0.00]
	USD per CYP	\$0.00 ⁽²⁾ [0.00-0.00]	-	\$0.00 ⁽²⁾ [0.00-0.00]	-	\$0.00 ⁽⁴⁾ [0.00-0.00]
	Naira	- -	-	500.00 ⁽³⁾ [150.00-500.00]	-	500.00 ⁽³⁾ [150.00-500.00]
South South	USD	- -	-	\$2.50 ⁽³⁾ [0.75-2.50]	-	\$2.50 ⁽³⁾ [0.75-2.50]
	USD per CYP	- - -	-	\$1.67 ⁽³⁾ [0.50-1.67]	-	\$1.67 ⁽³⁾ [0.50-1.67]
South West	Naira	0.00 ⁽²⁾ [0.00-0.00]	150.00 ⁽²⁾ [150.00-150.00]	100.00 ⁽¹²⁾ [0.00-200.00]	- -	100.00 ⁽¹⁶⁾ [0.00-200.00]
	USD	\$0.00 (2)	\$0.75 ⁽²⁾	\$0.50 ⁽¹²⁾	-	\$0.50 (16)

Table B6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – by Geopolitical Zone, 2015

		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total§
Median price of me	thod, with	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)
interquartile range [*]		[IQR]	[IQR]	[IQR]	[IQR]	[IQR]
		[0.00-0.00]	[0.75-0.75]	[0.00-1.00]	-	[0.00-1.00]
		\$0.00 (2)	\$0.50 (2)	\$0.33 (12)	-	\$0.33 (16)
	USD per CYP	[0.00-0.00]	[0.50-0.50]	[0.00-0.67]	-	[0.00-0.67]
Oral contraceptives	•					
-		100.00 (14)	50.00 ⁽⁴¹⁾	50.00 (263)	100.00 (5)	50.00 ⁽³²³⁾
	Naira	[98.00-100.00]	[50.00-100.00]	[50.00-100.00]	[60.00-200.00]	[50.00-100.00]
	1160	\$0.50 ⁽¹⁴⁾	\$0.25 ⁽⁴¹⁾	\$0.25 ⁽²⁶³⁾	\$0.50 ⁽⁵⁾	\$0.25 ⁽³²³⁾
North Central	USD	[0.49-0.50]	[0.25-0.50]	[0.25-0.50]	[0.30-1.00]	[0.25-0.50]
	1100 010	\$7.50 ⁽¹⁴⁾	\$3.75 ⁽⁴¹⁾	\$3.75 (263)	\$7.50 ⁽⁵⁾	\$3.75 ⁽³²³⁾
	USD per CYP	[7.35-7.50	[3.75-7.50]	[3.75-7.50]	[4.50-15.00]	[3.75-7.50]
	Naine	150.00 ⁽³⁾	50.00 ⁽³⁾	70.00 (80)	-	70.00 (86)
	Naira	[150.00-150.00]	[50.00-50.00]	[50.00-100.00]	-	[50.00-100.00]
North East	LICD	\$0.75 ⁽³⁾	\$0.25 ⁽³⁾	\$0.35 (80)	-	\$0.35 ⁽⁸⁶⁾
North East	USD	[0.75-0.75]	[0.25-0.25]	[0.25-0.50]	-	[0.25-0.50]
	LICD man CVD	\$11.25 ⁽³⁾	\$3.75 (3)	\$5.25 ⁽⁸⁰⁾	-	\$5.25 ⁽⁸⁶⁾
	USD per CYP	[11.25-11.25]	[3.75-3.75]	[3.75-7.50]	-	[3.75-7.50]
	Naira	50.00 ⁽¹⁾	50.00 (4)	70.00 (172)	-	70.00 (177)
	Naira	-	[50.00-100.00]	[50.00-80.00]	-	[50.00-80.00]
Niauth Maat	LICD	\$0.25 ⁽¹⁾	\$0.25 ⁽⁴⁾	\$0.35 ⁽¹⁷²⁾	-	\$0.35 ⁽¹⁷⁷⁾
North West	USD	-	[0.25-0.50]	[0.25-0.40]	-	[0.25-0.40]
	LICD was CVD	\$3.75 ⁽¹⁾	\$3.75 ⁽⁴⁾	\$5.25 ⁽¹⁷²⁾	-	\$5.25 ⁽¹⁷⁷⁾
	USD per CYP	-	[3.75-7.50]	[3.75-6.00]	-	[3.75-6.00]
	Naira	0.00 (12)	100.00 (14)	100.00 (131)	50.00 ⁽³⁾	100.00 (160)
	INdild	[0.00-200.00]	[100.00-150.00]	[50.00-100.00]	[50.00-100.00]	[50.00-100.00]
South East	USD	\$0.00 (12)	\$0.50 ⁽¹⁴⁾	\$0.50 (131)	\$0.25 ⁽³⁾	\$0.50 ⁽¹⁶⁰⁾
South East	03D	[0.00-1.00]	[0.50-0.75]	[0.25-0.50]	[0.25-0.50]	[0.25-0.50]
	LICD was CVD	\$0.00 (12)	\$7.50 ⁽¹⁴⁾	\$7.50 ⁽¹³¹⁾	\$3.75 ⁽³⁾	\$7.50 ⁽¹⁶⁰⁾
	USD per CYP	[0.00-15.00]	[7.50-11.25]	[3.75-7.50]	[3.75-7.50]	[3.75-7.50]
	Naira	100.00 (7)	100.00 (17)	100.00 (105)	-	100.00 (129)
	Naira	[70.00-300.00]	[100.00-150.00]	[80.00-100.00]	-	[80.00-100.00]
Couth Couth	LICD	\$0.50 ⁽⁷⁾	\$0.50 (17)	\$0.50 (105)	-	\$0.50 ⁽¹²⁹⁾
South South	USD	[0.35-1.50]	[0.50-0.75]	[0.40-0.50]	-	[0.40-0.50]
	1100 0110	\$7.50 ⁽⁷⁾	\$7.50 ⁽¹⁷⁾	\$7.50 (105)	-	\$7.50 (129)
	USD per CYP	[5.25-22.50]	[7.50-11.25]	[6.00-7.50]	-	[6.00-7.50]
C		80.00 (40)	70.00 (123)	70.00 (892)	80.00 (20)	70.00 (1,075)
South West	Naira	[80.00-100.00]	[50.00-100.00]	[50.00-100.00]	[70.00-80.00]	[50.00-100.00]

Table B6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – by Geopolitical Zone, 2015

	ontical zone, 201	Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total§
Median price of method, with		Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)
interquartile range [∞]		[IQR]	[IQR]	[IQR]	[IQR]	[IQR]
	USD	\$0.40 (40)	\$0.35 (123)	\$0.35 ⁽⁸⁹²⁾	\$0.40 (20)	\$0.35 ^(1,075)
	030	[0.40-0.50]	[0.25-0.50]	[0.25-0.50]	[0.35-0.40]	[0.25-0.50]
	USD per CYP	\$6.00 (40)	\$5.25 ⁽¹²³⁾	\$5.25 ⁽⁸⁹²⁾	\$6.00 (20)	\$5.25 ^(1,075)
	OSD per CYP	[6.00-7.50]	[3.75-7.50]	[3.75-7.50]	[5.25-6.00]	[3.75-7.50]
Combined oral contr	raceptives					
	Naira	100.00 (14)	50.00 ⁽⁴⁰⁾	50.00 (261)	100.00 (5)	50.00 ⁽³²⁰⁾
	Naira	[98.00-100.00]	[50.00-100.00]	[50.00-100.00]	[60.00-200.00]	[50.00-100.00]
North Central	USD	\$0.50 (14)	\$0.25 ⁽⁴⁰⁾	\$0.25 (261)	\$0.50 (5)	\$0.25 (320)
North Central	03D	[0.49-0.50]	[0.25-0.50]	[0.25-0.50]	[0.30-1.00]	[0.25-0.50]
	USD per CYP	\$7.50 ⁽¹⁴⁾	\$3.75 ⁽⁴⁰⁾	\$3.75 (261)	\$7.50 ⁽⁵⁾	\$3.75 (320)
	O3D per CTP	[7.35-7.50]	[3.75-7.50]	[3.75-7.50]	[4.50-15.00]	[3.75-7.50]
	Naira	150.00 ⁽²⁾	50.00 (3)	70.00 (80)	=	70.00 (85)
	Ivalia	[150.00-150.00]	[50.00-50.00]	[50.00-100.00]	-	[50.00-100.00]
North East	USD	\$0.75 (2)	\$0.25 (3)	\$0.35 (80)	-	\$0.35 ⁽⁸⁵⁾
North East		[0.75-0.75]	[0.25-0.25]	[0.25-0.50]	=	[0.25-0.50]
	USD per CYP	\$11.25 ⁽²⁾	\$3.75 (3)	\$5.25 ⁽⁸⁰⁾	-	\$5.25 ⁽⁸⁵⁾
		[11.25-11.25]	[3.75-3.75]	[3.75-7.50]	-	[3.75-7.50]
	Naira	50.00 (1)	50.00 (4)	70.00 (164)	-	70.00 (169)
		-	[50.00-100.00]	[50.00-80.00]	-	[50.00-80.00]
North West	USD	\$0.25 ⁽¹⁾	\$0.25 ⁽⁴⁾	\$0.35 ⁽¹⁶⁴⁾	-	\$0.35 ⁽¹⁶⁹⁾
MOLLII MESL		-	[0.25-0.50]	[0.25-0.40]	-	[0.25-0.40]
	1100 010	\$3.75 (1)	\$3.75 (4)	\$5.25 ⁽¹⁶⁴⁾	-	\$5.25 (169)
	USD per CYP	-	[3.75-7.50]	[3.75-6.00]	=	[3.75-6.00]
	Naira	0.00 (9)	100.00 (14)	100.00 (130)	50.00 ⁽³⁾	[0.25-0.50] \$3.75 (320) [3.75-7.50] 70.00 (85) [50.00-100.00] \$0.35 (85) [0.25-0.50] \$5.25 (85) [3.75-7.50] 70.00 (169) [50.00-80.00] \$0.35 (169) [0.25-0.40] \$5.25 (169) [3.75-6.00] 100.00 (156) [50.00-100.00] \$0.50 (156) [0.25-0.50] \$7.50 (156) [3.75-7.50] 100.00 (129) [80.00-100.00] \$0.50 (129) [0.40-0.50] \$7.50 (129)
	Ivalia	[0.00-200.00]	[100.00-150.00]	[50.00-100.00]	[50.00-100.00]	[50.00-100.00]
Courth Fact	USD	\$0.00 ⁽⁹⁾	\$0.50 ⁽¹⁴⁾	\$0.50 (130)	\$0.25 ⁽³⁾	\$0.50 ⁽¹⁵⁶⁾
South East	030	[0.00-1.00]	[0.50-0.75]	[0.25-0.50]	[0.25-0.50]	[0.25-0.50]
	LICD man CVD	\$0.00 ⁽⁹⁾	\$7.50 ⁽¹⁴⁾	\$7.50 ⁽¹³⁰⁾	\$3.75 (3)	\$7.50 ⁽¹⁵⁶⁾
	USD per CYP	[0.00-15.00]	[7.50-11.25]	[3.75-7.50]	[3.75-7.50]	[3.75-7.50]
	Naira	100.00 (7)	100.00 (17)	100.00 (105)	-	100.00 (129)
6 J 6 J	Naira	[70.00-300.00]	[100.00-150.00]	[80.00-100.00]	_	[80.00-100.00]
	USD	\$0.50 ⁽⁷⁾	\$0.50 (17)	\$0.50 (105)	-	\$0.50 (129)
South South		[0.35-1.50]	[0.50-0.75]	[0.40-0.50]	-	[0.40-0.50]
		\$7.50 ⁽⁷⁾	\$7.50 ⁽¹⁷⁾	\$7.50 (105)	-	\$7.50 (129)
	USD per CYP	[5.25-22.50]	[7.50-11.25]	[6.00-7.50]	-	[6.00-7.50]
South West	Naira	80.00 (37)	70.00 (123)	70.00 (891)	80.00 (20)	70.00 (1,071)

Table B6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – by Geopolitical Zone, 2015

		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total§
Median price of method, with interquartile range [∞]		Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]
		[80.00-100.00]	[50.00-100.00]	[50.00-100.00]	[70.00-80.00]	[50.00-100.00]
	USD	\$0.40 ⁽³⁷⁾ [0.40-0.50]	\$0.35 ⁽¹²³⁾ [0.25-0.50]	\$0.35 ⁽⁸⁹¹⁾ [0.25-0.50]	\$0.40 ⁽²⁰⁾ [0.35-0.40]	\$0.35 ^(1,071) [0.25-0.50]
	USD per CYP	\$6.00 ⁽³⁷⁾ [6.00-7.50]	\$5.25 ⁽¹²³⁾ [3.75-7.50]	\$5.25 ⁽⁸⁹¹⁾ [3.75-7.50]	\$6.00 ⁽²⁰⁾ [5.25-6.00]	\$5.25 ^(1,071) [3.75-7.50]
Progestin-only pills						
	Naira	-	100.00 (1)	30.00 ⁽²⁾ [30.00-30.00]	-	30.00 ⁽³⁾ [30.00-30.00]
North Central	USD	-	\$0.50 ⁽¹⁾ -	\$0.15 ⁽²⁾ [0.15-0.15]	-	\$0.15 ⁽³⁾ [0.15-0.15]
	USD per CYP	-	\$7.50 ⁽¹⁾ -	\$2.25 ⁽²⁾ [2.25-2.25]	-	\$2.25 ⁽³⁾ [2.25-2.25]
	Naira	150.00 ⁽¹⁾ -	- -	-	-	150.00 ⁽¹⁾
North East	USD	\$0.75 ⁽¹⁾ -	- -	- -	- -	\$0.75 ⁽¹⁾ -
	USD per CYP	\$11.25 ⁽¹⁾ -	- -	- -	-	\$11.25 ⁽¹⁾ -
	Naira	- -	- -	70.00 ⁽⁸⁾ [70.00-100.00]		70.00 ⁽⁸⁾ [70.00-100.00]
North West	USD	- -	-	\$0.35 ⁽⁸⁾ [0.35-0.50]	-	\$0.35 ⁽⁸⁾ [0.35-0.50]
	USD per CYP	- -	-	\$5.25 ⁽⁸⁾ [5.25-7.50]	-	\$5.25 ⁽⁸⁾ [5.25-7.50]
	Naira	0.00 ⁽³⁾ [0.00-0.00]	- -	16.67 ⁽¹⁾		0.00 ⁽⁴⁾ [0.00-0.00]
South East	USD	\$0.00 ⁽³⁾ [0.00-0.00]	- -	\$0.08 ⁽¹⁾		\$0.00 ⁽⁴⁾ [0.00-0.00]
	USD per CYP	\$0.00 ⁽³⁾ [0.00-0.00]	-	\$1.25 ⁽¹⁾ -	-	\$0.00 ⁽⁴⁾ [0.00-0.00]
South South	Naira		-	-	-	
	USD	- -	- -			-
	USD per CYP	- -	-	-	-	-

Table B6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – by Geopolitical Zone, 2015

		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total§
Median price of method, with interquartile range [∞]		Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]
		100.00 (3)	-	100.00 (1)	-	100.00 (4)
	Naira	[50.00-100.00]	-		-	[50.00-100.00]
South West	USD	\$0.50 (3)	-	\$0.50 ⁽¹⁾	-	\$0.50 (4)
Journ West	030	[0.25-0.50]	-	-	-	[0.25-0.50]
	USD per CYP	\$7.50 ⁽³⁾ [3.75-7.50]	-	\$7.50 ⁽¹⁾	-	\$7.50 ⁽⁴⁾ [3.75-7.50]
Emergency contrac	entives	[5.75 7.50]				[5.75 7.50]
inergency contrac		300.00 (2)	300.00 (32)	120.00 (93)	-	150.00 (127)
	Naira	[200.00-300.00]	[200.00-350.00]	[40.00-200.00]	-	[40.00-200.00]
North Central	USD	\$1.50 ⁽²⁾	\$1.50 (32)	\$0.60 (93)	-	\$0.75 (127)
North Central	USD	[1.00-1.50]	[1.00-1.75]	[0.20-1.00]	-	[0.20-1.00]
	USD per CYP	\$30.00 (2)	\$30.00 (32)	\$12.00 ⁽⁹³⁾	-	\$15.00 ⁽¹²⁷⁾
	OSD per CTP	[20.00-30.00]	[20.00-35.00]	[4.00-20.00]	-	[4.00-20.00]
	Naira	-	175.00 ⁽⁶⁾	200.00 (15)	-	200.00 (21)
		-	[100.00-300.00]	[40.00-250.00]	-	[40.00-250.00]
North East	USD	-	\$0.88 (6)	\$1.00 (15)	-	\$1.00 (21)
NOI III Last		-	[0.50-1.50]	[0.20-1.25]	-	[0.20-1.25]
	USD per CYP	-	\$17.50 ⁽⁶⁾	\$20.00 (15)	-	\$20.00 (21)
		-	[10.00-30.00]	[4.00-25.00]	-	[4.00-25.00]
	Naira	-	200.00 (2)	250.00 ⁽²¹⁾	-	250.00 ⁽²³⁾
	Ivalia	-	[200.00-200.00]	[150.00-250.00]	-	[150.00-250.00]
North West	USD	-	\$1.00 (2)	\$1.25 (21)	-	\$1.25 ⁽²³⁾
MOITH WEST	บรม	-	[1.00-1.00]	[0.75-1.25]	-	[0.75-1.25]
	USD per CYP	-	\$20.00 (2)	\$25.00 (21)	-	\$25.00 ⁽²³⁾
	OSD per CYP	-	[20.00-20.00]	[15.00-25.00]	-	[15.00-25.00]
	Naira	-	200.00 (15)	200.00 (38)	300.00 (1)	200.00 (54)
	Ivalia	-	[150.00-300.00]	[200.00-250.00]	-	[150.00-250.00]
South East	USD	-	\$1.00 (15)	\$1.00 (38)	\$1.50 ⁽¹⁾	\$1.00 (54)
South Last	030	-	[0.75-1.50]	[1.00-1.25]	-	[0.75-1.25]
	USD per CYP	-	\$20.00 (15)	\$20.00 (38)	\$30.00 (1)	\$20.00 (54)
	O3D per CTF	-	[15.00-30.00]	[20.00-25.00]	-	[15.00-25.00]
	Naira	0.00 (1)	250.00 (11)	150.00 ⁽⁶⁷⁾	-	150.00 ⁽⁷⁹⁾
	INdiid	-	[50.00-300.00]	[40.00-250.00]	-	[40.00-250.00]
South South	USD	\$0.00 (1)	\$1.25 ⁽¹¹⁾	\$0.75 ⁽⁶⁷⁾	-	\$0.75 ⁽⁷⁹⁾
	עכט	-	[0.25-1.50]	[0.20-1.25]	-	[0.20-1.25]
	USD per CYP	\$0.00 (1)	\$25.00 (11)	\$15.00 ⁽⁶⁷⁾	-	\$15.00 ⁽⁷⁹⁾

Table B6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – by Geopolitical Zone, 2015

		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [§]
Median price of me	ethod, with	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)
interquartile range		[IQR]	[IQR]	[IQR]	[IQR]	[IQR]
		-	[5.00-30.00]	[4.00-25.00]	-	[4.00-25.00]
		500.00 (4)	250.00 (125)	80.00 (214)	200.00 (7)	150.00 (350)
	Naira	[50.00-500.00]	[50.00-350.00]	[40.00-250.00]	[200.00-200.00]	[40.00-300.00]
		\$2.50 (4)	\$1.25 (125)	\$0.40 (214)	\$1.00 (7)	\$0.75 (350)
South West	USD	[0.25-2.50]	[0.25-1.75]	[0.20-1.25]	[1.00-1.00]	[0.20-1.50]
		\$50.00 (4)	\$25.00 (125)	\$8.00 (214)	\$20.00 (7)	\$15.00 (350)
	USD per CYP	[5.00-50.00]	[5.00-35.00]	[4.00-25.00]	[20.00-20.00]	[4.00-30.00]
Contraceptive injec	tables					
	NI-1	350.00 ⁽²¹⁾	200.00 (61)	250.00 (82)	-	300.00 (164)
	Naira	[200.00-350.00]	[150.00-400.00]	[150.00-300.00]	-	[180.00-350.00]
Namela Cambral	LICD	\$1.75 (21)	\$1.00 (61)	\$1.25 (82)	-	\$1.50 (164)
North Central	USD	[1.00-1.75]	[0.75-2.00]	[0.75-1.50]	-	[0.90-1.75]
	1160 6770	\$7.00 ⁽²¹⁾	\$6.00 (61)	\$6.00 (82)	-	\$6.00 (164)
	USD per CYP	[6.00-10.00]	[4.00-9.00]	[3.90-9.00]	-	[4.00-10.00]
		-	200.00 (3)	250.00 (48)	-	250.00 (51)
	Naira	-	[200.00-200.00]	[200.00-300.00]	-	[200.00-300.00]
Nowth Foot	LICE	-	\$1.00 (3)	\$1.25 ⁽⁴⁸⁾	-	\$1.25 (51)
North East	USD	-	[1.00-1.00]	[1.00-1.50]	-	[1.00-1.50]
	1100 010	-	\$5.00 ⁽³⁾	\$6.00 (48)	-	\$6.00 (51)
	USD per CYP	-	[4.00-6.00]	[4.50-9.00]	-	[4.50-9.00]
	N	300.00 (8)	120.00 (5)	200.00 (179)	-	200.00 (192)
	Naira	[200.00-600.00]	[100.00-400.00]	[150.00-250.00]	-	[150.00-250.00]
	USD	\$1.50 (8)	\$0.60 ⁽⁵⁾	\$1.00 (179)	-	\$1.00 (192)
North West		[1.00-3.00]	[0.50-2.00]	[0.75-1.25]	-	[0.75-1.25]
	1160 61/0	6.00 (8)	3.00 (5)	4.50 ⁽¹⁷⁹⁾	-	4.50 (192)
	USD per CYP	[4.50-18.00]	[2.40-12.00]	[3.60-6.00]	-	[3.60-6.00]
		\$500.00 (22)	\$100.00 (7)	\$1000.00 (9)	-	\$500.00 (38)
	Naira	[200.00-500.00]	[100.00-150.00]	[800.00-1500.00]	-	[200.00-800.00]
a =	1100	\$2.50 (22)	\$0.50 (7)	\$5.00 ⁽⁹⁾	-	\$2.50 (38)
South East	USD	[1.00-2.50]	[0.50-0.75]	[4.00-7.50]	-	[1.00-4.00]
	LICD CVD	\$10.00 (22)	\$2.00 (7)	\$20.00 (9)	-	\$10.00 (38)
	USD per CYP	[6.00-10.00]	[2.00-3.00]	[16.00-30.00]	-	[6.00-16.00]
		500.00 (9)	300.00 (17)	1500.00 (8)	-	500.00 (34)
	Naira	[500.00-2000.00]	[300.00-400.00]	[500.00-1500.00]	-	[500.00-1500.00]
South South		\$2.50 (9)	\$1.50 ⁽¹⁷⁾	\$7.50 (8)	-	\$2.50 (34)
	USD	[2.50-10.00]	[1.50-2.00]	[2.50-7.50]	_	[2.50-7.50]

Table B6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – by Geopolitical Zone, 2015

	Jointical Zone, 201	Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [§]
Median price of method, with		Median ^(N)	Median ^(ℕ)	Median ^(N)	Median ^(N)	Median ^(N)
interquartile range°	×0	[IQR]	[IQR]	[IQR]	[IQR]	[IQR]
	LICD was CVD	\$15.00 ⁽⁹⁾	\$6.00 (17)	\$30.00 (8)	-	\$15.00 ⁽³⁴⁾
	USD per CYP	[10.00-60.00]	[6.00-12.00]	[10.00-30.00]	-	[10.00-30.00]
	Naine	500.00 (77)	150.00 (124)	200.00 (67)	500.00 ⁽¹⁾	180.00 ⁽²⁶⁹⁾
	Naira	[400.00-500.00]	[130.00-200.00]	[150.00-500.00]	•	[140.00-400.00]
South West	USD	\$2.50 ⁽⁷⁷⁾	\$0.75 ⁽¹²⁴⁾	\$1.00 (67)	\$2.50 ⁽¹⁾	\$0.90 (269)
South West	ענט	[2.00-2.50]	[0.65-1.00]	[0.75-2.50]	-	[0.70-2.00]
	LICD was CVD	\$10.00 (77)	\$3.90 (124)	\$6.00 (67)	\$15.00 ⁽¹⁾	\$4.50 (269)
	USD per CYP	[8.00-15.00]	[3.00-4.50]	[4.00-10.00]	-	[3.00-8.00]
Depo-provera inject	ables					
-	Naina	350.00 ⁽¹¹⁾	200.00 (30)	250.00 ⁽³⁷⁾	-	300.00 ⁽⁷⁸⁾
	Naira	[150.00-500.00]	[150.00-300.00]	[150.00-306.00]	-	[150.00-500.00]
North Control	LICD	\$1.75 ⁽¹¹⁾	\$1.00 (30)	\$1.25 ⁽³⁷⁾	-	\$1.50 ⁽⁷⁸⁾
North Central	USD	[0.75-2.50]	[0.75-1.50]	[0.75-1.53]	-	[0.75-2.50]
	1100 010	\$7.00 (11)	\$4.00 (30)	\$5.00 (37)	-	\$6.00 (78)
	USD per CYP	[3.00-10.00]	[3.00-6.00]	[3.00-6.12]	-	[3.00-10.00]
		-	200.00 (2)	200.00 (22)	-	200.00 (24)
	Naira	-	[200.00-200.00]	[150.00-300.00]	-	[150.00-300.00]
		-	\$1.00 (2)	\$1.00 (22)	-	\$1.00 (24)
North East	USD	-	[1.00-1.00]	[0.75-1.50]	-	[0.75-1.50]
		-	\$4.00 (2)	\$4.00 (22)	-	\$4.00 (24)
	USD per CYP	-	[4.00-4.00]	[3.00-6.00]	-	[3.00-6.00]
		200.00 (4)	120.00 (2)	200.00 (94)	-	200.00 (100)
	Naira	[200.00-300.00]	[120.00-120.00]	[150.00-300.00]	-	\$15.00 (34) [10.00-30.00] 180.00 (269) [140.00-400.00] \$0.90 (269) [0.70-2.00] \$4.50 (269) [3.00-8.00] 300.00 (78) [150.00-500.00] \$1.50 (78) [0.75-2.50] \$6.00 (78) [3.00-10.00] 200.00 (24) [150.00-300.00] \$1.00 (24) [0.75-1.50] \$4.00 (24) [3.00-6.00]
N1. 147 .	1165	\$1.00 (4)	\$0.60 (2)	\$1.00 (94)	-	\$1.00 (100)
North West	USD	[1.00-1.50]	[0.60-0.60]	[0.75-1.50]	-	[0.75-1.50]
	1100 010	\$4.00 (4)	\$2.40 (2)	\$4.00 (94)	-	\$4.00 (100)
	USD per CYP	[4.00-6.00]	[2.40-2.40]	[3.00-6.00]	-	[3.00-6.00]
		500.00 (16)	100.00 (5)	1000.00 (7)	-	500.00 (28)
	Naira	[300.00-500.00]	[100.00-150.00]	[800.00-1500.00]	-	[300.00-800.00]
South East	1165	\$2.50 (16)	\$0.50 (5)	\$5.00 (7)	-	\$2.50 (28)
	USD	[1.50-2.50]	[0.50-0.75]	[4.00-7.50]	-	[1.50-4.00]
		\$10.00 (16)	\$2.00 (5)	\$20.00 (7)	-	
	USD per CYP	[6.00-10.00]	[2.00-3.00]	[16.00-30.00]	-	-
		500.00 ⁽³⁾	300.00 (7)	1500.00 ⁽⁴⁾	-	
South South	Naira	[500.00-500.00]	[300.00-300.00]	[500.00-1500.00]	-	
	USD	\$2.50 (3)	\$1.50 (7)	\$7.50 (4)	_	

Table B6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – by Geopolitical Zone, 2015

		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total§
Median price of me	thod, with	Median ^(ℕ)	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)
interquartile range°	×0	[IQR]	[IQR]	[IQR]	[IQR]	[IQR]
		[2.50-2.50]	[1.50-1.50]	[2.50-7.50]	-	[2.50-2.50]
		\$10.00 (3)	\$6.00 (7)	\$30.00 (4)	-	\$10.00 (14)
	USD per CYP	[10.00-10.00]	[6.00-6.00]	[10.00-30.00]	-	[10.00-10.00]
		400.00 (43)	150.00 ⁽⁶⁸⁾	500.00 ⁽³⁶⁾	=	200.00 (147)
	Naira	[400.00-500.00]	[130.00-200.00]	[200.00-500.00]	-	[140.00-500.00]
		\$2.00 (43)	\$0.75 ⁽⁶⁸⁾	\$2.50 ⁽³⁶⁾	-	\$1.00 (147)
South West	USD	[2.00-2.50]	[0.65-1.00]	[1.00-2.50]	-	[0.70-2.50]
		\$8.00 (43)	\$3.00 (68)	\$10.00 (36)	-	\$4.00 (147)
	USD per CYP	[8.00-10.00]	[2.60-4.00]	[4.00-10.00]	-	[2.80-10.00]
Noristerat injectable	?s					
•	Nation	200.00 (10)	200.00 (31)	250.00 (45)	-	200.00 (86)
	Naira	[200.00-350.00]	[150.00-400.00]	[150.00-300.00]	-	[200.00-300.00]
	1165	\$1.00 (10)	\$1.00 (31)	\$1.25 ⁽⁴⁵⁾	-	\$1.00 (86)
North Central	USD	[1.00-1.75]	[0.75-2.00]	[0.75-1.50]	-	[1.00-1.50]
	1160 010	\$6.00 (10)	\$6.00 (31)	\$7.50 ⁽⁴⁵⁾	-	\$6.00 (86)
	USD per CYP	[6.00-10.50]	[4.50-12.00]	[4.50-9.00]	-	[6.00-9.00]
		-	200.00 (1)	250.00 ⁽²⁶⁾	-	250.00 ⁽²⁷⁾
	Naira	-	-	[200.00-300.00]	-	[200.00-300.00]
		-	\$1.00 (1)	\$1.25 ⁽²⁶⁾	-	\$1.25 ⁽²⁷⁾
North East	USD	-	-	[1.00-1.50]	-	[1.00-1.50]
	1160 010	-	\$6.00 (1)	\$7.50 ⁽²⁶⁾	-	\$7.50 ⁽²⁷⁾
	USD per CYP	-	-	[6.00-9.00]	-	[6.00-9.00]
		450.00 ⁽⁴⁾	400.00 (3)	150.00 (85)	-	150.00 ⁽⁹²⁾
	Naira	[200.00-600.00]	[100.00-400.00]	[150.00-200.00]	-	[150.00-200.00]
	1165	\$2.25 (4)	\$2.00 (3)	\$0.75 ⁽⁸⁵⁾	-	\$0.75 ⁽⁹²⁾
North West	USD	[1.00-3.00]	[0.50-2.00]	[0.75-1.00]	-	[0.75-1.00]
		\$13.50 (4)	\$12.00 (3)	\$4.50 (85)	-	\$4.50 (92)
	USD per CYP	[6.00-18.00]	[3.00-12.00]	[4.50-6.00]	-	[4.50-6.00]
		200.00 (6)	675.00 ⁽²⁾	150.00 ⁽²⁾	-	200.00 (10)
	Naira	[200.00-500.00]	[150.00-1200.00]	[150.00-150.00]	-	[150.00-250.00]
South East	LICE	\$1.00 (6)	\$3.38 (2)	\$0.75 (2)	-	\$1.00 (10)
	USD	[1.00-2.50]	[0.75-6.00]	[0.75-0.75]	-	[0.75-1.25]
		\$6.00 (6)	\$20.25 (2)	\$4.50 (2)	-	\$6.00 (10)
	USD per CYP	[6.00-15.00]	[4.50-36.00]	[4.50-4.50]	-	[4.50-7.50]
		500.00 ⁽⁶⁾	400.00 (10)	500.00 (4)	-	500.00 (20)
South South	Naira	[500.00-2000.00]	[200.00-400.00]	[500.00-500.00]	-	[500.00-2000.00]

Table B6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – by Geopolitical Zone, 2015

		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [§]
Median price of me	thod, with	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)
interquartile range°	•	[IQR]	[IQR]	[IQR]	[IQR]	[IQR]
	USD	\$2.50 ⁽⁶⁾	\$2.00 (10)	\$2.50 (4)	-	\$2.50 ⁽²⁰⁾
	030	[2.50-10.00]	[1.00-2.00]	[2.50-2.50]	-	[2.50-10.00]
	USD per CYP	\$15.00 (6)	\$12.00 (10)	\$15.00 (4)	-	\$15.00 ⁽²⁰⁾
	03D per err	[15.00-60.00]	[6.00-12.00]	[15.00-15.00]	-	[15.00-60.00]
	Naira	500.00 (34)	150.00 (56)	200.00 (31)	500.00 ⁽¹⁾	150.00 (122)
		[500.00-1000.00]	[130.00-180.00]	[150.00-200.00]	-	[150.00-200.00
South West	USD	\$2.50 (34)	\$0.75 (56)	\$1.00 (31)	\$2.50 (1)	\$0.75 (122)
		[2.50-5.00]	[0.65-0.90]	[0.75-1.00]	- 00 (1)	[0.75-1.00]
	USD per CYP	\$15.00 ⁽³⁴⁾ [15.00-30.00]	\$4.50 ⁽⁵⁶⁾ [3.90-5.40]	\$6.00 ⁽³¹⁾ [4.50-6.00]	\$15.00 ⁽¹⁾	\$4.50 ⁽¹²²⁾ [4.50-6.00]
Implants		[15.00-30.00]	[3.90-5.40]	[4.50-6.00]	-	[4.50-6.00]
impiants		1000.00 (5)		_		1000.00 (5)
	Naira	[1000.00 (0)	_	_		[1000.00 (47
		\$5.00 (5)	_	_	_	\$5.00 (5)
North Central	USD	[5.00-5.00]	_	_	_	[5.00-5.00]
	USD per CYP	\$1.32 (5)	_	_	-	\$1.32 (5)
		[1.32-2.00]	-	-	=	[1.32-2.00]
		1600.00 (1)	-	-	-	1600.00 ⁽¹⁾
	Naira	-	-	-	-	-
North Fact	HCD	\$8.00 (1)	-	-	-	\$8.00 (1)
North East	USD	-	-	-	-	-
	USD per CYP	\$3.20 (1)	-	-	-	\$3.20 (1)
	OSD per CIF	-	-	-	-	-
	Naira	-	-	-	-	-
	rtana	-	-	-	-	-
North West	USD	-	-	-	-	-
		-	-	-	-	-
	USD per CYP	-	-	-	-	-
			-	-	-	- 0.00 (11)
South East	Naira	0.00 (11)	-	-	-	0.00 (11)
	USD	[0.00-1500.00] \$0.00 (11)	-	-	-	[0.00-1500.00] \$0.00 (11)
		[0.00-7.50]	-			\$0.00 (11) [0.00-7.50]
	USD per CYP	\$0.00 (11)	-	-	-	\$0.00 (11)
		[0.00-1.97]				[0.00-1.97]
South South	Naira	1500.00 ⁽⁶⁾	1200.00 (1)	500.00 ⁽²⁾	-	1500.00 ⁽⁹⁾

Table B6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – by Geopolitical Zone, 2015

, '	oontical zone, 201	Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total§
Median price of me interquartile range		Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]
and a series of the series of		[1500.00-2000.00]	[1-4.1]	[500.00-500.00]	-	[1500.00-2000.00]
	_	\$7.50 (6)	\$6.00 (1)	\$2.50 (2)	-	\$7.50 (9)
	USD	[7.50-10.00]	,	[2.50-2.50]	=	[7.50-10.00]
		\$2.00 (6)	\$1.58 ⁽¹⁾	\$0.83 (2)	=	\$2.00 (9)
	USD per CYP	[1.97-2.63]		[0.66-1.00]	-	[1.97-2.63]
	Naine	1500.00 ⁽¹⁹⁾	-	0.00 (1)	-	1500.00 ⁽²⁰⁾
	Naira	[1000.00-5000.00]	-	-	-	[1000.00-5000.00]
Courth Wort	USD	\$7.50 ⁽¹⁹⁾	-	\$0.00 (1)	-	\$7.50 ⁽²⁰⁾
South West	030	[5.00-25.00]	-	-	-	[5.00-25.00]
	USD per CYP	\$1.97 ⁽¹⁹⁾	-	\$0.00 (1)	-	\$1.97 ⁽²⁰⁾
	USD per CTP	[1.32-6.58]	-	-	-	[1.32-6.58]
Implanon implants						
		1000.00 (3)	=	=	=	1000.00 (3)
North Central	Naira	[1000.00-1000.00]	-	-	-	[1000.00-1000.00]
	USD	\$5.00 ⁽³⁾	=	=	=	\$5.00 (3)
	030	[5.00-5.00]	-	-	-	[5.00-5.00]
	USD per CYP	\$2.00 (3)	-	-	-	\$2.00 (3)
	O3D per CTP	[2.00-2.00]	-	-	-	[2.00-2.00]
	Naira	1600.00 (1)	-	-	-	1600.00 (1)
	Ivalia	-	-	-	-	-
North Fact	USD	\$8.00 (1)	-	-	-	\$8.00 (1)
NOI (II Last	030	-	-	-	-	-
	USD per CYP	\$3.20 (1)	-	-	-	\$3.20 (1)
	OSD per en	-	-	-	-	-
	Naira	-	-	-	-	-
	Ivana	-	-	-	-	-
North West	USD	-	-	-	-	-
IVOI (III VVC3)	035	-	-	-	-	-
	USD per CYP	-	-	-	-	-
	035 pci 011	-	-	-	-	-
	Naira	0.00 (4)	-	-	-	0.00 (4)
	. van a	[0.00-1500.00]	=	-	-	[0.00-1500.00]
South Fast	USD	\$0.00 (4)	-	-	-	\$0.00 (4)
Journ Lust	035	[0.00-7.50]	-	-	-	[0.00-7.50]
	USD per CYP	\$0.00 (4)	-	-	-	\$0.00 (4)
North Central North East North West	O3D per CTP	[0.00-3.00]	-	-	-	[0.00-3.00]

Table B6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – by Geopolitical Zone, 2015

		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total§
Median price of met interquartile range [∞]		Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]
	Naira	1500.00 ⁽²⁾ [1000.00-2000.00]	-	500.00 (1)	-	1000.00 ⁽³⁾ [1000.00-2000.00]
South South	USD	\$7.50 ⁽²⁾ [5.00-10.00]	-	\$2.50 (1)	-	\$5.00 ⁽³⁾ [5.00-10.00]
	USD per CYP	\$3.00 ⁽²⁾ [2.00-4.00]	<u> </u>	\$1.00 ⁽¹⁾	-	\$2.00 ⁽³⁾ [2.00-4.00]
	Naira	5000.00 ⁽⁴⁾ [5000.00-7500.00]	<u>-</u> - -	- - -		5000.00 ⁽⁴⁾ [5000.00-7500.00]
South West	USD	\$25.00 ⁽⁴⁾ [25.00-37.50]	- -			\$25.00 ⁽⁴⁾ [25.00-37.50]
	USD per CYP	\$10.00 ⁽⁴⁾ [10.00-15.00]	- -		-	\$10.00 ⁽⁴⁾ [10.00-15.00]
adelle implants						
North Central	Naira	1000.00 ⁽²⁾ [1000.00-1000.00]	- -	-	-	1000.00 ⁽²⁾ [1000.00-1000.00]
	USD	\$5.00 ⁽²⁾ [5.00-5.00]	-	-	-	\$5.00 ⁽²⁾ [5.00-5.00]
	USD per CYP	\$1.32 ⁽²⁾ [1.32-1.32]	- -		-	\$1.32 ⁽²⁾ [1.32-1.32]
	Naira	-	-	- -	-	-
North East	USD	- -	- -	-	-	- -
	USD per CYP	-	- -	-	-	- -
	Naira	-	- -	- -	-	
North West	USD	-	- -	-	-	
	USD per CYP	-	-			
	Naira	1500.00 ⁽⁷⁾ [0.00-1500.00]	- -	-	-	1500.00 ⁽⁷⁾ [0.00-1500.00]
South East	USD	\$7.50 ⁽⁷⁾ [0.00-7.50]	- -	-	-	\$7.50 ⁽⁷⁾ [0.00-7.50]
	USD per CYP	\$1.97 ⁽⁷⁾	-	-	-	\$1.97 ⁽⁷⁾

Table B6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – by Geopolitical Zone, 2015

		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [§]
Median price of me	thod, with	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)
interquartile range°		[IQR]	[IQR]	[IQR]	[IQR]	[IQR]
		[0.00-1.97]	-	-	-	[0.00-1.97]
		1500.00 ⁽⁴⁾	1200.00 (1)	500.00 (1)	-	1500.00 ⁽⁶⁾
	Naira	[1500.00-2000.00]	-	-	-	[1500.00-2000.00]
Carrella Carrella	LICE	\$7.50 ⁽⁴⁾	\$6.00 (1)	\$2.50 (1)	-	\$7.50 ⁽⁶⁾
South South	USD	[7.50-10.00]	-	-	-	[7.50-10.00]
	LICD man CVD	\$1.97 ⁽⁴⁾	\$1.58 ⁽¹⁾	\$0.66 (1)	-	\$1.97 (6)
	USD per CYP	[1.97-2.63]	-	-	-	[1.97-2.63]
	Naira	1500.00 ⁽¹⁵⁾	-	0.00 (1)	-	1500.00 (16)
	Naira	[1000.00-4000.00]	=	=	=	[1000.00-4000.00]
South West	USD	\$7.50 ⁽¹⁵⁾	=	\$0.00 (1)	-	\$7.50 ⁽¹⁶⁾
	030	[5.00-20.00]	-	-	-	[5.00-20.00]
	USD per CYP	\$1.97 ⁽¹⁵⁾	=	\$0.00 (1)	=	\$1.97 ⁽¹⁶⁾
	OSD per CTP	[1.32-5.26]	-	-	-	[1.32-5.26]
IUDs	·					
	Naira	1000.00 (7)	250.00 (1)	155.00 ⁽²⁾	-	1000.00 (10)
North Central	Naira	[1000.00-1500.00]	-	[150.00-160.00]	-	[1000.00-1500.00]
	USD	\$5.00 (7)	\$1.25 (1)	\$0.77 (2)	-	\$5.00 (10)
North Central	030	[5.00-7.50]	=	[0.75-0.80]	-	[5.00-7.50]
	LICD nor CVD	\$1.09 ⁽⁷⁾	\$0.27 (1)	\$0.17 (2)	-	\$1.09 (10)
	USD per CYP	[1.09-1.63]	-	[0.16-0.17]	-	[1.09-1.63]
		1500.00 ⁽²⁾	=	2500.00 ⁽¹⁾	-	2500.00 ⁽³⁾
	Naira	[800.00-1500.00]	-	-	-	[1500.00-2500.00]
North East	USD	\$7.50 ⁽²⁾	=	\$12.50 ⁽¹⁾	=	\$12.50 (3)
NOI LII East	030	[4.00-7.50]	-	-	-	[7.50-12.50]
	USD per CYP	\$1.63 ⁽²⁾	=	\$2.72 (1)	-	\$2.72 (3)
	OSD per CTP	[0.87-1.63]	-	-	-	[1.63-2.72]
	Naira	-	-	500.00 ⁽¹⁾	-	500.00 (1)
	INdira	-	-	-	-	-
North Wost	USD	-	-	\$2.50 (1)	-	\$2.50 (1)
North West	030	-	-	-	-	-
	USD per CYP	-	-	\$0.54 (1)	-	\$0.54 (1)
	OSD per CYP	-			-	-
	Naira	2000.00 (8)	250.00 ⁽¹⁾	200.00 (1)	-	500.00 (10)
Courth Foot	Naira	[500.00-2000.00]	<u> </u>	-	-	[500.00-2000.00]
South East	1100	\$10.00 (8)	\$1.25 ⁽¹⁾	\$1.00 (1)	-	\$2.50 (10)
	USD	[2.50-10.00]	-	-	-	[2.50-10.00]

Table B6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – by Geopolitical Zone, 2015

	Jonucai Zone, 201	Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [§]
Median price of me interquartile range		Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]
, ,		\$2.17 (8)	\$0.27 (1)	\$0.22 (1)	-	\$0.54 (10)
	USD per CYP	[0.54-2.17]	-	-	-	[0.54-2.17]
	Naira	1000.00 ⁽⁴⁾ [1000.00-1000.00]	-	-	-	1000.00 ⁽⁴⁾ [1000.00-1000.00]
South South	USD	\$5.00 ⁽⁴⁾ [5.00-5.00]	-	-	-	\$5.00 ⁽⁴⁾ [5.00-5.00]
	USD per CYP	\$1.09 ⁽⁴⁾ [1.09-1.09]	- -	-	- -	\$1.09 ⁽⁴⁾ [1.09-1.09]
	Naira	500.00 ⁽⁴¹⁾ [500.00-2400.00]	250.00 ⁽⁷⁾ [250.00-250.00]	250.00 ⁽³⁾ [250.00-250.00]		500.00 ⁽⁵¹⁾ [500.00-2400.00]
South West	USD	\$2.50 ⁽⁴¹⁾ [2.50-12.00]	\$1.25 ⁽⁷⁾ [1.25-1.25]	\$1.25 ⁽³⁾ [1.25-1.25]	- -	\$2.50 ⁽⁵¹⁾ [2.50-12.00]
	USD per CYP	\$0.54 ⁽⁴¹⁾ [0.54-2.61]	\$0.27 ⁽⁷⁾ [0.27-0.27]	\$0.27 ⁽³⁾ [0.27-0.27]	- -	\$0.54 ⁽⁵¹⁾ [0.54-2.61]
Male Sterilization	•					
	Naira	-	-	-	-	-
North Central	USD	-	-	-	- -	-
	USD per CYP	-		-	-	
	Naira	20000.00 (1)	-	-	-	20000.00 (1)
North East	USD	\$100.00 ⁽¹⁾	- -	-	- -	\$100.00 (1)
	USD per CYP	\$10.75 ⁽¹⁾ -	- -	- -	- -	\$10.75 ⁽¹⁾
	Naira	-	- -		- -	
North West	USD	-	- -	-	- -	
	USD per CYP	-		-		-
South East	Naira	42000.00 ⁽¹⁾	- -		-	42000.00 (1)
222200	USD	\$210.00 (1)	-	-	-	\$210.00 (1)

Table B6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – by Geopolitical Zone, 2015

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [§]
Median price of me interquartile range		Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]
		-	-	-	-	-
	USD per CYP	\$22.58 ⁽¹⁾ -	-	-	-	\$22.58 ⁽¹⁾ -
	Naira	-	-	-	-	-
South South	USD	-	-	-		-
	USD per CYP	-	-	-		-
	Naira	150000.00 ⁽²⁾ [150000.00-150000.00]	-	-		150000.00 ⁽²⁾ [150000.00-150000.00]
South West	USD	\$750.00 ⁽²⁾ [750.00-750.00]	-	-		\$750.00 ⁽²⁾ [750.00-750.00]
	USD per CYP	\$80.65 ⁽²⁾ [80.65-80.65]	-	-		\$80.65 ⁽²⁾ [80.65-80.65]
Female Sterilization		[control of the control]				[construction]
	Naira	60000.00 ⁽³⁾ [60000.00-150000.00]	-	-		60000.00 ⁽³⁾ [60000.00-150000.00]
North Central	USD	\$300.00 ⁽³⁾ [300.00-750.00]	-	-		\$300.00 ⁽³⁾ [300.00-750.00]
	USD per CYP	\$32.26 ⁽³⁾ [32.26-80.65]	-	-		\$32.26 ⁽³⁾ [32.26-80.65]
	Naira	20000.00 (1)	-	-		20000.00 (1)
North East	USD	\$100.00 ⁽¹⁾	-	-		\$100.00 ⁽¹⁾
	USD per CYP	\$10.75 ⁽¹⁾	-	-		\$10.75 ⁽¹⁾
	Naira	-	-	-	-	
North West	USD		-	-		
	USD per CYP		-	-		
South East	Naira	42000.00 ⁽²⁾ [0.00-42000.00]	- -	-		42000.00 ⁽²⁾ [0.00-42000.00]

Table B6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – by Geopolitical Zone, 2015

		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [§]
Median price of met interquartile range [∞]		Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]
	USD	\$210.00 ⁽²⁾ [0.00-210.00]	-	-	-	\$210.00 ⁽²⁾ [0.00-210.00]
	USD per CYP	\$22.58 ⁽²⁾ [0.00-22.58]	-	-	-	\$22.58 ⁽²⁾ [0.00-22.58]
	Naira	15000.00 ⁽³⁾ [15000.00-15000.00]	<u>-</u> -	-	-	15000.00 ⁽³⁾ [15000.00-15000.00]
South South	USD	\$75.00 ⁽³⁾ [75.00-75.00]	-	-	-	\$75.00 ⁽³⁾ [75.00-75.00]
	USD per CYP	\$8.06 ⁽³⁾ [8.06-8.06]	- -	-	-	\$8.06 ⁽³⁾ [8.06-8.06]
	Naira	25000.00 ⁽¹²⁾ [7000.00-50000.00]	- -	-		25000.00 ⁽¹²⁾ [7000.00-50000.00]
South West	USD	\$125.00 ⁽¹²⁾ [35.00-250.00]	- -	-	-	\$125.00 ⁽¹²⁾ [35.00-250.00]
	USD per CYP	\$13.44 ⁽¹²⁾ [3.76-26.88]	-	-	-	\$13.44 ⁽¹²⁾ [3.76-26.88]

^{*} Based on the average rate of exchange from August 10 to October 23, 2015 of 500 Naira per 1 USD.

CYP – Couple Year Protection is the estimated protection provided by contraceptive methods during a one-year period, based upon the volume of all contraceptives sold or distributed free of charge to clients during that period (see Annex 11).

[†] This price is determined for the unit used in CYP conversion factors: condoms: 1 condom; oral contraceptives: 1 cycle or blister package; emergency contraceptives: 1 dose; injectables: 1 dose/injection; implants: 1 implant insertion (1 or 2 rods); IUDs: 1 IUD.

[§] In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies, PPMVs and General Retailer/Kiosks.

In Region 1 (NC), the number of family planning products captured in audit sheets with missing retail and/or wholesale price information are as follows: 79 oral contraceptives, 34 emergency contraceptives, 38 injections, 2 implants and 5 IUDs. In Region 2(NE), the number of family planning products captured in audit sheets with missing retail and/or wholesale price information are as follows: 15 oral contraceptives, 0 emergency contraceptives, 8 injections, 0 implants and 1 IUD. In Region 3 (NW), the number of family planning products captured in audit sheets with missing retail and/or wholesale price information are as follows: 41 oral contraceptives, 4 emergency contraceptives, 43 injections, 0 implants and 0 IUDs. In Region 4 (SE), the number of family planning products captured in audit sheets with missing retail and/or wholesale price information are as follows: 54 oral contraceptives, 27 emergency contraceptives, 18 injections, 7 implants and 6 IUDs. In Region 5 (SS), the number of family planning products captured in audit sheets with missing retail and/or wholesale price information are as follows: 36 oral contraceptives, 26 emergency contraceptives, 7 injections, 6 implants and 2 IUDs. In Region 6, (SW) the number of family planning products captured in audit sheets with missing retail and/or wholesale price information are as follows: 305 oral contraceptives, 119 emergency contraceptives, 114 injections, 19 implants and 33 IUDs.

Price for all commodities with provider-dependent service (injectables, implants, IUDs) may include service charge.

Table B7: Median markup percentage for selected modern contraceptive commodities with interquartile range, by private outlet type – by Geopolitical Zone, 2015

	Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total*
Median markup percentage [†] of commodity, with interquartile range ^{‡,§} :	Median % ^(N) [IQR %]	Median % ^(N) [IQR %]	Median % ^(N) [IQR %]	Median % ^(N) [IQR %]	Median % ^(N) [IQR %]
Oral contraceptives					
North Central	70% ⁽²⁴⁴⁾ [40%, 100%]	100% ⁽⁵⁾ [100%, 100%]	90% ⁽²⁷⁾ [50%, 100%]	70% ⁽²⁰⁷⁾ [40%, 100%]	240% ⁽⁵⁾ [200%, 400%]
North East	70% ⁽⁷¹⁾ [50%, 190%]	50% ⁽²⁾ [50%, 4570%]	70% ⁽³⁾ [70%, 70%]	60% ⁽⁶⁶⁾ [50%, 190%]	-
North West	70% ⁽¹³⁶⁾ [50%, 130%]	-	20% ⁽²⁾ [20%, 90%]	70% ⁽¹³⁴⁾ [50%, 130%]	-
South East	80% ⁽¹⁰⁶⁾ [50%, 140%]	0% ⁽⁶⁾ [0%, 100%]	50% ⁽⁵⁾ [10%, 320%]	70% ⁽⁹²⁾ [50%, 150%]	100% ⁽³⁾ [90%, 120%]
South South	100% ⁽⁹³⁾ [40%, 210%]	100% ⁽⁵⁾ [100%, 100%]	200% ⁽⁹⁾ [130%, 230%]	150% ⁽⁷⁹⁾ [40%, 210%]	-
South West	70% ⁽⁷⁷⁰⁾ [70%, 130%]	50% ⁽¹⁰⁾ [0%, 150%]	100% ⁽⁵³⁾ [40%, 120%]	70% ⁽⁶⁹⁴⁾ [70%, 130%]	90% ⁽¹³⁾ [60%, 170%]
Emergency contraceptives					
North Central	70% ⁽⁹³⁾ [20%, 70%]	100% ⁽²⁾ [100%, 100%]	60% ⁽¹⁶⁾ [50%, 70%]	70% ⁽⁷⁵⁾ [20%, 70%]	-
North East	70% ⁽²¹⁾ [50%, 70%]	-	70% ⁽⁶⁾ [50%, 200%]	70% ⁽¹⁵⁾ [70%, 70%]	-
North West	100% ⁽¹⁹⁾ [40%, 130%]		10% ⁽¹⁾ [10%, 10%]	100% ⁽¹⁸⁾ [40%, 130%]	-
South East	30% ⁽²⁷⁾ [30%, 100%]	- -	120% ⁽¹⁾ [120%, 120%]	30% ⁽²⁶⁾ [30%, 100%]	-
South South	70% ⁽⁵³⁾ [50%, 70%]	-	90% ⁽⁴⁾ [10%, 150%]	70% ⁽⁴⁹⁾ [50%, 70%]	-
South West	80% ⁽²³¹⁾ [30%, 150%]	60% ⁽¹⁾ [60%, 60%]	50% ⁽⁵⁶⁾ [30%, 100%]	90% ⁽¹⁶⁸⁾ [50%, 190%]	30% ⁽⁶⁾ [30%, 120%]
Contraceptive injectables [∞]					
North Central	100% ⁽¹²⁶⁾ [50%, 140%]	130% ⁽¹⁴⁾ [30%, 130%]	150% ⁽⁴⁴⁾ [100%, 300%]	100% ⁽⁶⁸⁾ [50%, 150%]	-
North East	110% ⁽⁴³⁾ [80%, 200%]	-	190% ⁽¹⁾ [190%, 190%]	110% ⁽⁴²⁾ [70%, 200%]	-
North West	70% ⁽¹⁴⁹⁾ [50%, 120%]	100% ⁽⁴⁾ [50%, 160%]	30% ⁽³⁾ [30%, 110%]	70% ⁽¹⁴²⁾ [50%, 120%]	
South East	230% ⁽²⁰⁾ [70%, 860%]	100% ⁽¹²⁾ [30%, 230%]		860% ⁽⁸⁾ [570%, 1500%]	-

Table B7: Median markup percentage for selected modern contraceptive commodities with interquartile range, by private outlet type – by Geopolitical Zone, 2015

	Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total*
Median markup percentage [†] of commodity, with interquartile range ^{‡,§} :	Median % ^(N) [IQR %]	Median % ^(N) [IQR %]	Median % ^(N) [IQR %]	Median % ^(N) [IQR %]	Median % ^(N) [IQR %]
South South	150% ⁽²⁷⁾ [150%, 230%]	150% ⁽⁹⁾ [150%, 2400%]	70% ⁽¹⁰⁾ [70%, 110%]	110% ⁽⁸⁾ [110%, 230%]	-
South West	100% ⁽¹⁵⁵⁾ [70%, 130%]	100% ⁽⁴¹⁾ [100%, 400%]	70% ⁽⁵⁵⁾ [40%, 130%]	100% ⁽⁵⁸⁾ [50%, 100%]	280% ⁽¹⁾ [280%, 280%]
Implants [∞]					
North Central	100% ⁽³⁾ [100%, 100%]	100% ⁽³⁾ [100%, 100%]	-	-	-
North East	30% ⁽¹⁾ [30%, 30%]	30% ⁽¹⁾ [30%, 30%]	-	-	-
North West	-	<u>-</u>		-	-
South East	0% ⁽⁴⁾ [0%, 50%]	0% ⁽⁴⁾ [0%, 50%]	-	- -	-
South South	150% ⁽³⁾ [150%, 150%]	150% ⁽³⁾ [150%, 150%]		- -	-
South West	200% ⁽¹⁾ [200%, 200%]	200% ⁽¹⁾ [200%, 200%]	-	-	-
IUDs [∞]					
North Central	400% ⁽⁵⁾ [400%, 400%]	400% ⁽²⁾ [400%, 400%]	30% ⁽¹⁾ [30%, 30%]	20% ⁽²⁾ [20%, 20%]	-
North East	190% ⁽²⁾ [190%, 900%]	900% ⁽¹⁾ [900%, 900%]	- -	190% ⁽¹⁾ [190%, 190%]	
North West	10% ⁽¹⁾ [10%, 10%]			10% ⁽¹⁾ [10%, 10%]	
South East	30% ⁽⁴⁾ [30%, 900%]	30% ⁽³⁾ [30%, 900%]		10% ⁽¹⁾ [10%, 10%]	-
South South	3900% ⁽²⁾ [3900%, 3900%]	3900% ⁽²⁾ [3900%, 3900%]		-	-
South West	170% ⁽¹⁸⁾ [110%, 1230%]	170% ⁽¹⁴⁾ [110%, 1330%]	50% ⁽³⁾ [50%, 50%]	30% ⁽¹⁾ [30%, 30%]	-

^{*} In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies, PPMVs and General Retailer/Kiosks.

[†] To determine median markup percentage, we first determined the profit margin for selected modern contraceptives at private sector outlet categories: retail price – wholesale price. We then determined a profit margin proportion by: profit margin/retail price. Finally, we converted profit margin to markup by: wholesale price/(1- profit margin proportion). We converted to a percentage and determined the median markup with IQR range. Using oral contraceptives sold in private health facilities as an example, this can be interpreted as private health facilities adding 50% to the wholesale costs to set the retail cost.

‡ In Region 1 (NC), The number of family planning products captured in audit sheets with missing retail and/or wholesale price information are as follows: 79 oral

Table B7: Median markup percentage for selected modern contraceptive commodities with interquartile range, by private outlet type – by Geopolitical Zone, 2015

	Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total*
Median markup percentage [†] of commodity, with interquartile range ^{‡,§} :	Median % ^(N)	Median % ^(N)	Median % ^(N)	Median % ^(N)	Median % ^(N)
	[IQR %]	[IQR %]	[IQR %]	[IQR %]	[IQR %]

contraceptives, 34 emergency contraceptives, 38 injections, 2 implants and 5 IUDs. In Region 2 (NE), the number of family planning products captured in audit sheets with missing retail and/or wholesale price information are as follows: 15 oral contraceptives, 0 emergency contraceptives, 8 injections, 0 implants and 1 IUDs. In Region 3 (NW), the number of family planning products captured in audit sheets with missing retail and/or wholesale price information are as follows: 41 oral contraceptives, 4 emergency contraceptives, 43 injections, 0 implants and 0 IUDs. In Region 4 (SE), the number of family planning products captured in audit sheets with missing retail and/or wholesale price information are as follows: 54 oral contraceptives, 27 emergency contraceptives, 18 injections, 7 implants and 6 IUDs. In Region 5 (SS), the number of family planning products captured in audit sheets with missing retail and/or wholesale price information are as follows: 36 oral contraceptives, 26 emergency contraceptives, 7injections, 6 implants and 2 IUDs. In Region 6 (SW), the number of family planning products captured in audit sheets with missing retail and/or wholesale price information are as follows: 305 oral contraceptives, 119 emergency contraceptives, 114 injections, 19 implants and 33 IUDs.

[§] This price is determined for the unit CYP conversion factors: condoms: 1 condom; oral contraceptives: 1 cycle or blister package: emergency contraceptives: 1 does; injectables: 1 dose/injection; implants: 1 implant insertion (1 or 2 rods): IUDs: 1 IUD.

Price for all commodities with provider-dependent service (injectables, implants, IUDs) may include service charge.

Table B8: Contraceptive method market share: Relative proportion of total CYP sold/distributed, by method and outlet type – by Geopolitical Zone, 2015

CYP sold or distributed in previous 1-month contraceptive method type as a % of total CYP sold /	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total‡	TOTAL [§]
distributed within outlet type*,†:	%	%	%	%	%	%	%	%	%	%
1. Male condoms										
North Central	2.2	0.0	0.0	2.2	0.5	0.8	10.4	3.2	14.8	17.1
North East	4.3	0.0	0.0	4.3	0.0	0.9	24.8	0.7	26.5	30.8
North West	2.1	0.0	0.0	2.1	0.4	0.1	5.9	0.0	6.5	8.6
South East	0.7	0.0	0.0	0.7	0.9	2.4	41.8	4.1	49.1	49.9
South South	6.4	0.0	0.0	6.4	0.9	0.5	11.7	0.1	13.2	19.6
South West	0.9	0.0	0.0	0.9	1.4	4.2	38.9	5.6	50.0	51.0
2. Female condoms										
North Central	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North East	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2
North West	0.5	0.0	0.0	0.5	0.0	0.0	0.1	0.0	0.1	0.6
South East	0.3	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.3	0.6
South South	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3
South West	0.2	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.1	0.3
3. Cyclebeads										
North Central	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North East	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North West	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.5
South East	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South South	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South West	0.0	0.0	0.0	0.0	0.5	0.0	0.1	0.0	0.6	0.6
4. Oral contraceptives										
North Central	0.5	0.0	0.0	0.5	0.3	0.2	4.2	0.0	4.7	5.2
North East	3.0	0.0	0.0	3.0	0.0	0.1	9.5	0.0	9.6	12.7
North West	3.0	0.0	0.0	3.0	0.0	0.1	7.2	0.0	7.2	10.2
South East	0.8	0.0	0.0	0.8	0.2	0.4	11.2	0.2	11.9	12.8
South South	0.6	0.0	0.0	0.6	1.1	0.1	2.6	0.0	3.8	4.4
South West	0.6	0.0	0.0	0.6	0.2	1.3	11.2	0.1	12.8	13.3
IQA [∞] oral contraceptives										
North Central	0.5	0.0	0.0	0.5	0.3	0.2	4.2	0.0	4.7	5.2
North East	3.0	0.0	0.0	3.0	0.0	0.1	9.5	0.0	9.6	12.6
North West	3.0	0.0	0.0	3.0	0.0	0.1	7.2	0.0	7.2	10.2
South East	0.6	0.0	0.0	0.6	1.1	0.1	2.6	0.0	3.8	4.4
South South	0.6	0.0	0.0	0.6	1.1	0.1	2.5	0.0	3.7	4.3

Table B8: Contraceptive method market share: Relative proportion of total CYP sold/distributed, by method and outlet type – by Geopolitical Zone, 2015

Geopolitical Zone, 2015									- 1	
CYP sold or distributed in previous 1-month	Public	Community	Private	Public	Private For- Profit		DD141/	General	Private	-0-116
contraceptive method type as	Health	Health	Not-For-	Total	Health	Pharmacy	PPMV	Retailer	Total [‡]	TOTAL§
a % of total CYP sold /	Facility	Worker	Profit		Facility					
distributed within outlet	2/	0/	0,4	2/	,	0/	0/	0/	2/	0/
type*,†:	%	%	%	%	%	%	%	%	%	%
South West	0.6	0.0	0.0	0.6	0.2	1.3	11.1	0.1	12.7	13.2
Combined oral contraceptives										
North Central	0.3	0.0	0.0	0.3	0.3	0.2	4.2	0.0	4.7	5.0
North East	2.3	0.0	0.0	2.3	0.0	0.1	9.5	0.0	9.6	11.9
North West	1.9	0.0	0.0	1.9	0.0	0.1	7.0	0.0	7.0	8.9
South East	0.3	0.0	0.0	0.3	0.1	0.4	11.2	0.2	11.9	12.2
South South	0.4	0.0	0.0	0.4	1.1	0.1	2.6	0.0	3.8	4.2
South West	0.1	0.0	0.0	0.1	0.2	1.3	11.2	0.1	12.8	12.9
Progestin-only pills										
North Central	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2
North East	0.8	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.8
North West	1.0	0.0	0.0	1.0	0.0	0.0	0.2	0.0	0.2	1.3
South East	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.5
South South	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2
South West	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.5
5. Emergency contraceptives										
North Central	0.0	0.0	0.0	0.0	0.0	0.2	2.6	0.0	2.7	2.7
North East	0.0	0.0	0.0	0.0	0.0	0.2	1.9	0.0	2.1	2.2
North West	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2
South East	0.0	0.0	0.0	0.0	0.0	0.3	1.4	0.0	1.8	1.8
South South	0.0	0.0	0.0	0.0	0.0	0.4	2.0	0.0	2.5	2.5
South West	0.0	0.0	0.0	0.0	0.0	2.2	2.7	0.0	4.9	4.9
IQA [∞] emergency										
contraceptives										
North Central	0.0	0.0	0.0	0.0	0.0	0.1	0.6	0.0	0.7	0.7
North East	0.0	0.0	0.0	0.0	0.0	0.2	1.8	0.0	2.0	2.0
North West	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2
South East	0.0	0.0	0.0	0.0	0.0	0.3	1.2	0.0	1.6	1.6
South South	0.0	0.0	0.0	0.0	0.0	0.2	1.9	0.0	2.1	2.1
South West	0.0	0.0	0.0	0.0	0.0	0.9	2.2	0.0	3.1	3.1
6. Contraceptive injectables										
North Central	2.7	0.3	0.0	3.1	0.8	0.7	1.1	0.0	2.5	5.6
North East	22.7	0.0	0.0	22.7	0.0	0.2	4.4	0.0	4.7	27.4
North West	16.4	0.0	0.0	16.4	0.8	0.1	20.0	0.0	20.9	37.3

Table B8: Contraceptive method market share: Relative proportion of total CYP sold/distributed, by method and outlet type – by Geopolitical Zone, 2015

CYP sold or distributed in previous 1-month contraceptive method type as a % of total CYP sold /	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total‡	TOTAL [§]
distributed within outlet type*,†:	%	%	%	%	%	%	%	%	%	%
South East	4.0	0.0	0.0	4.0	1.7	0.2	2.3	0.0	4.2	8.2
South South	3.1	0.0	0.0	3.1	1.8	0.2	0.2	0.0	2.2	5.2
South West	3.1	0.0	0.0	3.1	0.7	2.7	0.8	0.0	4.1	7.2
Depo-provera injectables										
North Central	1.6	0.0	0.0	1.6	0.6	0.2	0.6	0.0	1.4	3.1
North East	15.0	0.0	0.0	15.0	0.0	0.0	2.0	0.0	2.0	17.0
North West	13.7	0.0	0.0	13.7	0.3	0.0	11.7	0.0	12.0	25.8
South East	3.2	0.0	0.0	3.2	1.5	0.2	2.2	0.0	3.9	7.1
South South	1.9	0.0	0.0	1.9	0.9	0.1	0.1	0.0	1.1	3.0
South West	1.7	0.0	0.0	1.7	0.4	1.6	0.5	0.0	2.6	4.3
Noristerat injectables										
North Central	1.2	0.3	0.0	1.4	0.2	0.4	0.5	0.0	1.0	2.5
North East	7.7	0.0	0.0	7.7	0.0	0.2	2.4	0.0	2.6	10.3
North West	2.6	0.0	0.0	2.6	0.5	0.0	8.3	0.0	8.9	11.5
South East	0.9	0.0	0.0	0.9	0.1	0.0	0.1	0.0	0.2	1.1
South South	1.1	0.0	0.0	1.1	0.9	0.2	0.0	0.0	1.1	2.2
South West	1.3	0.0	0.0	1.4	0.2	1.0	0.3	0.0	1.5	2.9
Sayana Press injectables										
North Central	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North East	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North West	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South East	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	1.9	1.9
South South	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South West	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7. Implants										
North Central	9.7	0.0	0.0	9.7	23.9	0.0	0.0	0.0	23.9	33.6
North East	20.9	0.0	0.2	21.0	0.1	0.0	0.0	0.0	0.1	21.1
North West	40.0	0.0	0.0	40.0	0.0	0.0	0.0	0.0	0.0	40.0
South East	5.4	0.0	0.0	5.4	8.0	0.0	0.0	0.0	8.0	13.4
South South	13.1	0.0	0.0	13.1	49.4	0.0	0.0	0.0	49.4	62.6
South West	7.6	0.0	0.0	7.6	0.4	0.0	0.0	0.0	0.4	7.9
Implanon implants										
North Central	5.3	0.0	0.0	5.3	23.9	0.0	0.0	0.0	23.9	29.2
North East	17.8	0.0	0.1	17.9	0.1	0.0	0.0	0.0	0.1	17.9

Table B8: Contraceptive method market share: Relative proportion of total CYP sold/distributed, by method and outlet type – by Geopolitical Zone, 2015

Geopolitical Zone, 2015										
CYP sold or distributed in previous 1-month	Public	Community	Private	Public	Private For- Profit			General	Private	
contraceptive method type as	Health	Health	Not-For-	Total	Health	Pharmacy	PPMV	Retailer	Total [‡]	TOTAL§
a % of total CYP sold /	Facility	Worker	Profit	Total	Facility			retailer	Total	
distributed within outlet					,					
type*,†:	%	%	%	%	%	%	%	%	%	%
North West	15.7	0.0	0.0	15.7	0.0	0.0	0.0	0.0	0.0	15.7
South East	1.9	0.0	0.0	1.9	1.1	0.0	0.0	0.0	1.1	3.0
South South	2.4	0.0	0.0	2.4	24.2	0.0	0.0	0.0	24.2	26.6
South West	3.9	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.0	3.9
Jadelle implants										
North Central	4.4	0.0	0.0	4.4	0.0	0.0	0.0	0.0	0.0	4.4
North East	3.1	0.0	0.1	3.2	0.0	0.0	0.0	0.0	0.0	3.2
North West	24.3	0.0	0.0	24.3	0.0	0.0	0.0	0.0	0.0	24.3
South East	3.5	0.0	0.0	3.5	6.9	0.0	0.0	0.0	6.9	10.4
South South	10.8	0.0	0.0	10.8	25.2	0.0	0.0	0.0	25.2	35.9
South West	3.7	0.0	0.0	3.7	0.4	0.0	0.0	0.0	0.4	4.0
8. IUDs										
North Central	0.2	0.0	0.0	0.2	35.1	0.0	0.4	0.0	35.5	35.7
North East	5.3	0.0	0.1	5.4	0.2	0.0	0.0	0.0	0.2	5.6
North West	2.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	2.0
South East	0.0	0.0	0.0	0.0	9.5	0.4	0.8	0.0	10.7	10.7
South South	4.3	0.0	0.0	4.3	1.2	0.0	0.0	0.0	1.2	5.5
South West	3.2	0.0	0.1	3.3	9.7	0.1	0.2	0.0	9.9	13.2
9. Male sterilization										
North Central	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North East	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North West	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South East	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	1.1	1.1
South South	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South West	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1
10. Female sterilization										
North Central	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2
North East	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North West	0.8	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.8
South East	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	1.6	1.6
South South	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South West	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	1.5	1.5
OUTLET TYPE TOTAL [∞]										
North Central	15.5	0.3	0.1	15.9	60.6	1.8	18.5	3.2	84.1	100.0

Table B8: Contraceptive method market share: Relative proportion of total CYP sold/distributed, by method and outlet type – by Geopolitical Zone, 2015

CYP sold or distributed in previous 1-month contraceptive method type as a % of total CYP sold /	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [‡]	TOTAL§
distributed within outlet type*,†:	%	%	%	%	%	%	%	%	%	%
North East	56.6	0.0	0.3	56.9	0.3	1.5	40.6	0.7	43.1	100.0
North West	65.1	0.0	0.0	65.1	1.3	0.3	33.4	0.0	34.9	100.0
South East	11.2	0.0	0.0	11.2	22.9	3.7	57.8	4.4	88.8	100.0
South South	27.7	0.0	0.0	27.7	54.4	1.3	16.6	0.1	72.3	100.0
South West	15.5	0.0	0.1	15.6	14.4	10.3	54.0	5.7	84.4	100.0

- * A total of 282,359 CYP (weighted) in NC, 21,041 CYP (weighted) in NE, 85,545 CYP (weighted) in NW, 44,189 in SE, 416,181 CYP (weighted) in SS & 114,734 CYP (weighted) in SW were reportedly distributed in the previous 1 month. This is based on the number of commodities reportedly sold for categories 1-8 (not the number of services performed for categories 6-8) and the number of sterilizations reportedly performed for categories 9-10. See Annex 11 for a description of CYP calculation and Annex 12 for CYP numbers by outlet type and method category.
- † A total of 2 (NC region) injection products and 4 tablet products (SW region), were excluded from market share analysis due to inconsistent or missing generic names. A total of 56 emergency contraceptive products (6, 2, 1, 11 & 36 in NC, NW, SE, SS & SW regions, respectively), 129 oral contraceptives (10, 6, 6, 8 & 99 in NC, NW, SE, SS & SW regions, respectively), 205 male condoms (21, 4, 12, 14, 11 & 143 in NC, NE, NW, SE, SS & SW regions, respectively), 17 female condoms (2, 1, 1, 1, 1 & 11 in NC, NE, NW, SE, SS & SW regions, respectively) and 10 CycleBeads (8 in SE and 2 in SW) were excluded from market share analysis for missing volume information. 2 male sterilizations and 4 female sterilizations were excluded for missing volume information as well. A total of 179 products were excluded due to outlier volumes and prices (45, 1, 30, 14, 1 & 88 in NC, NE, NW, SE, SS & SW regions, respectively).
- ‡ In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies, PPMVs and General Retailer/Kiosks.
- § Row total equals CYP volume for the specified contraceptive method type. Column total equals market share for the specified outlet type method categories 1-10.
- ∞ Internationally quality-assured (IQA) contraceptives are defined as those with WHO Pre-qualification or those on a Stringent Regulatory authority (SRA) list. See Annex for a list of all quality assured brands found in the survey.

Table B9: Contraceptive method market share within outlet type: Relative proportion of total CYP sold / distributed within outlet type, by method – by Geopolitical Zone, 2015

type, by method – by Ge									
CYP sold or distributed in	Public	Community	Private Not-		Private For-			General	Private
previous 1-month	Health	Health	For-Profit	Public Total	Profit Health	Pharmacy	PPMV	Retailer	Total [‡]
contraceptive method type as	Facility	Worker	. 01 110110		Facility			retuner	Total
a % of total CYP sold /									
distributed within outlet	%	%	%	%	%	%	%	%	%
type* ^{*,†} :									
1. Male condoms		_							
North Central	14.2	2.5	0.0	13.9	0.8	45.0	56.0	99.9	17.7
North East	7.7	0.0	3.9	7.6	1.5	60.6	61.1	100.0	61.4
North West	3.2	0.0	0.0	3.2	35.2	45.3	17.7	100.0	18.6
South East	6.5	0.0	0.0	6.5	3.8	64.3	72.3	94.5	55.4
South South	23.0	0.0	0.0	23.0	1.7	36.9	70.8	100.0	18.2
South West	5.9	0.0	0.7	5.8	9.6	40.3	72.1	97.9	59.3
2. Female condoms									
North Central	0.1	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0
North East	0.4	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
North West	0.8	0.0	0.0	0.8	0.0	0.0	0.2	0.0	0.2
South East	2.5	0.0	0.0	2.5	0.2	0.0	0.5	0.0	0.4
South South	0.9	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0
South West	1.1	0.0	0.0	1.1	0.1	0.0	0.1	0.0	0.1
3. Cyclebeads									
North Central	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North East	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North West	0.7	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0
South East	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South South	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0
South West	0.2	0.0	0.0	0.2	3.5	0.1	0.1	0.0	0.7
4. Oral contraceptives									
North Central	3.2	0.0	7.6	3.2	0.6	8.3	22.5	0.1	5.6
North East	5.4	0.0	1.6	5.4	5.3	7.9	23.4	0.0	22.3
North West	4.5	0.0	0.0	4.5	0.3	21.0	21.5	0.0	20.7
South East	7.4	0.0	0.0	7.4	0.7	10.4	19.4	4.5	13.5
South South	2.3	0.0	0.0	2.3	2.0	10.0	15.5	0.0	5.2
South West	3.7	0.0	0.0	3.7	1.2	12.3	20.8	1.7	15.1
IQA§ oral contraceptives									
North Central	3.2	0.0	7.6	3.2	0.6	8.3	22.4	0.1	5.5
North East	5.4	0.0	1.6	5.4	5.3	7.9	23.3	0.0	22.2
North West	4.5	0.0	0.0	4.5	0.3	21.0	21.5	0.0	20.7
South East	7.4	0.0	0.0	7.4	0.7	10.4	19.4	4.5	13.5
South South	2.3	0.0	0.0	2.3	2.0	10.0	15.3	0.0	5.2

Table B9: Contraceptive method market share within outlet type: Relative proportion of total CYP sold / distributed within outlet type, by method – by Geopolitical Zone, 2015

type, by method – by Ge	•				1				
CYP sold or distributed in	Public	Community	Private Not-		Private For-			General	Private
previous 1-month	Health	Health	For-Profit	Public Total	Profit Health	Pharmacy	PPMV	Retailer	Total [‡]
contraceptive method type as	Facility	Worker	TOT FIORE		Facility			Retailer	Total
a % of total CYP sold /									
distributed within outlet	%	%	%	%	%	%	%	%	%
type*,†:	_			_	_				_
South West	3.7	0.0	0.0	3.7	1.2	12.3	20.6	1.7	15.0
Combined oral contraceptives									
North Central	2.0	0.0	0.0	1.9	0.6	8.3	22.5	0.1	5.5
North East	4.0	0.0	0.2	4.0	4.1	7.9	23.4	0.0	22.3
North West	2.9	0.0	0.0	2.9	0.3	21.0	20.8	0.0	20.1
South East	2.8	0.0	0.0	2.8	0.6	10.4	19.4	4.5	13.4
South South	1.5	0.0	0.0	1.5	2.0	10.0	15.5	0.0	5.2
South West	0.8	0.0	0.0	0.8	1.2	12.3	20.8	1.7	15.1
Progestin-only pills									
North Central	1.3	0.0	7.6	1.2	0.0	0.0	0.0	0.0	0.0
North East	1.4	0.0	1.4	1.4	1.2	0.0	0.0	0.0	0.0
North West	1.6	0.0	0.0	1.6	0.0	0.0	0.6	0.0	0.6
South East	4.6	0.0	0.0	4.6	0.1	0.0	0.0	0.0	0.0
South South	0.7	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0
South West	2.9	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0
5. Emergency contraceptives									
North Central	0.0	0.0	0.0	0.0	0.0	8.8	13.8	0.0	3.2
North East	0.1	0.0	0.0	0.1	0.0	15.6	4.7	0.0	4.9
North West	0.0	0.0	0.0	0.0	0.0	7.2	0.7	0.0	0.7
South East	0.0	0.0	0.0	0.0	0.0	8.6	2.5	0.9	2.0
South South	0.0	0.0	0.0	0.0	0.0	34.7	12.3	0.0	3.4
South West	0.0	0.0	0.0	0.0	0.0	21.0	5.1	0.4	5.8
IQA§ emergency contraceptives									
North Central	0.0	0.0	0.0	0.0	0.0	6.4	3.1	0.0	0.8
North East	0.1	0.0	0.0	0.1	0.0	12.0	4.5	0.0	4.6
North West	0.0	0.0	0.0	0.0	0.0	7.2	0.5	0.0	0.5
South East	0.0	0.0	0.0	0.0	0.0	7.6	2.1	0.9	1.7
South South	0.0	0.0	0.0	0.0	0.0	15.6	11.3	0.0	2.9
South West	0.0	0.0	0.0	0.0	0.0	8.8	4.1	0.1	3.7
6. Contraceptive injectables									
North Central	17.6	97.5	92.4	19.3	1.2	36.4	5.8	0.0	3.0
North East	40.1	0.0	14.7	40.0	0.0	15.9	10.9	0.0	10.8
North West	25.1	0.0	0.0	25.1	64.5	26.5	60.0	0.0	59.9
South East	35.8	0.0	0.0	35.8	7.3	5.4	4.0	0.0	4.7

Table B9: Contraceptive method market share within outlet type: Relative proportion of total CYP sold / distributed within outlet type, by method – by Geopolitical Zone, 2015

type, by method – by Ge									
CYP sold or distributed in	Public	Community	Private Not-		Private For-			General	Private
previous 1-month	Health	Health	For-Profit	Public Total	Profit Health	Pharmacy	PPMV	Retailer	Total [‡]
contraceptive method type as	Facility	Worker	101110110		Facility			retuner	Total
a % of total CYP sold /									
distributed within outlet	%	%	%	%	%	%	%	%	%
type*,†:									
South South	11.0	0.0	0.0	11.0	3.3	18.5	1.0	0.0	3.0
South West	19.8	0.0	6.7	19.7	4.6	25.7	1.4	0.0	4.9
Depo-provera injectables									
North Central	10.1	6.5	66.9	10.3	1.0	13.3	3.3	0.0	1.7
North East	26.5	0.0	9.4	26.4	0.0	0.2	5.0	0.0	4.7
North West	21.1	0.0	0.0	21.1	25.7	12.1	34.9	0.0	34.4
South East	28.0	0.0	0.0	28.0	6.6	5.0	3.9	0.0	4.4
South South	7.0	0.0	0.0	7.0	1.6	6.2	0.9	0.0	1.5
South West	11.1	0.0	3.4	11.0	3.1	15.7	1.0	0.0	3.1
Noristerat injectables									
North Central	7.5	91.0	25.5	9.1	0.3	23.0	2.5	0.0	1.2
North East	13.6	0.0	5.3	13.5	0.0	15.7	5.9	0.0	6.1
North West	4.0	0.0	0.0	4.0	38.8	14.4	25.0	0.0	25.4
South East	7.8	0.0	0.0	7.8	0.6	0.4	0.1	0.0	0.3
South South	4.0	0.0	0.0	4.0	1.7	12.3	0.1	0.0	1.5
South West	8.7	0.0	3.4	8.7	1.4	10.1	0.5	0.0	1.8
Sayana Press injectables									
North Central	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0
North East	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North West	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South East	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	2.1
South South	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0
South West	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1
7. Implants									
North Central	62.6	0.0	0.0	61.2	39.4	0.0	0.0	0.0	28.4
North East	36.9	0.0	55.2	37.0	22.7	0.0	0.0	0.0	0.1
North West	61.4	0.0	0.0	61.4	0.0	0.0	0.0	0.0	0.0
South East	47.8	0.0	0.0	47.8	35.0	0.0	0.0	0.0	9.0
South South	47.5	0.0	0.0	47.5	90.7	0.0	0.2	0.0	68.3
South West	48.9	0.0	0.0	48.5	2.7	0.0	0.0	0.0	0.5
Implanon implants									
North Central	34.2	0.0	0.0	33.5	39.4	0.0	0.0	0.0	28.4
North East	31.5	0.0	26.7	31.4	22.7	0.0	0.0	0.0	0.1
North West	24.1	0.0	0.0	24.1	0.0	0.0	0.0	0.0	0.0

Table B9: Contraceptive method market share within outlet type: Relative proportion of total CYP sold / distributed within outlet type, by method – by Geopolitical Zone, 2015

type, by method – by de	-	-							
CYP sold or distributed in	Public	Community	Private Not-		Private For-			General	Private
previous 1-month	Health	Health	For-Profit	Public Total	Profit Health	Pharmacy	PPMV	Retailer	Total [‡]
contraceptive method type as	Facility	Worker			Facility				1010.
a % of total CYP sold /									
distributed within outlet	%	%	%	%	%	%	%	%	%
type ^{*,†} :									
South East	16.5	0.0	0.0	16.5	4.9	0.0	0.0	0.0	1.3
South South	8.6	0.0	0.0	8.6	44.5	0.0	0.2	0.0	33.5
South West	25.3	0.0	0.0	25.0	0.1	0.0	0.0	0.0	0.0
Jadelle implants									
North Central	28.4	0.0	0.0	27.7	0.0	0.0	0.0	0.0	0.0
North East	5.5	0.0	28.5	5.6	0.0	0.0	0.0	0.0	0.0
North West	37.3	0.0	0.0	37.3	0.0	0.0	0.0	0.0	0.0
South East	31.3	0.0	0.0	31.3	30.1	0.0	0.0	0.0	7.8
South South	38.8	0.0	0.0	38.8	46.3	0.0	0.0	0.0	34.8
South West	23.6	0.0	0.0	23.4	2.6	0.0	0.0	0.0	0.4
8. IUDs									
North Central	1.3	0.0	0.0	1.3	58.0	1.4	1.9	0.0	42.2
North East	9.4	0.0	24.6	9.5	70.6	0.0	0.0	0.0	0.5
North West	3.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0
South East	0.0	0.0	0.0	0.0	41.5	11.2	1.3	0.0	12.0
South South	15.4	0.0	0.0	15.4	2.2	0.0	0.0	0.0	1.7
South West	20.4	0.0	92.6	21.0	67.4	0.6	0.3	0.0	11.8
9. Male sterilization									
North Central	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North East	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North West	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South East	0.0	0.0	0.0	0.0	4.7	0.0	0.0	0.0	1.2
South South	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South West	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.1
10. Female sterilization									
North Central	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0
North East	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North West	1.2	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0
South East	0.0	0.0	0.0	0.0	6.8	0.0	0.0	0.0	1.8
South South	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South West	0.0	0.0	0.0	0.0	10.5	0.0	0.0	0.0	1.8

Table B9: Contraceptive method market share within outlet type: Relative proportion of total CYP sold / distributed within outlet type, by method – by Geopolitical Zone, 2015

CYP sold or distributed in	Public	Community	Drivete Net		Private For-			Conoral	Duivoto
previous 1-month	Health	Health	Private Not- For-Profit	Public Total	Profit Health	Pharmacy	PPMV	General Retailer	Private Total [‡]
contraceptive method type as	Facility	Worker	FOI-PIOIIL		Facility			Retailer	Total.
a % of total CYP sold /									
distributed within outlet	%	%	%	%	%	%	%	%	%
type* ^{,†} :									

- * A total of 282,359 CYP (weighted) in NC, 21,041 CYP (weighted) in NE, 85,545 CYP (weighted) in NW, 44,189 in SE, 416,181 CYP (weighted) in SS & 114,734 CYP (weighted) in SW were reportedly distributed in the previous 1 month. This is based on the number of commodities reportedly sold for categories 1-8 (not the number of services performed for categories 6-8) and the number of sterilizations reportedly performed for categories 9-10. See Annex 11 for a description of CYP calculation and Annex 12 for CYP numbers by outlet type and method category.
- [†] A total of 2 (NC region) injection products and 4 tablet products (SW region), were excluded from market share analysis due to inconsistent or missing generic names. A total of 56 emergency contraceptive products (6, 2, 1, 11 & 36 in NC, NW, SE, SS & SW regions, respectively), 129 oral contraceptives (10, 6, 6, 8 & 99 in NC, NW, SE, SS & SW regions, respectively), 205 male condoms (21, 4, 12, 14, 11 & 143 in NC, NE, NW, SE, SS & SW regions, respectively) and 10 CycleBeads (8 in SE and 2 in SW) were excluded from market share analysis for missing volume information. 2 male sterilizations and 4 female sterilizations were excluded for missing volume information as well. A total of 179 products were excluded due to outlier volumes and prices (45, 1, 30, 14, 1 & 88 in NC, NE, NW, SE, SS & SW regions, respectively).
- ‡ In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies, PPMVs and General Retailer/Kiosks.
- § Internationally quality-assured (IQA) contraceptives are defined as those with WHO Pre-qualification or those on a Stringent Regulatory authority (SRA) list. See Annex for a list of all quality assured brands found in the survey.
 Categories 1 through 10 sum to 100% within each column.

	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	%	%	%	%	%	%	%	%	%	%
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	NC: N=48	NC: N=3	NC: N=1	NC: N=52	NC: N=51	NC: N=43	NC: N=415	NC: N=1,253	NC: N=509	NC: N=1,814
	NE: N=25	NE: N=0	NE: N=1	NE: N=26	NE: N=13	NE: N=7	NE: N=127	NE: N=394	NE: N=147	NE: N=567
Proportion of outlets	NW: N=44	NW: N=1	NW: N=1	NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=927	NW: N=304	NW: N=1,277
screened, providing†:	SE: N=21	SE: N=3	SE: N=4	SE: N=28	SE: N=53	SE: N=20	SE: N=329	SE: N=1,091	SE: N=402	SE: N=1,521
	SS: N=19	SS: N=1	SS: N=1	SS: N=21	SS: N=28	SS: N=21	SS: N=195	SS: N=879	SS: N=244	SS: N=1,144
Contra continu	SW: N=56	SW: N=4	SW: N=7	SW: N=67	SW: N=171	SW: N=134	SW: N=1,451	SW: N=5,212	SW: N=1,756	SW: N=7,035
Contraceptive injection service										
North Central	62.1	99.1	100.0	71.0	49.4	53.8	18.3	23.7	0.0	11.1
North Central	(39.0, 80.8)	(73.9, 100.0)	-	(52.2, 84.6)	(7.5, 92.2)	(42.3, 65.0)	(5.6, 45.8)	(14.5, 36.4)	(0.0, 0.3)	(7.3, 16.5)
North East	56.3	-	100.0	56.4	47.7	48.7	9.5	12.9	0.0	8.1
NOTHI East	(42.8, 69.0)	-	-	(42.8, 69.0)	(15.0, 82.4)	(3.2, 96.5)	(1.5, 42.1)	(3.8, 36.0)	-	(3.2, 19.1)
North West	56.8	0.0	100.0	56.8	87.0	34.8	20.0	22.3	0.0	6.8
North West	(22.2, 85.8)	-	-	(22.3, 85.7)	(64.4, 96.1)	(24.3, 47.1)	(10.3, 35.1)	(10.2, 41.9)	-	(3.0, 14.7)
South East	50.8	0.0	0.0	29.3	26.9	15.8	3.7	6.5	0.0	3.0
South East	(33.4, 68.0)	-	-	(8.6, 64.5)	(11.7, 50.6)	(2.1, 62.6)	(1.0, 12.8)	(2.7, 14.8)	-	(1.6, 5.9)
South South	93.9	0.0	0.0	83.8	58.0	56.8	6.1	15.3	0.0	4.8
South South	(71.4, 98.9)	-	-	(73.5, 90.7)	(29.6, 82.0)	(8.9, 94.6)	(2.2, 16.0)	(4.7, 39.6)	-	(3.9, 5.9)
Cauth Mast	87.6	11.2	4.6	36.9	52.8	10.0	7.9	11.9	0.0	4.0
South West	(61.9, 96.9)	(0.5, 76.5)	(0.2, 58.1)	(10.1, 75.2)	(32.8, 71.9)	(5.2, 18.7)	(3.9, 15.1)	(6.6, 20.5)	-	(2.5, 6.3)
Implant insertion service										
	10.0	0.0	0.0	7.6	22.9	3.4	0.0	3.5	0.0	1.4
North Central	(3.4, 26.3)	-	-	(3.3, 16.5)	(5.0, 62.5)	(0.9, 11.8)	-	(0.9, 12.7)	-	(0.6, 3.4)
	15.7	-	100.0	15.7	3.2	0.0	0.0	0.2	0.0	1.4
North East	(1.1, 76.5)	-	-	(1.1, 76.5)	(0.1, 43.1)	-	-	(0.0, 4.1)	_	(0.2, 11.6)
	7.8	0.0	0.0	7.8	34.2	0.0	0.8	2.0	0.0	0.7
North West	(2.2, 24.2)	-	-	(2.2, 23.9)	(22.9, 47.7)	-	(0.1, 7.1)	(0.2, 14.8)	-	(0.2, 3.3)
	10.1	0.0	0.0	5.8	27.5	0.0	0.0	3.1	0.0	1.1
South East	(1.0, 56.9)	-	-	(0.4, 46.9)	(2.6, 84.3)	-	_	(0.4, 21.9)	-	(0.2, 5.6)
	59.1	0.0	0.0	52.8	39.7	0.0	0.0	6.3	0.0	2.3
South South	(23.0, 87.5)	-	-	(19.8, 83.5)	(25.3, 56.2)	-	(0.0, 0.5)	(2.0, 18.1)	-	(1.5, 3.4)
	72.9	0.0	0.0	25.2	14.4	0.0	0.0	1.2	0.0	0.9
South West	(40.7, 91.3)	-	-	(8.7, 54.6)	(4.2, 39.1)	-	-	(0.2, 6.4)	-	(0.4, 1.9)
IUD insertion service	(1011) 02.0)			(=::, = ::=)	(112, 0012)			(=:=) 5)		(51.) 2.0)
North Central	7.7	0.0	0.0	5.8	31.4	0.0	0.0	4.7	0.0	1.6

Table B10: Availa	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health	Pharmacy	PPMV	Private Total*	General Retailer	Total
	%	%	%	%	Facility %	%	%	%	%	%
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	NC: N=48	NC: N=3	NC: N=1	NC: N=52	NC: N=51	NC: N=43	NC: N=415	NC: N=1,253	NC: N=509	NC: N=1,814
	NE: N=25	NE: N=0	NE: N=1	NE: N=26	NE: N=13	NE: N=7	NE: N=127	NE: N=394	NE: N=147	NE: N=567
Proportion of outlets	NW: N=44	NW: N=1	NW: N=1	NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=927	NW: N=304	NW: N=1,277
screened, providing†:	SE: N=21	SE: N=3	SE: N=4	SE: N=28	SE: N=53	SE: N=20	SE: N=329	SE: N=1,091	SE: N=402	SE: N=1,521
	SS: N=19	SS: N=1	SS: N=1	SS: N=21	SS: N=28	SS: N=21	SS: N=195	SS: N=879	SS: N=244	SS: N=1,144
	SW: N=56	SW: N=4	SW: N=7	SW: N=67	SW: N=171	SW: N=134	SW: N=1,451	SW: N=5,212	SW: N=1,756	SW: N=7,035
	(1.4, 32.3)	-	-	(0.8, 31.3)	(9.7, 66.0)	-	-	(2.0, 11.0)	-	(0.7, 3.5)
N	4.3	-	100.0	4.3	0.4	0.0	0.1	0.1	0.0	0.4
North East	(0.3, 39.1)	-	-	(0.3, 39.0)	(0.2, 1.2)	-	(0.0, 1.4)	(0.0, 1.2)	-	(0.1, 1.9)
	5.3	0.0	0.0	5.3	34.2	0.0	0.0	1.2	0.0	0.5
North West	(1.3, 19.7)	-	-	(1.3, 19.5)	(22.9, 47.7)	-	-	(0.1, 9.1)	-	(0.1, 2.1)
	10.1	0.0	0.0	5.8	30.9	0.0	0.0	3.5	0.0	1.2
South East	(1.0, 56.9)	-	-	(0.4, 46.9)	(3.4, 84.9)	-	-	(0.5, 21.1)	-	(0.3, 5.5)
	59.1	0.0	0.0	52.8	40.0	0.0	0.0	6.3	0.0	2.3
South South	(23.0, 87.5)	-	-	(19.8, 83.5)	(26.0, 55.8)	-	-	(2.0, 18.1)	-	(1.5, 3.4)
	81.9	0.0	4.6	28.9	39.9	0.0	0.0	3.5	0.0	1.5
South West	(51.9, 95.0)	-	(0.2, 58.1)	(10.3, 59.0)	(16.6, 68.8)	_	(0.0, 0.4)	(0.9, 12.0)	-	(0.7, 3.3)
Male sterilization service			, , ,	, , ,				, , ,		
N C	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.2	0.0	0.0
North Central	-	-	-	-	(0.1, 15.0)	-	-	(0.0, 3.0)	-	(0.0, 0.7)
	7.6	-	0.0	7.6	2.8	0.0	0.0	0.2	0.0	0.7
North East	(0.8, 47.2)	-	-	(0.7, 47.2)	(0.1, 55.0)	-	-	(0.0, 6.1)	-	(0.0, 11.4)
	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
North West	(0.0, 3.0)	-	-	(0.0, 2.9)	-	-	-	-	-	(0.0, 0.1)
0 .1 5 .	0.0	0.0	0.0	0.0	7.6	0.0	0.0	0.8	0.0	0.2
South East	-	-	-	-	(2.3, 22.1)	-	-	(0.3, 2.1)	-	(0.1, 0.7)
C 11 C 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South South	-	<u> </u>	_	-	-	-	-	-	-	-
	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.2	0.0	0.0
South West	-	-	-	-	(0.3, 13.4)	-	-	(0.0, 2.3)	-	(0.0, 0.4)
Female sterilization service								, , ,		
	0.1	0.0	0.0	0.1	2.9	0.0	0.0	0.4	0.0	0.1
North Central	(0.0, 2.0)	-	-	(0.0, 1.7)	(0.5, 15.9)	-	-	(0.1, 2.5)	-	(0.0, 0.7)
North East	0.0	-	0.0	0.0	2.8	0.0	0.0	0.2	0.0	0.1

	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
	NC: N=48 NE: N=25	NC: N=3 NE: N=0	NC: N=1 NE: N=1	NC: N=52 NE: N=26	NC: N=51 NE: N=13	NC: N=43 NE: N=7	NC: N=415 NE: N=127	NC: N=1,253 NE: N=394	NC: N=509 NE: N=147	NC: N=1,814 NE: N=567
Proportion of outlets	NW: N=44	NW: N=1	NW: N=1	NW: N=46	NW: N=15	NW: N=4	NW: N=285	NW: N=927	NW: N=304	NW: N=1,277
screened, providing [†] :	SE: N=21	SE: N=3	SE: N=4	SE: N=28	SE: N=53	SE: N=20	SE: N=329	SE: N=1,091	SE: N=402	SE: N=1,521
	SS: N=19 SW: N=56	SS: N=1 SW: N=4	SS: N=1 SW: N=7	SS: N=21 SW: N=67	SS: N=28 SW: N=171	SS: N=21 SW: N=134	SS: N=195 SW: N=1,451	SS: N=879 SW: N=5,212	SS: N=244 SW: N=1,756	SS: N=1,144 SW: N=7,035
	-	-	-	-	(0.1, 55.0)	-	-	(0.0, 6.1)	-	(0.0, 1.2)
North West	0.4 (0.1, 2.4)	0.0 -	0.0	0.4 (0.1, 2.3)	0.0	0.0	0.0	0.0 -	0.0 -	0.0 (0.0, 0.1)
South East	0.0	0.0 -	0.0	0.0 -	7.6 (2.8, 19.1)	0.0 -	0.0	0.9 (0.3, 2.2)	0.0 -	0.2 (0.1, 0.8)
South South	0.0	0.0	0.0	0.0	17.9 (7.9, 35.7)	0.0	0.0	2.8 (0.6, 11.9)	0.0	0.6 (0.2, 2.3)
South West	1.1 (0.2, 7.1)	0.0	2.7 (0.1, 42.3)	0.7 (0.1, 7.4)	5.7 (0.9, 28.4)	0.0	0.0	0.5 (0.0, 5.3)	0.0	0.1 (0.0, 1.1)

^{*} In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs. This category excludes General Retailers/Kiosks.

[†] The denominator includes 68 outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview). In Region 1 (NC), the denominator includes 9 outlets that met screening criteria for a full interview but did not complete the interview. In Region 2 (NE), the denominator includes 8 outlets that met screening criteria for a full interview but did not complete the interview. In Region 3 (NW), the denominator includes 2 outlets that met screening criteria for a full interview but did not complete the interview. In Region 4 (SE), the denominator includes 4 outlets that met screening criteria for a full interview but did not complete the interview. In Region 6 (SW), the denominator includes 39 outlets that met screening criteria for a full interview but did not complete the interview but did not complete the interview.

proceaure,	by outlet typ	e – by Geopo	liticai Zone,	, 2015					
		Public	Community	Private Not-		Private For-			
		Health	Health	For-Profit	Public Total	Profit Health	Pharmacy	PPMV	Private Total [†]
		Facility	Worker			Facility			
•	outlets offering	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾
service, with [‡] :		(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
Contraceptive	injection								
service	_								
	Availability of	66.6	100.0	100.0	77.8	78.1	94.7	13.3	37.3
	commodity	[31.5, 89.6] ⁽³⁶⁾	[100,100](2)	(1)	[63.9, 87.4] ⁽³⁹⁾	[48.2, 93.2] ⁽²²⁾	[85.6, 98.2] ⁽²¹⁾	[1.1, 66.8] (45)	[6.4, 83.8] ⁽⁸⁹⁾
	Availability of	84.9	2.4	100.0	58.1	79.3	65.8	19.9	40.8
North Central	credentials	[63.1, 94.9] ⁽³⁶⁾	$[0.1,49.8]^{(2)}$	(1)	[17.2, 90.3] (39)	[18.1, 98.5] (22)	[43.2, 83.0] (21)	[1.9, 76.2] (45)	[6.4, 87.5] ⁽⁸⁹⁾
North Central	Availability of	99.2	100.0	100.0	99.5	99.8	100.0	96.6	97.8
	equipment	[92.0, 99.9] ⁽³⁶⁾	[100,100](2)	(1)	[92.7, 100.0] ⁽³⁹⁾	[96.9, 100.0] ⁽²²⁾	[0.0, 0.0] (21)	[79.5, 99.5] ⁽⁴⁵⁾	[90.9, 99.5] ⁽⁸⁹⁾
	Service	57.7	2.4	100.0	40.0	60.5	61.1	7.7	26.7
	readiness	[16.5, 90.4] ⁽³⁶⁾	$[0.1,49.8]^{(2)}$	(1)	[5.7, 88.0] ⁽³⁹⁾	[22.2, 89.2] (22)	[37.6, 80.4] (21)	[0.4, 61.3] (45)	[4.3, 74.7] (89)
	Availability of	100.0	-	100.0	100.0	0.0	36.7	98.0	67.0
	commodity	[100.0,100.0] ⁽¹⁷⁾	-	(1)	[100.0,100.0](18)	[0.0, 0.0] (6)	[31.9, 41.8] (4)	[75.6, 99.9] ⁽²⁶⁾	[8.9, 97.7] ⁽³⁶⁾
	Availability of	100.0	-	100.0	100.0	100.0	28.1	39.1	56.1
North East	credentials	[100.0,100.0] ⁽¹⁷⁾	-	(1)	[100.0,100.0](18)	[100.0,100.0] ⁽⁶⁾	[25.9, 30.3] ⁽⁴⁾	[6.8, 84.9] ⁽²⁶⁾	[6.5, 95.9] ⁽³⁶⁾
NOITH Last	Availability of	82.0	-	100.0	82.0	100.0	100.0	99.9	99.9
	equipment	[11.1, 99.4] ⁽¹⁷⁾	-	(1)	[11.1, 99.4] (18)	[100.0,100.0] ⁽⁶⁾	[100.0,100.0] ⁽⁴⁾	[99.4, 100.0] ⁽²⁶⁾	[99.1, 100.0] ⁽³⁶⁾
	Service	82.0	-	100.0	82.0	0.0	0.0	37.1	24.7
	readiness	[11.1, 99.4] ⁽¹⁷⁾	-	(1)	[11.1, 99.4] (18)	[0.0, 0.0] (6)	$[0.0, 0.0]^{(4)}$	[6.6, 83.1] (26)	[15.6, 36.9] ⁽³⁶⁾
	Availability of	95.4	-	0.0	95.1	33.1	100.0	68.2	63.7
	commodity	[64.7, 99.6] ⁽³¹⁾	-	(1)	[66.2, 99.5] ⁽³²⁾	[18.3, 52.2] (10)	(1)	[51.9, 81.0] ⁽⁸⁰⁾	[44.7, 79.2] ⁽⁹¹⁾
	Availability of	52.7	-	100.0	52.8	97.7	100.0	51.2	57.5
North West	credentials	[6.8, 94.4] ⁽³¹⁾	-	(1)	[6.8, 94.5] ⁽³²⁾	[97.0, 98.2] ⁽¹⁰⁾	(1)	[35.8, 66.3] (80)	[40.7, 72.7] ⁽⁹¹⁾
North West	Availability of	55.4	-	100.0	55.6	100.0	100.0	94.5	95.2
	equipment	[5.7, 96.2] ⁽³¹⁾	-	(1)	[5.8, 96.2] ⁽³²⁾	[100.0,100.0](10)	(1)	[76.5, 98.9] ⁽⁸⁰⁾	[82.6, 98.8] ⁽⁹¹⁾
	Service	49.2	-	0.0	49.0	33.1	100.0	31.2	31.7
	readiness	[5.9, 93.8] ⁽³¹⁾	-	(1)	[5.9, 93.6] ⁽³²⁾	[18.3, 52.2] (10)	(1)	[15.0, 53.8] (80)	[16.9, 51.5] ⁽⁹¹⁾
	Availability of	94.9	-	-	94.9	85.1	56.4	28.5	56.0
	commodity	[45.7, 99.8] ⁽¹¹⁾	-	-	[45.7, 99.8] ⁽¹¹⁾	[32.7, 98.5] ⁽¹⁷⁾	[1.6, 99.0] ⁽²⁾	[7.5, 66.3] ⁽¹⁶⁾	[38.6, 72.1] ⁽³⁵⁾
	Availability of	88.7	-	-	88.7	91.5	0.0	51.3	67.3
South East	credentials	[19.2, 99.6] (11)	_	-	[19.2, 99.6] (11)	[51.9, 99.1] ⁽¹⁷⁾	$[0.0, 0.0]^{(2)}$	[32.5, 69.8] ⁽¹⁶⁾	[57.8, 75.6] ⁽³⁵⁾
SOULII EASL	Availability of	100.0	-	-	100.0	91.5	100.0	77.2	84.9
	equipment	[100.0,100.0](11)	-	-	[100.0,100.0](11)	[51.9, 99.1] ⁽¹⁷⁾	[100.0,100.0](2)	[11.9, 98.8] (16)	[42.6, 97.7] ⁽³⁵⁾
	Service	83.7	-	-	83.7	76.6	0.0	28.5	49.3
	readiness	[24.7, 98.8] (11)		-	[24.7, 98.8] (11)	[17.4, 98.1] (17)	[0.0, 0.0] (2)	[7.5, 66.3] (16)	[30.0, 68.8] (35)

procedure,	by outlet typ	e – by Geopo		, 2015					
		Public	Community	Private Not-		Private For-			
		Health	Health	For-Profit	Public Total	Profit Health	Pharmacy	PPMV	Private Total [†]
_		Facility	Worker		- (/a)	Facility	- ((a)	- ((a)	- ((-)
	outlets offering	% ⁽ⁿ⁾	% (n)	% ⁽ⁿ⁾	% (n)	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾
service, with [‡] :		(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	Availability of	100.0	-	-	100.0	69.5	99.5	27.7	57.9
	commodity	[100.0,100.0](15)	-	-	[100.0,100.0](15)	[58.7, 78.5] (7)	[83.1, 100.0] (7)	[15.2, 45.1] (11)	[53.6, 62.0] ⁽²⁵⁾
	Availability of	51.5	-	-	51.5	100.0	89.4	67.4	88.5
South South	credentials	[8.4, 92.5] (15)	-	-	[8.4, 92.5] (15)	[100.0,100.0] ⁽⁷⁾	[15.9, 99.7] (7)	[30.8, 90.6] (11)	[63.9, 97.1] (25)
	Availability of	93.9	-	-	93.9	100.0	100.0	97.8	99.3
	equipment	[37.3, 99.7] (15)	-	-	[37.3, 99.7] (15)	[100.0,100.0] ⁽⁷⁾	[100.0,100.0] ⁽⁷⁾	[95.5, 99.0] (11)	[98.9, 99.5] ⁽²⁵⁾
	Service 	51.5	-	-	51.5	69.5	88.9	8.8	50.8
	readiness	[8.4, 92.5] (15)	-	-	[8.4, 92.5] (15)	[58.7, 78.5] ⁽⁷⁾	[16.3, 99.7] ⁽⁷⁾	[0.9, 51.1] (11)	[46.7, 55.0] ⁽²⁵⁾
	Availability of	87.4	0.0	57.8	72.6	37.4	100.0	7.9	23.9
	commodity	[54.0, 97.6] ⁽⁴⁴⁾	(1)	[57.8, 57.8] ⁽²⁾	[40.9, 91.1] (47)	[12.6, 71.3] (88)	[100.0,100.0](14)	[0.8, 47.3] (80)	[7.2, 55.9] ⁽¹⁸³⁾
	Availability of	99.6	0.0	100.0	83.3	89.0	25.8	24.8	49.6
South West	credentials	[93.6, 100.0](44)	(1)	$[0.0, 0.0]^{(2)}$	[43.5, 97.0] ⁽⁴⁷⁾	[49.9, 98.5] ⁽⁸⁸⁾	[4.0, 74.5] (14)	[1.8, 85.7] (80)	[11.7, 88.0] (183)
	Availability of	99.7	100.0	100.0	99.7	97.8	100.0	85.8	91.3
	equipment	[94.5, 100.0] ⁽⁴⁴⁾	(1)	$[0.0, 0.0]^{(2)}$	[94.9, 100.0] ⁽⁴⁷⁾	[86.9, 99.7] ⁽⁸⁸⁾	[100.0,100.0](14)	[69.7, 94.1] ⁽⁷⁸⁾	[76.2, 97.2] ⁽¹⁸¹⁾
	Service	86.9	0.0	57.8	72.3	37.1	25.8	0.9	16.7
	readiness	[52.7, 97.6] ⁽⁴⁴⁾	(1)	[57.8, 57.8] ⁽²⁾	[40.7, 90.8] ⁽⁴⁷⁾	[12.5, 70.9] (88)	[4.0, 74.5] (14)	[0.1, 7.0] (78)	[3.6, 51.6] (181)
Implant inserti									
	Availability of	90.6	-	-	90.6	87.8	0.0	-	86.0
	commodity	[39.3, 99.3] ⁽¹⁴⁾	-	-	[39.3, 99.3] ⁽¹⁴⁾	[28.1, 99.3] ⁽¹²⁾	(1)	-	[26.0, 99.1] (13)
	Availability of	96.0	-	-	96.0	99.9	100.0	-	99.9
North Central	credentials	[76.3, 99.4] (14)	-	-	[76.3, 99.4] ⁽¹⁴⁾	[97.9, 100.0] ⁽¹²⁾	(1)	-	[98.0, 100.0] ⁽¹³⁾
North Central	Availability of	90.7	-	-	90.7	93.2	100.0	-	93.3
	equipment	[80.2, 95.9] ⁽¹⁴⁾	-	-	[80.2, 95.9] ⁽¹⁴⁾	[36.2, 99.7] ⁽¹²⁾	(1)	-	[37.5, 99.7] ⁽¹³⁾
	Service	81.4	-	-	81.4	87.7	0.0	-	86.0
	readiness	[41.0, 96.5] ⁽¹⁴⁾	-	-	[41.0, 96.5] ⁽¹⁴⁾	[27.8, 99.3] ⁽¹²⁾	(1)	-	[25.7, 99.1] ⁽¹³⁾
	Availability of	93.1	-	100.0	93.1	3.7	-	-	3.7
	commodity	[16.8, 99.9] (9)	-	(1)	[16.8, 99.9] (10)	[0.0, 84.4] (3)	-	-	[0.0, 84.4] (3)
	Availability of	15.4	-	100.0	15.6	13.5	-	-	13.5
North East	credentials	[4.2, 43.3] ⁽⁹⁾	-	(1)	[4.3, 42.9] (10)	[0.2, 94.2] (3)	-	-	[0.2, 94.2] (3)
NOI (III Last	Availability of	87.8	-	0.0	87.6	13.5	-	-	13.5
	equipment	[86.0, 89.3] ⁽⁹⁾	-	(1)	[85.9, 89.2] ⁽¹⁰⁾	[0.2, 94.2] (3)	-	-	[0.2, 94.2] (3)
	Service	4.1	-	0.0	4.1	3.7	-	-	3.7
	readiness	[0.1, 59.0] (9)	-	(1)	[0.1, 59.0] (10)	[0.0, 84.4] (3)	-	-	[0.0, 84.4] (3)
North West	Availability of	99.1	-	-	99.1	0.0	-	0.0	0.0
NOITH WEST	commodity	[87.6, 99.9] ⁽¹⁶⁾	-	-	[87.6, 99.9] ⁽¹⁶⁾	[0.0, 0.0] (2)	-	[0.0, 0.0] (2)	[0.0, 0.0] (4)

Table B11: Service readiness* to provide provider-dependent contraceptive services, among outlets reportedly offering the

procedure, by outlet type – by Geopolitical Zone, 2015										
		Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total [†]	
Proportion of outlets offering		% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	
service, with [‡] :		(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	
	Availability of	73.4	-	-	73.4	100.0	-	91.6	96.6	
	credentials	[37.1, 92.8] ⁽¹⁶⁾	-	-	[37.1, 92.8] ⁽¹⁶⁾	[100.0,100.0](2)	-	[91.6, 91.6] ⁽²⁾	[96.6, 96.6] ⁽⁴⁾	
	Availability of	87.4	-	-	87.4	100.0	-	8.4	62.3	
	equipment	[71.5, 95.1] ⁽¹⁶⁾	-	-	[71.5, 95.1] ⁽¹⁶⁾	$[100.0, 100.0]^{(2)}$	-	$[8.4, 8.4]^{(2)}$	[62.3, 62.3] ⁽⁴⁾	
	Service	66.2	-	-	66.2	0.0	-	0.0	0.0	
	readiness	[35.4, 87.5] ⁽¹⁶⁾	-	-	[35.4, 87.5] ⁽¹⁶⁾	$[0.0, 0.0]^{(2)}$	-	$[0.0, 0.0]^{(2)}$	[0.0, 0.0] (4)	
	Availability of	20.1	-	-	20.1	51.1	-	-	51.1	
	commodity	[0.3, 95.1] (2)	-	-	[0.3, 95.1] ⁽²⁾	[25.1, 76.4] ⁽¹⁰⁾	-	-	[25.1, 76.4] ⁽¹⁰⁾	
	Availability of	100.0	-	-	100.0	100.0	-	-	100.0	
South East	credentials	[100.0,100.0](2)	-	-	[100.0,100.0](2)	[100.0,100.0](10)	-	-	[100.0,100.0] ⁽¹⁰⁾	
30utii Last	Availability of	100.0	-	-	100.0	100.0	-	-	100.0	
	equipment	[100.0,100.0](2)	-	-	[100.0,100.0](2)	[100.0,100.0](10)	-	-	[100.0,100.0](10)	
	Service	20.1	-	-	20.1	51.1	-	-	51.1	
	readiness	[0.3, 95.1] (2)	-	-	[0.3, 95.1] ⁽²⁾	[25.1, 76.4] ⁽¹⁰⁾	-	-	[25.1, 76.4] ⁽¹⁰⁾	
	Availability of	100.0	-	-	100.0	100.0	-	100.0	100.0	
	commodity	[100.0,100.0] (4)	-	-	[100.0,100.0] (4)	[100.0,100.0] ⁽⁴⁾	-	(1)	[100.0,100.0] ⁽⁵⁾	
	Availability of	99.1	-	-	99.1	100.0	-	100.0	100.0	
South South	credentials	[94.1, 99.9] ⁽⁴⁾	-	-	[94.1, 99.9] ⁽⁴⁾	[100.0,100.0](4)	-	(1)	[100.0,100.0] ⁽⁵⁾	
300111 300111	Availability of	99.1	-	-	99.1	100.0	-	- 91.6 - [91.6, 91.6] (2) - 8.4 - [8.4, 8.4] (2) - 0.0 - [0.0, 0.0] (2) 100.0 - (1)	100.0	
	equipment	[94.1, 99.9] ⁽⁴⁾	-	-	[94.1, 99.9] ⁽⁴⁾	[100.0,100.0](4)	-	(1)	[100.0,100.0] ⁽⁵⁾	
	Service	99.1	-	-	99.1	100.0	-		100.0	
	readiness	[94.1, 99.9] ⁽⁴⁾	-	-	[94.1, 99.9] ⁽⁴⁾	[100.0,100.0] ⁽⁴⁾	-	(1)	[100.0,100.0] ⁽⁵⁾	
	Availability of	40.8	-	-	40.8	28.4	-		28.4	
	commodity	[9.2, 82.4] ⁽²⁴⁾	-	-	[9.2, 82.4] ⁽²⁴⁾	[12.5, 52.5] ⁽⁴⁹⁾	=	% (n) (95% CI) 91.6 [91.6, 91.6] (2) 8.4 [8.4, 8.4] (2) 0.0 [0.0, 0.0] (2) 100.0 (1) 100.0 (1) 100.0 (1) 0.0 (1) 0.0 (1) 0.0 (1) 0.0 (1)	[12.5, 52.5] (50)	
	Availability of	99.0	-	-	99.0	100.0	-		99.9	
South West	credentials	[81.7,100.0](24)	-	-	[81.7, 100.0] (24)	[100.0,100.0](49)	-		[97.3, 100.0] ⁽⁵⁰⁾	
Journ West	Availability of	92.5	-	-	92.5	93.5	-		93.4	
	equipment	[74.6,98.1] ⁽²⁴⁾	-	-	[74.6, 98.1] ⁽²⁴⁾	[92.2, 94.5] ⁽⁴⁹⁾	-		[92.4, 94.3] ⁽⁵⁰⁾	
	Service	34.9	-	-	34.9	28.4	-		28.4	
	readiness	[5.6, 82.8] ⁽²⁴⁾	-	-	[5.6, 82.8] ⁽²⁴⁾	[12.5, 52.5] ⁽⁴⁹⁾	=	(1)	[12.5, 52.5] ⁽⁵⁰⁾	
IUD insertions										
	Availability of	87.4	-	-	87.4	94.0	-	-	94.0	
North Central	commodity	[30.4, 99.1] (13)	-	-	[30.4, 99.1] (13)	[48.7, 99.6] ⁽¹²⁾	=	-	[48.7, 99.6] ⁽¹²⁾	
	Availability of	100.0	-	-	100.0	98.0	-	-	98.0	
	credentials	[100.0,100.0](13)	-	-	[100.0,100.0](13)	[68.1, 99.9] ⁽¹²⁾	-	% (n) (95% CI) 91.6 [91.6, 91.6] (2) 8.4 [8.4, 8.4] (2) 0.0 [0.0, 0.0] (2) 100.0 (1) 100.0 (1) 100.0 (1) 0.0 (1) 0.0 (1) 0.0 (1) 0.0 (1) 0.0 (1)	[68.1, 99.9] ⁽¹²⁾	

processis, e,	., outlet 1, p	Public	Community			Private For-			
		Health Facility	Health Worker	Private Not- For-Profit	Public Total	Profit Health Facility	Pharmacy	PPMV	Private Total [†]
Proportion of outlets offering		% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾
service, with [‡] :		(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	Availability of	49.4	-	-	49.4	94.8	-	-	94.8
	equipment	[17.9, 81.5] ⁽¹²⁾	-	-	[17.9, 81.5] ⁽¹²⁾	[54.1, 99.7] ⁽¹²⁾	-	-	[54.1, 99.7] ⁽¹²⁾
	Service	41.4	-	-	41.4	93.0	-	-	93.0
	readiness	[15.7, 72.8] ⁽¹²⁾	-	-	[15.7, 72.8] ⁽¹²⁾	[47.6, 99.5] ⁽¹²⁾	-	-	[47.6, 99.5] ⁽¹²⁾
	Availability of	100.0	-	100.0	100.0	100.0	-	100.0	100.0
	commodity	[100.0,100.0] ⁽⁵⁾	-	(1)	[100.0,100.0] ⁽⁶⁾	[100.0,100.0](2)	-	(1)	[100.0,100.0](3)
	Availability of	51.2	-	0.0	50.9	100.0	-	0.0	40.2
North East	credentials	[2.3, 97.9] (5)	-	(1)	[2.5, 97.7] ⁽⁶⁾	[100.0,100.0] ⁽²⁾	-	(1)	[13.9, 73.6] ⁽³⁾
NOITH Last	Availability of	10.9	-	0.0	10.8	27.5	-	0.0	11.0
	equipment	[1.4, 51.8] (5)	-	(1)	[1.3, 52.1] ⁽⁶⁾	[0.2, 98.5] (2)	-	(1)	[0.1, 95.7] ⁽³⁾
	Service	10.9	-	0.0	10.8	27.5	-	0.0	11.0
	readiness	[1.4, 51.8] (5)	-	(1)	[1.3, 52.1] (6)	[0.2, 98.5] (2)	-	(1)	[0.1, 95.7] (3)
	Availability of	66.2	-	-	66.2	0.0	-	-	0.0
	commodity	[12.7, 96.3] (11)	-	-	[12.7, 96.3] (11)	[0.0, 0.0] (2)	-	-	[0.0, 0.0] (2)
	Availability of	86.0	-	-	86.0	100.0	-	-	100.0
North West	credentials	[21.5, 99.3] (11)	-	-	[21.5, 99.3] (11)	[100.0,100.0] ⁽²⁾	-	-	[100.0,100.0] ⁽²⁾
Worth West	Availability of	87.7	-	-	87.7	100.0	-	-	100.0
	equipment	[51.0, 98.0] ⁽¹⁰⁾	-	-	[51.0, 98.0] ⁽¹⁰⁾	[100.0,100.0] ⁽²⁾	-	-	[100.0,100.0] ⁽²⁾
	Service	43.5	-	-	43.5	0.0	-	-	0.0
	readiness	[4.5, 92.6] (10)	-	-	[4.5, 92.6] ⁽¹⁰⁾	[0.0, 0.0] (2)	-	-	[0.0, 0.0] (2)
	Availability of	20.1	-	-	20.1	46.7	-	-	46.7
	commodity	[0.3, 95.1] (2)	-	-	[0.3, 95.1] (2)	[29.8, 64.5] ⁽¹³⁾	-	-	[29.8, 64.5] (13)
	Availability of	100.0	-	-	100.0	100.0	-	-	100.0
South East	credentials	[100.0,100.0] ⁽²⁾	-	-	[100.0,100.0] ⁽²⁾	[100.0,100.0] ⁽¹³⁾	-	-	[100.0,100.0] ⁽¹³⁾
	Availability of	20.1	-	-	20.1	90.8	-	-	90.8
	equipment	[0.3, 95.1] (2)	-	-	[0.3, 95.1] (2)	[64.6, 98.1] (13)	-	-	[64.6, 98.1] (13)
	Service 	20.1	-	-	20.1	42.3	-	-	42.3
	readiness	[0.3, 95.1] (2)	-	-	[0.3, 95.1] (2)	[23.4, 63.9] (13)	-	-	[23.4, 63.9] (13)
	Availability of	50.6	-	-	50.6	55.8	-	-	55.8
	commodity	[1.9, 98.2] ⁽⁴⁾ 100.0	-	-	[1.9, 98.2] ⁽⁴⁾ 100.0	[35.7, 74.1] ⁽⁵⁾ 100.0		-	[35.7, 74.1] ⁽⁵⁾ 100.0
South South	Availability of credentials		_	-		[100.0,100.0] ⁽⁵⁾	-	-	l
		[100.0,100.0] ⁽⁴⁾ 100.0	-	-	[100.0,100.0](4)		-	-	[100.0,100.0] ⁽⁵⁾
	Availability of	[100.0,100.0](4)	-	-	100.0 [100.0,100.0] ⁽⁴⁾	100.0 [100.0,100.0] ⁽⁵⁾	-	-	100.0 [100.0,100.0] ⁽⁵⁾
	equipment	[100.0,100.0](4)	-	_	[100.0,100.0](4)	[100.0,100.0](3)	-	_	[100.0,100.0](3)

p. occauic,	a, cance typ	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total [†]
Proportion of a	utlets offering	% (n)	% ⁽ⁿ⁾	% (n)	% (n)	% (n)	% (n)	% (n)	% (n)
Proportion of outlets offering service, with [‡] :		(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
service, with	Service	50.6	-	-	50.6	55.8	-	-	55.8
	readiness	[1.9, 98.2] (4)	_	_	[1.9, 98.2] (4)	[35.7, 74.1] (5)	_	_	[35.7, 74.1] ⁽⁵⁾
	Availability of	65.8	-	57.8	65.6	39.0	-	0.0	38.8
	commodity	[18.4, 94.2] ⁽³⁶⁾	-	[57.8, 57.8] ⁽²⁾	[18.8, 94.0] (38)	[8.3, 81.8] (74)	-	(1)	[8.4, 81.4] (75)
	Availability of	84.9	-	100.0	85.2	100.0	-	0.0	99.4
	credentials	[29.1, 98.7] ⁽³⁶⁾	-	[100.0,100] ⁽²⁾	[29.5, 98.8] (38)	[0.0, 0.0] (74)	-	(1)	[95.7, 99.9] ⁽⁷⁵⁾
South West	Availability of	82.0	-	100.0	82.3	93.5	-	100.0	93.6
	equipment	[33.5, 97.6] ⁽³⁶⁾	-	[100.0,100] ⁽²⁾	[33.9, 97.7] (38)	[74.5, 98.6] ⁽⁷⁴⁾	-	(1)	[74.9, 98.6] ⁽⁷⁵⁾
	Service	48.2	-	57.8	48.4	34.4	-	0.0	34.2
	readiness	[10.6, 88.0] (36)	-	[57.8, 57.8] ⁽²⁾	[11.1, 87.5] ⁽³⁸⁾	[7.5, 77.2] ⁽⁷⁴⁾	-	(1)	[7.5, 76.8] ⁽⁷⁵⁾
Male sterilizati	on								
	Availability of	-	-	-	-	100.0	-	-	100.0
North Central	credentials	-	-	-	-	(1)	-	-	(1)
	Availability of	_	-	-	-	0.0	-	-	0.0
	equipment	_	-	-	-	(1)	-	-	(1)
	Service	_	-	-	-	0.0	-	-	0.0
	readiness	_	-	-	-	(1)	-	-	(1)
	Availability of	0.0	-	-	0.0	100.0	-	-	100.0
	credentials	(1)	-	-	(1)	(1)	-	-	(1)
North East	Availability of	0.0	-	-	0.0	100.0	-	-	100.0
WOITH East	equipment	(1)	-	-	(1)	(1)	-	-	(1)
	Service	0.0	-	-	0.0	100.0	-	-	100.0
	readiness	(1)	-	-	(1)	(1)	-	-	(1)
	Availability of	100.0	-	-	100.0	-	-	-	-
	credentials	(1)	-	-	(1)	-	-	-	-
North West	Availability of	100.0	-	-	100.0	-	-	-	-
	equipment	(1)	-	-	(1)	-	-	-	-
	Service	100.0	-	-	100.0	-	-	-	-
	readiness	(1)	-	-	(1)	-	-	-	-
	Availability of	-	-	-	-	100.0	-	-	100.0
	credentials	-	-	-	-	[100.0,100.0] ⁽⁵⁾	-	-	[100.0,100.0] ⁽⁵⁾
South East	Availability of	-	-	-	-	88.3	-	-	88.3
	equipment	-	-	-	-	[16.9, 99.6] (5)	-	-	[16.9, 99.6] (5)
	Service	-	-	-	-	88.3	-	-	88.3
	readiness	-	-	-	-	[16.9, 99.6] ⁽⁵⁾	-	-	[16.9, 99.6] ⁽⁵⁾

procedure,		Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total [†]
Proportion of outlets offering		% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾
service, with [‡] :		(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	Availability of	-	-	-	-	-	-	-	-
	credentials	-	-	-	-	-	-	-	-
South South	Availability of	-	-	-	-	-	-	-	-
300011300111	equipment	-	-	-	-	-	-	-	-
	Service	-	-	-	-	-	-	-	-
	readiness	-	-	-	-	-	-	% ⁽ⁿ⁾ (95% CI) - - -	-
	Availability of	-	-	-	-	100.0	-	-	100.0
	credentials	-	-	-	-	[100.0,100.0](10)	-	-	[100.0,100.0](10)
South Wost	Availability of	-	-	-	-	100.0	-	% (n) (95% CI)	100.0
South West	equipment	=	-	=	-	[100.0,100.0](10)	D](10)	[100.0,100.0](10)	
	Service	-	-	-	-	100.0	-	-	100.0
	readiness	-	-	-	-	[100.0,100.0](10)	-	-	[100.0,100.0](10)
Female sterilization									
	Availability of	100.0	-	-	100.0	100.0	-	-	100.0
North Control	credentials	(1)	-	-	(1)	[100.0,100.0] ⁽⁷⁾	-	-	[100.0,100.0] ⁽⁷⁾
	Availability of	0.0	-	-	0.0	30.7	-	-	30.7
North Central	equipment	(1)	-	-	(1)	[9.8, 64.6] ⁽⁶⁾	-	-	[9.8, 64.6] ⁽⁶⁾
	Service	0.0	-	-	0.0	30.7	-	-	30.7
	readiness	(1)	-	-	(1)	[9.8, 64.6] ⁽⁶⁾	-	-	[9.8, 64.6] ⁽⁶⁾
	Availability of	-	-	-	-	100.0	-	-	100.0
	credentials	-	-	-	-	(1)	-	95% CI) (95% CI)	(1)
North Fact	Availability of	-	-	-	-	0.0	-	-	0.0
NOI (II Last	equipment	-	-	-	-	(1)	-	-	(1)
North Central North East North West	Service	-	-	-	-	0.0	-	-	0.0
	readiness	-	-	-	-	(1)	-	-	(1)
	Availability of	81.0	-	-	81.0	-	-	-	-
	credentials	[13.0, 99.2] (3)	-	-	[13.0, 99.2] (3)	-	-	-	-
North West	Availability of	81.0	-	-	81.0	=	-	-	-
North West	equipment	[13.0, 99.2] (3)	-	-	[13.0, 99.2] (3)	-	-	-	-
	Service	81.0	-	-	81.0	-	-	-	-
	readiness	[13.0, 99.2] (3)	-	-	[13.0, 99.2] (3)	-	-	-	-
	Availability of	-	-	-	-	100.0	-	-	100.0
South East	credentials	-	-	-	-	[100.0,100.0] ⁽⁵⁾	-	-	[100.0,100.0] ⁽⁵⁾
Journ Lust	Availability of	-	-	-	-	80.4	-	-	80.4
	equipment	-	-	-	-	[6.4, 99.6] ⁽⁵⁾	-	-	[6.4, 99.6] ⁽⁵⁾

Table B11: Service readiness* to provide provider-dependent contraceptive services, among outlets reportedly offering the procedure, by outlet type – by Geopolitical Zone, 2015

		Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total [†]
Proportion of outlets offering		% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾
service, with [‡] :		(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	Service	-	-	-	-	80.4	-	-	80.4
	readiness	-	-	-	-	[6.4, 99.6] ⁽⁵⁾	-	-	[6.4, 99.6] ⁽⁵⁾
	Availability of	-	-	-	-	100.0	-	-	100.0
	credentials	-	-	-	-	[100.0,100.0] ⁽³⁾	-	-	[100.0,100.0] ⁽³⁾
South South	Availability of	-	-	-	-	100.0	-	-	100.0
30utii 30utii	equipment	-	-	-	-	$[0.0, 0.0]^{(3)}$	-	-	[100.0,100.0] ⁽³⁾
	Service	-	-	-	-	100.0	-	-	100.0
	readiness	-	-	-	-	[100.0,100.0] ⁽³⁾	-	-	[100.0,100.0](3)
	Availability of	100.0	-	100.0	100.0	82.9	-	-	82.9
	credentials	(1)	-	(1)	[100.0,100.0] (2)	[79.1, 86.2] ⁽²⁷⁾	-	-	[79.1, 86.2] ⁽²⁷⁾
South West	Availability of	100.0	-	0.0	56.2	79.5	-	-	79.5
	equipment	(1)	-	(1)	[56.2, 56.2] ⁽²⁾	[72.2, 85.4] ⁽²⁷⁾	-	-	[72.2, 85.4] ⁽²⁷⁾
	Service	100.0	-	0.0	56.2	79.5	-	-	79.5
	readiness	(1)	-	(1)	[56.2, 56.2] ⁽²⁾	[72.2, 85.4] ⁽²⁷⁾	-	-	[72.2, 85.4] ⁽²⁷⁾


^{*} Full service readiness is defined as having available: 1. The commodity (not applicable for male/female sterilization); 2. A provider with credentials meeting the guidelines to perform the service (http://www.healthpolicyproject.com/ns/docs/CIP_Nigeria.pdf); and 3. A minimum set of sentinel equipment (http://www.cpc.unc.edu/measure/prh/rh_indicators/specific/long-acting-permanent-methods/percent-of-facilities-with-appropriate) for providing the service. Observations that are missing information for commodity availability, provider credentials, or equipment are excluded from the 'service readiness' denominator.

[†] In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs. This category excludes General Retailers/Kiosks.

[‡] One rural outlet in the South West region reported offering female tubal litigation, however equipment data is missing for that outlet and is therefore excluded from the denominator.

Figure B1. Modern contraceptive method market composition – Geopolitical Zones, 2015


Among all outlets stocking at least 1 modern contraceptive or providing at least 1 contraceptive service, by outlet type



Comparing contraceptive market composition by geopolitical zones, the private sector accounted for a higher range of the market composition in the Southern zones (91 – 96 percent) compared to Northern zones (65 – 74 percent). In the Southern zones, PPMVs accounted for about three-quarters of market composition compared to about two-thirds in Northern zones. Public facilities comprised about one-third of the market composition particularly in the North East and North West zones. CHWs were only an appreciable portion of the market composition in the South East zone and general retailers commonly stocked at least one method above the level of condoms in the South East (6 percent).

Figure B2. Percentage of modern contraceptive commodity-stocking outlets with selected non-hormonal short-acting contraceptives available – Geopolitical Zones, 2015


Among all screened outlets, by outlet type




There were few general trends in availability of non-hormonal short-acting methods by sector comparing the zones. Availability of male and female condoms was the lowest in the public sector outlets of the North West and South West zones. However, there was higher availability of cyclebeads in the public sector of the North West compared to other zones. There was also lower availability of most non-hormonal short-acting methods in the private sector in the North West zone compared to others.

Figure B3. Percentage of modern contraceptive commodity-stocking outlets with selected hormonal short-acting contraceptives available – Geopolitical Zones, 2015

Among all screened outlets, by outlet type






Comparing availability of hormonal short-acting methods between zones, there was higher availability of all methods in the public sector of the North East and South South zones while most methods were less commonly stocked in the South East and South West public sectors. Comparatively, the private sectors in the North East and South East zones appeared to have lower availability across hormonal short-acting methods.

Figure B4. Percentage of modern contraceptive commodity-stocking outlets with selected long-acting contraceptives available – Geopolitical Zones, 2015

Among all screened outlets, by outlet type



LARC methods only appeared available to an appreciable degree in the public sector in the South South zone. Very few public or private sector outlets had LARC methods available in either the North West or South East zones.

Figure B5. Percentage of outlets with selected method mixes available – Geopolitical Zones, 2015 Among all screened outlets, by outlet type **North East North West North Central** 100 80 60 40 20 0 Private Total **Public Total Private Total Public Total Public Total** Private Total Any modern method ■ 3+ methods with LARC/PM ■ 3+ methods 5+ methods **South East South South South West** 100 80 60 40 20 0 **Public Total** Private Total **Public Total Public Total** Private Total Private Total


Any modern method 3+ methods 3+ methods with LARC/PM 5+ methods

The majority of public sector outlets in the North East zone had three or more methods available compared to one-third or less of public sector outlets in the North Central and North West zones. In the South South zone, more than three-quarters of public sector outlets had three or more methods available and nearly two-quarters had five or methods available, considerably higher compared to all other regions. About 20 percent of private sector outlets had three or more methods available in the South South zone compared to 10 percent for South East and


South West zones.


Figure B6. Percentage of outlets with stock outs of selected contraceptive methods – Geopolitical Zones, 2015

Among all outlets reportedly stocking the method at any time in the previous three months, by outlet type



For those methods with higher availability (less variation in 95% Cis), there were considerably higher reports of stock outs for oral contraceptives (> 25 percent) in public sector outlets in the North Central, North West and South West zones compared to others. There were also considerably higher reported stock outs of contraceptive injectables (> 50 percent) in the public sector of the South West zone and in the private sector of the North Central and South West zones.






While prices were generally comparable across zones, prices tended to be higher in Southern zones compared to other zones, particularly for oral contraceptives, emergency contraceptives and injectables.

Figure B8. Percentage market share for contraceptives methods – Geopolitical Zones, 2015


As a % of total CYP sold/distributed, by outlet type and sector




In the North Central, South East and South West zones, the public sector accounted for less than 20 percent of the CYP volume reportedly distributed in the zone with the private sector accounting for over 80 percent. In the South South, the public sector accounted for about one-quarter of the total CYP volume compared to three-quarters from the private sector. In the North East and North West, the public sector was dominant, accounting for nearly 60 percent and two-thirds of the total CYP volume, respectively. By method, in the North West and North East, the market share was highest for public sector implants and injectables. In the private sector, male condoms accounted for a much higher market share in the North East, South East and South West zones. Variance was seen in the remaining private sectors with implants dominant in the South South, injectables in the North West and a much higher share of IUDs in the North Central zone.

Figure B9. Within outlet market share for contraceptive methods – Geopolitical Zones, 2015

As a % of total CYP sold/distributed within outlet type and sector, by outlet type and sector



Comparing within sector market share by zones, the public sector in the North Central zone was very dominated by distribution of injectables and from a combination of injectables and implants in the other Northern zones. In the South, the within market share for the South East was largely from injectables and implants, in the South South from implants and male condoms and in the South West from injectables, implants and IUDs. In the private sector, the North Central zone market share came largely from a combination of IUDs and implants, injectables in the North East zone and male condoms and injectables in the North West. In the South East and South West private sectors, the majority of within sector market share came from male condoms while it predominantly came from implants in the South South.



Availability of contraceptive injections was above 50 percent in northern zone public sectors. The highest availability of injection, implant and IUD services was observed in the public sector of the South South zone. Low service availability was seen in the private sectors across zones. Availability of implant insertion only surpassed 20% in the public sectors of the South South zone and the South West zone (half and one-quarter, respectively). The only appreciable percentage of male sterilization services was observed in the public sector of the North East.

Figure B11. Service readiness to offer provider-dependent contraceptive services among outlets reportedly offering services, by sector – Geopolitical Zones, 2015 Among all screened outlets reportedly offering services **North Central North West North East** 100 80 60 40 20 **Public Total Private Total Public Total Private Total Public Total Private Total** ■ IUD insertions Contraceptive injections ■ Implant insertions ■ Male sterilizations ■ Female sterilizations **South East South West South South** 100 80 60 40 20 **Public Total Public Total Private Total Public Total Private Total Private Total** ■ Female sterilizations Contraceptive injections ■ Implant insertions ■ IUD insertions ■ Male sterilizations

Among outlets reportedly offering the respective contraceptive services, service readiness for injections, implant insertion and IUD insertion varied widely across regions and sectors. Service readiness for male sterilization was high in the private sector of all zones except for North Central and South South, and female sterilization was high in the private sectors of the South East, South South, and South West zones. Across methods, service readiness was particularly low in the private sector of the North West zone.

www.FPwatch.info

Results Section C: Core Indicators by Urban vs. Rural Stratification

Table C1: Modern contraceptive method market composition: Relative proportion of outlets with 1 or more methods, by outlet type – Urban/Rural, 2015

type Orban, Karai, 2									
	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total*
Proportion of outlet types stocking / providing at least 1 modern contraceptive method on the day of the survey, of all outlets stocking / providing at least 1 modern contraceptive method†:	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
Any method available, including condoms only outlets‡									
Urban; N=2,926	2.5 (1.3,4.8)	0.0 (0.0,0.3)	0.1 (0.0,0.5)	2.6 (1.4,5.0)	3.0 (1.9,4.8)	6.3 (3.5,11.2)	75.5 (50.8,90.3)	12.5 (3.4,36.7)	97.4 (95.1,98.7)
Rural; N=621	12.2 (7.3,19.7)	1.9 (0.4,8.8)	0.0 (0.0,0.4)	14.2 (8.8,22.2)	8.9 (3.5,21.1)	0.7 (0.2,2.3)	65.5 (52.8,76.4)	10.7 (3.1,31.4)	85.8 (77.9,91.2)
Any method available, excluding condoms only outlets [§]									
Urban; N=1,821	3.9 (2.2,6.9)	0.0	0.0 (0.0,0.2)	3.9 (2.2,6.9)	4.6 (2.7,7.7)	10.2 (5.7,17.7)	80.3 (69.8,87.8)	1.0 (0.5,1.9)	96.1 (93.1,97.8)
Rural; N=424	16.8 (8.0,32.0)	3.0 (0.5,15.3)	0.1 (0.0,0.6)	19.8 (9.4,37.0	11.0 (6.0,19.4)	0.7 (0.2,2.5)	67.6 (58.0,76.0)	0.8 (0.1,5.6)	80.2 (63.0,90.6)

^{*} In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies, PPMVs and General Retailer/Kiosks.

[†] Family planning commodity stocking outlets have at least one family planning commodity in stock on the day of the survey, verified by the presence of at least one family planning commodity recorded in an audit sheet. There were 44 family planning commodity stocking outlets with partially completed interviews, which were thus excluded from the denominator. In urban areas, there were 37 incomplete interviews. In rural areas there were 7 incomplete interviews.

Includes: male condoms, female condoms, oral contraceptives, emergency contraceptives, injectables, implants, and IUDs.

[§] Includes: oral contraceptives, emergency contraceptives, injectables, implants, and IUDs.

	Public	Community			Private For-					
	Health Facility	Health Worker	Private Not- For-Profit	Public Total	Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
Proportion of outlets screened, stocking / providing [†] :	U: N=107 R: N=107	U: N=2 R: N=10	U: N=11 R: N= 4	U: N=120 R: N= 121	U: N=274 R: N= 59	U: N=214 R: N=16	U: N=2,231 R: N= 570	U: N=2,719 R: N=645	U: N=7,829 R: N= 1,933	U: N=10,668 R: N= 2,699
Any modern method										
Urban	72.1 (51.2, 86.5)	58.0 (6.1, 96.7)	8.5 (0.7, 55.8)	57.9 (34.0, 78.6)	37.5 (26.8, 49.6)	97.0 (94.0, 98.5)	89.4 (85.2, 92.5)	85.6 (80.9, 89.3)	4.6 (1.5, 13.8)	26.8 (21.2, 33.3)
Rural	71.6 (59.4, 81.3)	47.1 (10.3, 87.4)	8.8 (0.7, 57.9)	65.5 (51.8, 77.0)	67.7 (32.9, 89.9)	100.0	77.9 (64.6, 87.1)	76.7 (62.4, 86.7)	3.2 (0.8, 12.4)	22.2 (17.7, 27.5)
Any short-acting method										
Urban	72.1 (51.1, 86.4)	58.0 (6.1, 96.7)	8.5 (0.7, 55.8)	57.9 (34.0, 78.6)	31.7 (22.2, 43.0)	97.0 (94.0, 98.5)	89.4 (85.2, 92.5)	85.1 (80.5, 88.9)	4.6 (1.5, 13.8)	26.7 (21.1, 33.1)
Rural	71.6 (59.4, 81.3)	47.1 (10.3, 87.4)	8.8 (0.7, 57.9)	65.5 (51.8, 77.0)	67.7 (32.9, 89.9)	100.0	77.9 (64.6, 87.1)	76.7 (62.4, 86.7)	3.2 (0.8, 12.4)	22.2 (17.7, 27.5)
Any LARC method										
Urban	40.3 (26.4, 56.0)	0.0	1.7 (0.2, 15.0)	31.3 (20.0, 45.5)	16.6 (9.5, 27.2)	1.4 (0.5, 4.2)	0.1 (0.0, 0.4)	1.6 (0.8, 2.9)	0.0	0.8 (0.5, 1.2)
Rural	25.3 (13.5, 42.2)	0.0	0.0	19.9 (11.4, 32.4)	32.2 (17.5, 51.5)	0.0	0.0	4.3 (1.6, 10.9)	0.0	1.9 (1.3, 2.8)
Any permanent method										
Urban	2.1 (0.9, 4.7)	0.0	1.6 (0.1, 15.5)	2.0 (0.8, 5.0)	10.3 (5.5, 18.4)	0.0	0.0	0.8 (0.3, 2.3)	0.0 -	0.2 (0.1, 0.6)
Rural	0.9 (0.1, 6.1)	0.0	0.0	0.7 (0.1, 5.0)	11.1 (3.3, 31.2)	0.0	0.0	1.5 (0.3, 6.9)	0.0	0.4 (0.1, 1.4)
Any LARC/PM										
Urban	41.1 (27.0, 56.9)	0.0	1.7 (0.2, 15.0)	31.9 (20.3, 46.3)	22.5 (14.9, 32.5)	1.4 (0.5, 4.2)	0.1 (0.0, 0.4)	2.1 (1.1, 3.8)	0.0 -	0.9 (0.6, 1.4)
Rural	26.1 (14.6, 42.4)	0.0	0.0	20.6 (12.2, 32.6)	32.6 (18.0, 51.6)	0.0	0.0	4.4 (1.7, 10.8)	0.0	1.9 (1.3, 2.8)

^{*} In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs. This category excludes General Retailers/Kiosks.

[†] The denominator includes 68 outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview). The denominator includes 58 urban outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview) and 10 rural outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial

Table C2: Availa	bility of mo	dern contr	aceptive me	ethod types,	, among ou	tlets scree	ned, by outle	et type – Urb	an/Rural, 20	15
	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
Proportion of outlets screened, stocking / providing†:	U: N=107 R: N=107	U: N=2 R: N=10	U: N=11 R: N= 4	U: N=120 R: N= 121	U: N=274 R: N= 59	U: N=214 R: N=16	U: N=2,231 R: N= 570	U: N=2,719 R: N=645	U: N=7,829 R: N= 1,933	U: N=10,668 R: N= 2,699
Source: FPwatch Outlet	interview). Survey, Nigeria, 2	2015								

Table C3: Availa	ability of se	lected conti	aceptive m	ethods, am	ong outlets	screened,	by outlet ty	pe – Urban/I	Rural, 2015	
	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
Proportion of outlets screened, currently stocking†:	U: N=107 R: N=107	U: N=2 R: N=10	U: N=11 R: N= 4	U: N=120 R: N= 121	U: N=274 R: N= 59	U: N=214 R: N=16	U: N=2,231 R: N= 570	U: N=2,719 R: N=645	U: N=7,829 R: N= 1,933	U: N=10,668 R: N= 2,699
Male condoms										
Urban	59.6 (41.9, 75.1)	58.0 (6.1, 96.7)	7.0 (0.6, 49.1)	48.0 (28.7, 67.8)	19.0 (12.5, 27.7)	93.5 (86.1, 97.1)	83.3 (77.2, 88.1)	78.7 (72.1, 84.0)	4.6 (1.5, 13.8)	24.9 (19.6, 31.0)
Rural	53.5 (39.6, 66.9)	0.0	8.8 (0.7, 57.9)	42.2 (32.5, 52.6)	47.6 (24.6, 71.6)	98.4 (85.6, 99.8)	71.1 (56.7, 82.2)	68.1 (54.7, 79.1)	3.2 (0.8, 12.4)	19.2 (15.5, 23.7)
Female condoms										
Urban	47.8 (31.3, 64.8)	0.0	5.8 (0.5, 43.3)	38.0 (23.0, 55.6)	5.7 (2.5, 12.3)	15.3 (7.4, 29.1)	2.9 (1.7, 5.0)	4.0 (2.3, 6.8)	0.0 (0.0, 0.2)	1.5 (1.1, 2.2)
Rural	35.1 (24.5, 47.4)	0.0	0.0	27.5 (17.8, 40.1)	10.9 (3.1, 31.6)	1.6 (0.2, 14.1)	3.4 (1.0, 10.6)	4.4 (1.9, 9.7)	0.5 (0.1, 3.6)	2.7 (1.5, 4.6)
Cyclebeads										
Urban	22.4 (10.6, 41.4)	0.0	0.1 (0.0, 1.2)	17.2 (7.1, 36.2)	0.1 (0.0, 0.5)	0.2 (0.0, 1.7)	1.1 (0.4, 2.9)	0.9 (0.4, 2.3)	0.0	0.5 (0.2, 0.9)
Rural	5.7 (2.3, 13.3)	0.0	0.0	4.5 (1.8, 10.9)	3.4 (0.6, 17.6)	0.0	1.3 (0.4, 3.7)	1.5 (0.6, 3.6)	0.0	0.6 (0.3, 1.1)
Oral contraceptives										
Urban	60.3 (42.4, 75.9)	0.0	0.1 (0.0, 1.2)	46.3 (29.1, 64.4)	15.8 (10.1, 24.0)	83.5 (72.2, 90.9)	51.6 (44.4, 58.8)	50.8 (44.6, 56.9)	0.2 (0.1, 0.4)	14.2 (11.5, 17.4)
Rural	48.4 (35.5, 61.6)	3.9 (0.4, 30.5)	8.8 (0.7, 57.9)	39.1 (25.6, 54.4)	45.9 (22.3, 71.6)	50.5 (24.0, 76.7)	50.6 (27.5, 73.4)	49.9 (27.4, 72.5)	0.2 (0.0, 1.2)	12.9 (9.3, 17.5)
Combined oral contraceptives	,		,		,					
Urban	56.6 (40.0, 71.9)	0.0	0.1 (0.0, 1.2)	43.5 (27.7, 60.7)	15.5 (9.8, 23.7)	83.5 (72.2, 90.9)	51.6 (44.4, 58.8)	50.7 (44.6, 56.8)	0.2 (0.1, 0.4)	14.2 (11.4, 17.4)
Rural	43.3 (29.8, 57.8)	3.9 (0.4, 30.5)	8.8 (0.7, 57.9)	35.0 (22.2, 50.5)	45.9 (22.3, 71.6)	50.5 (24.0, 76.7)	50.4 (27.4, 73.3)	49.8 (27.3, 72.4)	0.2 (0.0, 1.2)	12.6 (9.1, 17.3)
Progestin-only pills	. , 1	, , = = = ,	, , /	, , , 1		, , - ,	, , /			, -,
Urban	51.8 (34.9, 68.2)	0.0	0.1 (0.0, 1.2)	39.8 (24.7, 57.0)	0.9 (0.3, 2.7)	0.1 (0.0, 0.8)	0.4 (0.1, 2.2)	0.4 (0.1, 1.8)	0.0	0.6 (0.3, 1.1)
Rural	36.9	0.0	8.8	29.3	0.1	0.0	0.3	0.3	0.0	1.5

Table C3: Avail	ability of se	lected conti	aceptive m	nethods, am	ong outlets	screened,	by outlet ty	pe – Urban/I	Rural, 2015	
	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
Proportion of outlets screened, currently stocking†:	U: N=107 R: N=107	U: N=2 R: N=10	U: N=11 R: N= 4	U: N=120 R: N= 121	U: N=274 R: N= 59	U: N=214 R: N=16	U: N=2,231 R: N= 570	U: N=2,719 R: N=645	U: N=7,829 R: N= 1,933	U: N=10,668 R: N= 2,699
	(23.2, 53.1)	-	(0.7, 57.9)	(17.4, 44.8)	(0.0, 1.3)	-	(0.1, 1.1)	(0.1, 1.0)	-	(0.8, 2.8)
Emergency contraceptives										
Urban	0.0	0.0	0.0	0.0	2.2 (0.8, 6.3)	63.0 (50.7, 73.8)	10.0 (4.9, 19.6)	12.9 (6.8, 23.1)	0.0 (0.0, 0.2)	3.5 (2.4, 4.9)
Rural	0.1 (0.0, 0.4)	0.0	0.0	0.0 (0.0, 0.4)	10.3 (2.7, 32.5)	67.9 (45.3, 84.4)	9.7 (3.9, 21.9)	10.1 (4.1, 22.7)	0.0	2.2 (1.0, 4.9)
Contraceptive injectables	(6.6, 6.1)			(0.0, 0.1)	(2.7, 32.3)	(13.3, 61.1)	(3.3, 21.3)	(11.1) 22.17		(1.0, 1.3)
Urban	64.0 (45.9, 78.9)	0.0	1.7 (0.2, 15.0)	49.5 (30.6, 68.6)	20.7 (14.6, 28.7)	63.1 (38.6, 82.3)	7.3 (2.7, 18.6)	12.1 (6.3, 22.0)	0.0	3.8 (2.6, 5.6)
Rural	57.8 (41.4, 72.6)	43.2 (8.2, 86.7)	8.8 (0.7, 57.9)	53.9 (43.1, 64.3)	36.6 (22.0, 54.3)	54.2 (28.0, 78.3)	4.7 (2.4, 9.0)	9.3 (6.0, 14.0)	0.0	4.6 (3.5, 6.0)
Depo-provera injectables	(41.4, 72.0)	(8.2, 80.7)	(0.7, 37.9)	(43.1, 04.3)	(22.0, 34.3)	(28.0, 78.3)	(2.4, 3.0)	(0.0, 14.0)	-	(3.3, 0.0)
Urban	60.1 (42.5, 75.4)	0.0	1.7 (0.2, 15.0)	46.5 (28.9, 64.9)	17.8 (12.7, 24.3)	58.7 (36.0, 78.2)	6.2 (2.2, 16.7)	10.7 (5.5, 19.5)	0.0	3.4 (2.3, 4.9)
Rural	55.2 (38.8, 70.5)	1.0 (0.1, 10.4)	8.8 (0.7, 57.9)	43.9 (27.8, 61.3)	22.9 (14.7, 34.0)	45.7 (21.1, 72.7)	4.0 (1.9, 8.1)	6.8 (4.6, 10.1)	0.0	3.6 (2.4, 5.4)
Noristerat injectables	(0010) 1010)	(012) 2011)	(011) 0110)	(=::::)	(=, =)	(==:=) : =::)	(===, ===,	(110) = 012)		(=::,, =:::,
Urban	59.7 (42.4, 74.9)	0.0	1.7 (0.2, 15.0)	46.1 (28.5, 64.8)	12.9 (8.3, 19.3)	51.0 (26.4, 75.1)	5.2 (1.7, 14.9)	8.8 (4.5, 16.5)	0.0	2.9 (1.9, 4.5)
Rural	47.2 (33.3, 61.5)	43.2 (8.2, 86.7)	8.8 (0.7, 57.9)	45.6 (35.4, 56.2)	29.2 (13.6, 52.0)	52.6 (26.5, 77.4)	3.0 (1.5, 5.9)	6.8 (3.8, 11.8)	0.0	3.7 (2.9, 4.6)
Sayana Press injectables	(22.2) (2.3)	(==, ==, ,	(=::, =::)	(22:1,00.2)	(====)	(====/////	(=:=) 3:3)	(5.5, 22.6)		(===;)
Urban	0.0	0.0	0.0	0.0	0.8 (0.2, 3.1)	1.2 (0.5, 3.3)	1.1 (0.2, 7.4)	1.1 (0.2, 5.6)	0.0	0.3 (0.1, 1.3)
Rural	0.0	0.0	0.0	0.0	0.0	0.0	0.1 (0.0, 0.7)	0.1 (0.0, 0.6)	0.0	0.0 (0.0, 0.1)

Table C3: Availa	ability of se	iectea conti	aceptive m	ietnoas, am		screenea,	by outlet ty	pe – Orbanyi	nui ai, 2015	
	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
Proportion of outlets screened, currently stocking†:	U: N=107 R: N=107	U: N=2 R: N=10	U: N=11 R: N= 4	U: N=120 R: N= 121	U: N=274 R: N= 59	U: N=214 R: N=16	U: N=2,231 R: N= 570	U: N=2,719 R: N=645	U: N=7,829 R: N= 1,933	U: N=10,668 R: N= 2,699
Implants										
Urban	37.8 (23.9, 54.1)	0.0	0.1 (0.0, 1.2)	29.0 (18.1, 43.1)	6.5 (2.8, 14.6)	0.7 (0.1, 4.7)	0.0 (0.0, 0.4)	0.6 (0.2, 1.8)	0.0	0.5 (0.3, 0.9)
Rural	21.5 (9.8, 40.7)	0.0	0.0	16.9 (8.4, 31.1)	29.6 (14.4, 51.3)	0.0	0.0	4.0 (1.4, 11.1)	0.0	1.7 (1.1, 2.7)
Implanon implants										
Urban	36.3 (22.4, 52.9)	0.0	0.1 (0.0, 1.2)	27.9 (17.1, 41.9)	2.0 (0.8, 5.0)	0.0	0.0 (0.0, 0.4)	0.2 (0.1, 0.6)	0.0	0.4 (0.2, 0.7)
Rural	21.2 (9.6, 40.7)	0.0	0.0	16.7 (8.2, 31.1)	27.1 (10.6, 53.9)	0.0	0.0	3.6 (1.0, 12.2)	0.0	1.6 (1.0, 2.6)
Jadelle implants										
Urban	31.8 (18.7, 48.6)	0.0	0.1 (0.0, 1.2)	24.4 (14.7, 37.8)	5.7 (2.3, 13.5)	0.7 (0.1, 4.7)	0.0 (0.0, 0.4)	0.6 (0.2, 1.7)	0.0	0.4 (0.3, 0.8)
Rural	13.6 (4.8, 33.0)	0.0	0.0	10.7 (3.7, 27.4)	29.6 (14.4, 51.3)	0.0	0.0	4.0 (1.4, 11.1)	0.0	1.4 (0.8, 2.3)
IUDs	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			, , ,	, , , , , ,			, -,		(==, =,
Urban	23.0 (13.6, 36.4)	0.0	1.7 (0.2, 15.0)	18.1 (11.5, 27.3)	15.3 (8.7, 25.5)	0.7 (0.3, 1.9)	0.1 (0.0, 0.3)	1.4 (0.7, 2.6)	0.0	0.6 (0.4, 0.9)
Rural	15.7 (6.9, 31.9)	0.0	0.0	12.3 (5.8, 24.3)	21.8 (14.3, 31.9)	0.0	0.0	2.9 (1.5, 5.7)	0.0	1.2

^{*} In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs. This category excludes General Retailers/Kiosks.

[†] The denominator includes 68 outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview). The denominator includes 58 urban outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview) and 10 rural outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview).

Table C4: Avail	ability of m	odern contr	aceptive m	ethod diver	sity, among	outlets sc	reened, by o	outlet type –	Urban/Rural	, 2015
	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
Proportion of outlets screened, currently stocking / providing†:	U: N=107 R: N=107	U: N=2 R: N=10	U: N=11 R: N= 4	U: N=120 R: N= 121	U: N=274 R: N= 59	U: N=214 R: N=16	U: N=2,231 R: N= 570	U: N=2,719 R: N=645	U: N=7,829 R: N= 1,9333	U: N=10,666 R: N= 2,699
3+ methods [‡]										
Urban	64.5 (46.7, 78.9)	0.0	1.7 (0.2, 15.0)	49.8 (30.9, 68.8)	18.3 (12.3, 26.3)	76.6 (62.4, 86.5)	11.5 (6.0, 20.9)	16.3 (9.4, 26.9)	0.0	4.9 (3.8, 6.4)
Rural	46.1 (35.0, 57.6)	0.0	8.8 (0.7, 57.9)	36.5 (27.2, 47.0)	32.4 (18.3, 50.6)	69.5 (45.9, 86.0)	11.3 (5.4, 22.1)	14.5 (7.0, 27.6)	0.0 -	4.9 (3.6, 6.6)
3+ methods with LARC										
Urban	40.3 (26.4, 56.0)	0.0	1.7 (0.2, 15.0)	31.3 (20.0, 45.4)	11.7 (6.6, 19.8)	1.4 (0.5, 4.2)	0.1 (0.0, 0.4)	1.1 (0.5, 2.3)	0.0 -	0.7 (0.4, 1.1)
Rural	25.3 (13.5, 42.2)	0.0	0.0	19.9 (11.4, 32.4)	29.9 (14.8, 51.2)	0.0	0.0	4.0 (1.4, 11.1)	0.0 -	1.8 (1.2, 2.8)
3+ methods with LARC/PM										
Urban	41.0 (26.8, 56.8)	0.0	1.7 (0.2, 15.0)	31.8 (20.2, 46.2)	16.6 (10.7, 24.9)	1.4 (0.5, 4.2)	0.1 (0.0, 0.4)	1.5 (0.7, 2.8)	0.0	0.8 (0.5, 1.2)
Rural	26.1 (14.6, 42.4)	0.0	0.0	20.6 (12.2, 32.6)	30.8 (15.5, 51.7)	0.0	0.0	4.0 (1.4, 11.1)	0.0	1.9 (1.3, 2.8)
5+ methods§										
Urban	36.3 (23.4, 51.5)	0.0	0.1 (0.0, 1.2)	27.9 (18.0, 40.4)	8.3 (4.6, 14.5)	7.9 (4.7, 12.9)	0.2 (0.1, 0.9)	1.4 (0.6, 3.1)	0.0	0.7 (0.5, 1.1)
Rural	22.7 (13.3, 36.0)	0.0	0.0	17.9 (10.0, 29.8)	13.3 (5.9, 27.3)	1.6 (0.2, 14.1)	0.2 (0.0, 1.5)	1.9 (0.7, 5.3)	0.0	1.3 (0.9, 1.9)

^{*} In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs. This category excludes General Retailers/Kiosks.

[†] The denominator includes 68 outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview). The denominator includes 58 urban outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview) and 10 rural outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview).

^{‡ 3} or more among: male condoms, female condoms, cyclebeads, oral contraceptives, emergency contraceptives, injectables, implants, IUDs commodities and/or male sterilizations, female sterilizations services. No other modern contraceptive methods were found in sampled outlets.

^{§ 5} or more among: male condoms, female condoms, cyclebeads, oral contraceptives, emergency contraceptives, injectables, implants, IUDs commodities and/or male sterilizations, female sterilizations services. No other modern contraceptive methods were found in sampled outlets.

Table C5: Current stock out* of selected modern contraceptive commodities on day of survey, among outlets reportedly stocking method in previous 3 months, by outlet type – Urban/Rural, 2015

	Public Health Facility	Community Health Workers	Private Not- For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer / Kiosk	Private Total [†]	Total
Proportion of outlets stocking method in previous 3 months, stocked out of [‡] :	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)	% ⁽ⁿ⁾ (95% CI)
Oral contraceptives										
Urban	2.1 ⁽⁷⁰⁾ (0.5, 8.2)	-	0.0 (1)	2.1 ⁽⁷¹⁾ (0.5, 8.2)	23.1 ⁽⁷⁰⁾ (10.6, 43.2)	2.3 ⁽¹⁷³⁾ (1.1, 4.9)	13.4 ⁽¹⁵³³⁾ (9.5, 18.7)	6.3 ⁽²⁷⁾ (1.4, 23.6)	12.6 ⁽¹⁸⁰³⁾ (8.8, 17.6)	12.2 ⁽¹⁸⁷⁴⁾ (8.5, 17.2)
Rural	15.6 ⁽⁶¹⁾ (4.8, 40.7)	93.7 ⁽³⁾ (46.8, 99.6)	0.0 (1)	31.5 ⁽⁶⁵⁾ (13.2, 58.2)	23.9 ⁽²³⁾ (17.4, 31.9)	35.1 ⁽¹²⁾ (6.4, 81.2)	7.8 ⁽³³³⁾ (3.1, 18.1)	54.2 ⁽⁵⁾ (4.9, 96.4)	11.3 ⁽³⁷³⁾ (6.6, 18.6)	15.0 ⁽⁴³⁸⁾ (9.3, 23.3)
Emergency contraceptives										
Urban	100.0 (1)	-	-	100.0 (1)	33.2 ⁽¹⁰⁾ (12.4, 63.5)	4.2 ⁽¹¹³⁾ (1.4, 11.5)	28.3 ⁽⁴⁰⁹⁾ (13.6, 49.7)	29.2 ⁽⁹⁾ (4.9, 76.7)	22.1 ⁽⁵⁴¹⁾ (11.1, 39.3)	22.2 ⁽⁵⁴²⁾ (11.1, 39.3)
Rural	0.0 (1)	100.0 (1)	-	98.6 ⁽²⁾ (73.6, 99.9)	50.9 ⁽⁴⁾ (48.4, 53.4)	0.0 (10)	31.1 ⁽⁸²⁾ (18.2, 47.9)	0.0 (1)	33.8 ⁽⁹⁷⁾ (24.3, 44.9)	36.5 ⁽⁹⁹⁾ (25.7, 48.8)
Contraceptive injectables										, , ,
Urban	3.2 ⁽⁷⁵⁾ (1.3, 7.3)	100.0 (1)	58.2 ⁽³⁾ (7.1, 96.2)	5.0 ⁽⁷⁹⁾ (1.6, 14.8)	22.5 ⁽⁹²⁾ (10.7, 41.4)	1.0 ⁽¹²⁰⁾ (0.2, 4.7)	39.0 ⁽²⁷⁹⁾ (14.9, 70.0)	0.0 (1)	27.2 ⁽⁴⁹²⁾ (11.5, 51.8)	24.5 ⁽⁵⁷¹⁾ (10.6, 47.1)
Rural	11.3 ⁽⁶⁹⁾ (3.4, 31.5)	31.0 ⁽⁴⁾ (2.9, 87.2)	0.0 (1)	15.0 ⁽⁷⁴⁾ (7.0, 29.3)	27.9 ⁽²⁵⁾ (19.3, 38.6)	2.9 ⁽⁹⁾ (0.3, 25.9)	65.8 ⁽¹⁰⁹⁾ (39.9, 84.7)	-	50.9 ⁽¹⁴³⁾ (32.8, 68.7)	35.6 ⁽²¹⁷⁾ (22.7, 51.0)
Implants										
Urban	2.0 ⁽⁴³⁾ (0.3, 12.5)	-	0.0 (1)	2.0 ⁽⁴⁴⁾ (0.3, 12.5)	34.2 ⁽⁴⁰⁾ (15.0, 60.4)	0.0 (1)	88.5 ⁽⁴⁾ (33.6, 99.2)	-	47.5 ⁽⁴⁵⁾ (20.4, 76.1)	23.3 ⁽⁸⁹⁾ (10.8, 43.3)
Rural	5.5 ⁽²¹⁾ (0.9, 26.8)	-	-	5.5 ⁽²¹⁾ (0.9, 26.8)	1.9 ⁽⁷⁾ (0.1, 21.1)	-	-	-	1.9 ⁽⁷⁾ (0.1, 21.1)	3.7 ⁽²⁸⁾ (0.8, 15.2)
IUDs	, , , , ,				, , ,				, , ,	, , ,
Urban	0.0 ⁽³⁹⁾	-	0.0 ⁽²⁾	0.0 (41)	30.0 ⁽⁷⁰⁾ (24.5, 36.1)	19.8 ⁽⁹⁾ (3.5, 62.7)	44.6 ⁽¹¹⁾ (15.7, 77.7)	-	30.6 ⁽⁹⁰⁾ (24.6, 37.4)	21.7 ⁽¹³¹⁾ (17.0, 27.2)
Rural	5.6 ⁽¹⁵⁾ (0.6, 36.3)	-	-	5.6 ⁽¹⁵⁾ (0.6, 36.3)	3.2 ⁽¹¹⁾ (0.5, 18.3)	-	-	-	3.2 ⁽¹¹⁾ (0.5, 18.3)	4.4 ⁽²⁶⁾ (0.9, 18.8)

^{*} This indicator is among all screened outlets. It does not account for whether the outlet is expected to provide the commodity according to national regulations. It is a point-in-time stock out indicator from http://www.rhsupplies.org/fileadmin/uploads/rhsc/Issues/Addressing_Stockouts/Takestock/Documents/Using-the_Power_of_Partnership_to_Speak_the_same_Languageoon_Stockouts.pdf. It is defined as the percentage of facilities reporting that they have stocked the method in the previous 3 months but were stocked out on the day of the assessment.

Table C5: Current stock out* of selected modern contraceptive commodities on day of survey, among outlets reportedly stocking method in previous 3 months, by outlet type – Urban/Rural, 2015

	Public Health Facility	Community Health Workers	Private Not- For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer / Kiosk	Private Total [†]	Total
Proportion of outlets stocking method in previous 3 months, stocked out of*:	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾	% ⁽ⁿ⁾
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)

[†] In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies, PPMVs and General Retailer/Kiosks.

[†] The denominator includes 68 outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview). The denominator includes 58 urban outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview) and 10 rural outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview).

Table C6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – Urban/Rural, 2015

		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total§
Median price of m	nethod, with	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)
interquartile rang		[IQR]	[IQR]	[IQR]	[IQR]	[IQR]
Male condoms						
	Naira	\$0.00 (57)	\$12.50 ⁽¹⁹⁷⁾	\$12.50 (1,872)	\$12.50 ⁽⁴⁸⁸⁾	\$12.50 (2,614)
		[0.00-12.50]	[12.50-116.67]	[10.00-12.50]	[12.50-12.50]	[10.00-12.50]
	USD	\$0.00 (57)	\$0.06 (197)	\$0.06 (1,872)	\$0.06 (488)	\$0.06 (2,614)
Urban		[0.00-0.06]	[0.06-0.58]	[0.05-0.06]	[0.06-0.06]	[0.05-0.06]
	USD per CYP	\$0.00 (57)	\$7.50 (197)	\$7.50 (1,872)	\$7.50 (488)	\$7.50 (2,614)
	·	[0.00-7.50]	[7.50-70.00]	[6.00-7.50]	[7.50-7.50]	[6.00-7.50]
	Naira	\$12.50 ⁽¹⁹⁾	\$12.50 (15)	\$12.50 ⁽³⁹⁷⁾	\$10.00 (38)	\$12.50 (469)
		[0.00-12.50]	[12.50-23.33]	[10.00-12.50]	[7.50-12.50]	[10.00-12.50]
	USD	\$0.06 (19)	\$0.06 (15)	\$0.06 (397)	\$0.05 (38)	\$0.06 (469)
Rural		[0.00-0.06]	[0.06-0.12]	[0.05-0.06]	[0.04-0.06]	[0.05-0.06]
	USD per CYP	\$7.50 (19)	\$7.50 (15)	\$7.50 (397)	\$6.00 (38)	\$7.50 (469)
	'	[0.00-7.50]	[7.50-14.00]	[6.00-7.50]	[4.50-7.50]	[6.00-7.50]
Female condoms		į, ar ar ar į				La sa
	Naira	\$0.00 (14)	\$150.00 (26)	\$60.00 (80)	\$50.00 (6)	\$60.00 (126)
		[0.00-0.00]	[50.00-566.67]	[50.00-125.00]	[30.00-75.00]	[30.00-150.00]
	USD	\$0.00 (14)	\$0.75 (26)	\$0.30 (80)	\$0.25 (6)	\$0.30 (126)
Urban		[0.00-0.00]	[0.25-2.83]	[0.25-0.63]	[0.15-0.38]	[0.15-0.75]
	USD per CYP	\$0.00 (14)	\$90.00 (26)	\$36.00 (80)	\$30.00 (6)	\$36.00 (126)
	·	[0.00-0.00]	[30.00-340.00]	[30.00-75.00]	[18.00-45.00]	[18.00-90.00]
	Naira	\$0.00 (5)	\$50.00 ⁽¹⁾	\$50.00 (17)	\$20.00 (1)	\$20.00 (24)
		[0.00-0.00]	-	[50.00-50.00]		[0.00-50.00]
5	USD	\$0.00 (5)	\$0.25 ⁽¹⁾	\$0.25 (17)	\$0.10 ⁽¹⁾	\$0.10 (24)
Rural		[0.00-0.00]	-	[0.25-0.25]		[0.00-0.25]
	USD per CYP	\$0.00 (5)	\$30.00 ⁽¹⁾	\$30.00 (17)	\$12.00 ⁽¹⁾	\$12.00 (24)
	·	[0.00-0.00]	-	[30.00-30.00]		[0.00-30.00]
CycleBeads						
-	Naira	\$0.00 (2)	\$150.00 ⁽²⁾	\$150.00 (24)	-	\$150.00 ⁽²⁸⁾
		[0.00-0.00]	[150.00-150.00]	[0.00-300.00]	-	[0.00-300.00]
	USD	\$0.00 (2)	\$0.75 (2)	\$0.75 ⁽²⁴⁾	-	\$0.75 (28)
Urban		[0.00-0.00]	[0.75-0.75]	[0.00-1.50]	-	[0.00-1.50]
	USD per CYP	\$0.00 (2)	\$0.50 ⁽²⁾	\$0.50 (24)	-	\$0.50 (28)
		[0.00-0.00]	[0.50-0.50]	[0.00-1.00]	-	[0.00-1.00]
	Naira	\$0.00 (2)	-	\$50.00 (2)	-	\$50.00 (4)
Rural		[0.00-0.00]	-	[50.00-50.00]	-	[0.00-50.00]
	USD	\$0.00 (2)	_	\$0.25 (2)	_	\$0.25 (4)

Table C6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – Urban/Rural, 2015

		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total§
Median price of m	nethod, with	Median (N)	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)
interquartile rang	e∞	[IQR]	[IQR]	[IQR]	[IQR]	[IQR]
		[0.00-0.00]	-	[0.25-0.25]	-	[0.00-0.25]
	USD per CYP	\$0.00 ⁽²⁾	-	\$0.17 ⁽²⁾	-	\$0.17 (4)
	·	[0.00-0.00]	-	[0.17-0.17]	-	[0.00-0.17]
Oral contraceptive	es					
	Naira	\$100.00 (61)	\$100.00 (191)	\$70.00 (1,356)	\$80.00 (24)	\$70.00 (1,632)
		[0.00-150.00]	[50.00-100.00]	[50.00-100.00]	[70.00-80.00]	[50.00-100.00]
l lehan	USD	\$0.50 (61)	\$0.50 (191)	\$0.35 (1,356)	\$0.40 (24)	\$0.35 (1,632)
Urban		[0.00-0.75]	[0.25-0.50]	[0.25-0.50]	[0.35-0.40]	[0.25-0.50]
	USD per CYP	\$7.50 (61)	\$7.50 (191)	\$5.25 (1,356)	\$6.00 (24)	\$5.25 (1,632)
	002 pc. 0	[0.00-11.25]	[3.75-7.50]	[3.75-7.50]	[5.25-6.00]	[3.75-7.50]
	Naira	\$100.00 (16)	\$100.00 (11)	\$80.00 (287)	\$50.00 (4)	\$100.00 (318)
		[70.00-100.00]	[100.00-150.00]	[50.00-100.00]	[50.00-100.00]	[50.00-100.00]
	USD	\$0.50 (16)	\$0.50 (11)	\$0.40 (287)	\$0.25 (4)	\$0.50 (318)
Rural		[0.35-0.50]	[0.50-0.75]	[0.25-0.50]	[0.25-0.50]	[0.25-0.50]
	USD per CYP	\$7.50 (16)	\$7.50 (11)	\$6.00 (287)	\$3.75 (4)	\$7.50 (318)
		[5.25-7.50]	[7.50-11.25]	[3.75-7.50]	[3.75-7.50]	[3.75-7.50]
Combined oral cor	ntraceptives	[o.e.oco]	[1.00 ====]	[ending]	[end ned]	[5.1.5 1.155]
	Naira	\$100.00 (55)	\$100.00 (190)	\$70.00(1,347)	\$80.00 (24)	\$70.00 (1,616)
		[50.00-200.00]	[50.00-100.00]	[50.00-100.00]	[70.00-80.00]	[50.00-100.00]
	USD	\$0.50 (55)	\$0.50 (190)	\$0.35 (1,347)	\$0.40 (24)	\$0.35 (1,616)
Urban		[0.25-1.00]	[0.25-0.50]	[0.25-0.50]	[0.35-0.40]	[0.25-0.50]
	USD per CYP	\$7.50 ⁽⁵⁵⁾	\$7.50 (190)	\$5.25(1,347)	\$6.00 (24)	\$5.25 (1,616)
		[3.75-15.00]	[3.75-7.50]	[3.75-7.50]	[5.25-6.00]	[3.75-7.50]
	Naira	\$100.00 (15)	\$100.00 (11)	\$80.00(284)	\$50.00 ⁽⁴⁾	\$100.00 (314)
		[70.00-100.00]	[100.00-150.00]	[50.00-100.00]	[50.00-100.00]	[50.00-100.00]
D I	USD	\$0.50 ⁽¹⁵⁾	\$0.50 (11)	\$0.40 (284)	\$0.25 (4)	\$0.50 (314)
Rural		[0.35-0.50]	[0.50-0.75]	[0.25-0.50]	[0.25-0.50]	[0.25-0.50]
	USD per CYP	\$7.50 ⁽¹⁵⁾	\$7.50 ⁽¹¹⁾	\$6.00 (284)	\$3.75 ⁽⁴⁾	\$7.50 ⁽³¹⁴⁾
		[5.25-7.50]	[7.50-11.25]	[3.75-7.50]	[3.75-7.50]	[3.75-7.50]
Progestin-only pill:	's					
	Naira	\$0.00 (6)	\$100.00 (1)	\$100.00 ⁽⁹⁾	-	\$100.00 (16)
		[0.00-100.00]	-	[100.00-100.00]	-	[100.00-100.00
Urban	USD	\$0.00 (6)	\$0.50 ⁽¹⁾	\$0.50 ⁽⁹⁾	-	\$0.50 (16)
		[0.00-0.50]	=	[0.50-0.50]	-	[0.50-0.50]
	USD per CYP	\$0.00 (6)	\$7.50 ⁽¹⁾	\$7.50 ⁽⁹⁾	-	\$7.50 ⁽¹⁶⁾

Table C6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – Urban/Rural, 2015

type – Orbani,		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total§
Median price of m	ethod, with	Median (N)	Median (N)	Median (N)	Median ^(N)	Median ^(N)
interquartile range	e∞	[IQR]	[IQR]	[IQR]	[IQR]	[IQR]
		[0.00-7.50]	-	[7.50-7.50]	-	[7.50-7.50]
	Naira	\$0.00 (1)	-	\$70.00 (3)	-	\$70.00 (4)
		-	-	[50.00-70.00]	-	[50.00-70.00]
	USD	\$0.00 (1)	-	\$0.35 (3)	-	\$0.35 (4)
Rural		-	-	[0.25-0.35]	-	[0.25-0.35]
	USD per CYP	\$0.00 (1)	-	\$5.25 ⁽³⁾	-	\$5.25 (4)
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-	-	[3.75-5.25]	-	[3.75-5.25]
Emergency contra	ceptives				L	La caracteria
	Naira	\$300.00 (6)	\$300.00 (177)	\$250.00 (381)	\$200.00 (7)	\$250.00 (571)
		[200.00-300.00]	[50.00-300.00]	[60.00-300.00]	[200.00-200.00]	[60.00-300.00]
	USD	\$1.50 (6)	\$1.50 (177)	\$1.25 (381)	\$1.00 (7)	\$1.25 (571)
Urban		[1.00-1.50]	[0.25-1.50]	[0.30-1.50]	[1.00-1.00]	[0.30-1.50]
	USD per CYP	\$30.00 (6)	\$30.00 (177)	\$25.00 (381)	\$20.00 (7)	\$25.00 (571)
	000 pc. 0	[20.00-30.00]	[5.00-30.00]	[6.00-30.00]	[20.00-20.00]	[6.00-30.00]
	Naira	\$0.00 (1)	\$150.00 (14)	\$150.00 (67)	\$300.00 (1)	\$150.00 (83)
	- Tuna	-	[50.00-250.00]	[40.00-200.00]	-	[40.00-200.00]
	USD	\$0.00 (1)	\$0.75 (14)	\$0.75 (67)	\$1.50 (1)	\$0.75 (83)
Rural		-	[0.25-1.25]	[0.20-1.00]	-	[0.20-1.00]
	USD per CYP	\$0.00 (1)	\$15.00 (14)	\$15.00 (67)	\$30.00 (1)	\$15.00 (83)
	000 per 011	-	[5.00-25.00]	[4.00-20.00]	-	[4.00-20.00]
Contraceptive inje	ctables†		[5.00 25.00]	[1.00 20.00]		[1.00 20.00]
contraceptive inje	Naira	\$500.00 (115)	\$200.00 (203)	\$300.00 (292)	\$500.00 (1)	\$250.00 (611)
		[300.00-500.00]	[140.00-300.00]	[150.00-400.00]	, , , , , , , , , , , , , , , , , , , ,	[150.00-400.00]
	USD	\$2.50 (115)	\$1.00 (203)	\$1.50 (292)	\$2.50 ⁽¹⁾	\$1.25 (611)
Urban	000	[1.50-2.50]	[0.70-1.50]	[0.75-2.00]	-	[0.75-2.00]
	USD per CYP	\$10.00 (115)	\$4.50 (203)	\$7.50 (292)	\$15.00 ⁽¹⁾	\$6.00 (611)
	000 pc. 0	[6.00-15.00]	[3.60-6.00]	[4.00-10.00]	-	[4.00-10.00]
	Naira	\$500.00 (115)	\$200.00 (203)	\$300.00 (292)	\$500.00 (1)	\$250.00 (611)
		[300.00-500.00]	[140.00-300.00]	[150.00-400.00]	-	[150.00-400.00]
	USD	\$2.50 (115)	\$1.00 (203)	\$1.50 (292)	\$2.50 ⁽¹⁾	\$1.25 (611)
Rural	035	[1.50-2.50]	[0.70-1.50]	[0.75-2.00]	- -	[0.75-2.00]
	USD per CYP	\$10.00 (115)	\$4.50 (203)	\$7.50 (292)	\$15.00 ⁽¹⁾	\$6.00 (611)
	035 pc. c11	[6.00-15.00]	[3.60-6.00]	[4.00-10.00]	-	[4.00-10.00]
Depo-provera injed	 rtahles	[0.00 15.00]	[5.00 0.00]	[4.00 10.00]		[4.00 10.00]
Depo provera mjet	Naira	\$500.00 (64)	\$200.00 (107)	\$400.00 (146)	_	\$300.00 (317)
Urban	Ivalia	[300.00-500.00]	[140.00-300.00]	[200.00-500.00]	_	[150.00-500.00]

Table C6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – Urban/Rural, 2015

		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [§]
Median price of r	method, with	Median (N)	Median ^(N)	Median ^(N)	Median ^(N)	Median (N)
interquartile rang	ge∞	[IQR]	[IQR]	[IQR]	[IQR]	[IQR]
	USD	\$2.50 ⁽⁶⁴⁾	\$1.00 (107)	\$2.00 (146)	-	\$1.50 (317)
		[1.50-2.50]	[0.70-1.50]	[1.00-2.50]	-	[0.75-2.50]
	USD per CYP	\$10.00 (64)	\$4.00 (107)	\$8.00 (146)	-	\$6.00 (317)
		[6.00-10.00]	[2.80-6.00]	[4.00-10.00]	-	[3.00-10.00]
	Naira	\$500.00 (13)	\$150.00 ⁽⁷⁾	\$200.00 (54)	-	\$300.00 (74)
		[400.00-500.00]	[150.00-200.00]	[150.00-250.00]	-	[170.00-500.00]
Description	USD	\$2.50 (13)	\$0.75 ⁽⁷⁾	\$1.00 (54)	-	\$1.50 ⁽⁷⁴⁾
Rural		[2.00-2.50]	[0.75-1.00]	[0.75-1.25]	-	[0.85-2.50]
	USD per CYP	\$10.00 (13)	\$3.00 (7)	\$4.00 (54)	-	\$6.00 ⁽⁷⁴⁾
		[8.00-10.00]	[3.00-4.00]	[3.00-5.00]	-	[3.40-10.00]
Noristerat injecta	bles					
	Naira	\$500.00 (51)	\$200.00 (96)	\$250.00 (146)	\$500.00 ⁽¹⁾	\$250.00 (294)
		[250.00-700.00]	[150.00-400.00]	[150.00-400.00]	-	[150.00-400.00]
Lluban	USD	\$2.50 (51)	\$1.00 ⁽⁹⁶⁾	\$1.25 ⁽¹⁴⁶⁾	\$2.50 ⁽¹⁾	\$1.25 ⁽²⁹⁴⁾
Urban		[1.25-3.50]	[0.75-2.00]	[0.75-2.00]	-	[0.75-2.00]
	USD per CYP	\$15.00 (51)	\$6.00 ⁽⁹⁶⁾	\$7.50 ⁽¹⁴⁶⁾	\$15.00 (1)	\$7.50 ⁽²⁹⁴⁾
		[7.50-21.00]	[4.50-12.00]	[4.50-12.00]	-	[4.50-12.00]
	Naira	\$500.00 ⁽⁹⁾	\$150.00 ⁽⁷⁾	\$150.00 (47)	-	\$350.00 (63)
		[500.00-2000.00]	[150.00-200.00]	[150.00-200.00]	-	[200.00-500.00]
D	USD	\$2.50 ⁽⁹⁾	\$0.75 ⁽⁷⁾	\$0.75 ⁽⁴⁷⁾	-	\$1.75 ⁽⁶³⁾
Rural		[2.50-10.00]	[0.75-1.00]	[0.75-1.00]	-	[1.00-2.50]
	USD per CYP	\$15.00 ⁽⁹⁾	\$4.50 ⁽⁷⁾	\$4.50 ⁽⁴⁷⁾	-	\$10.50 ⁽⁶³⁾
		[15.00-60.00]	[4.50-6.00]	[4.50-6.00]	-	[6.00-15.00]
Implants [†]						
	Naira	\$1500.00 (31)	\$1200.00 (1)	\$500.00 (3)	-	\$1500.00 ⁽³⁵⁾
		[1000.00-5000.00]	-	[500.00-500.00]	-	[1000.00-1500.00]
Lluban	USD	\$7.50 ⁽³¹⁾	\$6.00 ⁽¹⁾	\$2.50 ⁽³⁾	-	\$7.50 ⁽³⁵⁾
Urban		[5.00-25.00]	-	[2.50-2.50]	-	[5.00-7.50]
	USD per CYP	\$1.97 (31)	\$1.58 ⁽¹⁾	\$0.83 ⁽³⁾	-	\$1.97 ⁽³⁵⁾
		[1.32-6.58]	-	[0.66-1.00]	-	[1.32-3.00]
	Naira	\$1500.00 (11)	-	-	-	\$1500.00 (11)
		[1000.00-2000.00]	<u>-</u>	-	-	[1000.00-2000.00]
Dural	USD	\$7.50 (11)	-	-	-	\$7.50 ⁽¹¹⁾
Rural		[5.00-10.00]	-	-	-	[5.00-10.00]
	USD per CYP	\$2.00 (11)	-	-	-	\$2.00 (11)
		[1.97-2.63]	-	-	-	[1.97-2.63]

Table C6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – Urban/Rural, 2015

		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total§
Median price of m	nethod, with	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)
interquartile rang	e [∞]	[IQR]	[IQR]	[IQR]	[IQR]	[IQR]
Implanon implants	s					
	Naira	\$1600.00 ⁽⁹⁾	-	\$500.00 (1)	-	\$1500.00 (10)
		[1500.00-5000.00]	-		=	[500.00-5000.00]
I lub a a	USD	\$8.00 (9)	-	\$2.50 ⁽¹⁾	-	\$7.50 ⁽¹⁰⁾
Urban		[7.50-25.00]	-	-	-	[2.50-25.00]
	USD per CYP	\$3.20 ⁽⁹⁾	-	\$1.00 (1)	-	\$3.00 (10)
		[3.00-10.00]	-	-	-	[1.00-10.00]
	Naira	\$1000.00 (5)	-	-	-	\$1000.00 (5)
		[1000.00-2000.00]	-	-	-	[1000.00-2000.00]
D 1	USD	\$5.00 (5)	-	-	-	\$5.00 (5)
Rural		[5.00-10.00]	-	-	-	[5.00-10.00]
	USD per CYP	\$2.00 (5)	-	-	-	\$2.00 (5)
	·	[2.00-4.00]	-	-	-	[2.00-4.00]
Jadelle implants						
	Naira	\$1500.00 (22)	\$1200.00 (1)	\$500.00 (2)	-	\$1200.00 (25)
-		[1000.00-2000.00]	-	[500.00-500.00]	-	[1000.00-1500.00]
	USD	\$7.50 ⁽²²⁾	\$6.00 (1)	\$2.50 (2)	-	\$6.00 (25)
Urban		[5.00-10.00]	-	[2.50-2.50]	-	[5.00-7.50]
	USD per CYP	\$1.97 (22)	\$1.58 (1)	\$0.66 (2)	-	\$1.58 (25)
		[1.32-2.63]	-	[0.66-0.66]	-	[1.32-1.97]
	Naira	\$1500.00 (6)	-	-	-	\$1500.00 (6)
		[1500.00-2000.00]	-	-	-	[1500.00-2000.00]
- 1	USD	\$7.50 ⁽⁶⁾	-	-	-	\$7.50 (6)
Rural		[7.50-10.00]	-	-	-	[7.50-10.00]
	USD per CYP	\$1.97 (6)	-	-	-	\$1.97 (6)
	·	[1.97-2.63]	-	-	-	[1.97-2.63]
IUDs [†]						
	Naira	\$500.00 ⁽⁵⁴⁾	\$250.00 ⁽⁹⁾	\$160.00 (8)	-	\$500.00 (71)
		[500.00-2000.00]	[250.00-250.00]	[150.00-200.00]	-	[500.00-2000.00]
Utala a a	USD	\$2.50 (54)	\$1.25 ⁽⁹⁾	\$0.80 (8)	-	\$2.50 (71)
Urban		[2.50-10.00]	[1.25-1.25]	[0.75-1.00]	-	[2.50-10.00]
	USD per CYP	\$0.54 ⁽⁵⁴⁾	\$0.27 ⁽⁹⁾	\$0.17 (8)	-	\$0.54 (71)
	,	[0.54-2.17]	[0.27-0.27]	[0.16-0.22]	-	[0.54-2.17]
	Naira	\$1000.00 (8)	-		-	\$1000.00 (8)
Rural		[1000.00-1500.00]	=	-	-	[1000.00-1500.00]
	USD	\$5.00 (8)	-	-	-	\$5.00 (8)

Table C6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – Urban/Rural. 2015

		Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [§]
Median price of mointerquartile range		Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]	Median ^(N) [IQR]
		[5.00-7.50]	-	-	=	[5.00-7.50]
	USD per CYP	\$1.09 (8)	-	-	-	\$1.09 (8)
		[1.09-1.63]	-	-	-	[1.09-1.63]
Male Sterilization						
	Naira	\$42000.00 (4)	-	-	-	\$42000.00 (4)
		[42000.00-42000.00]	-	-	-	[42000.00-42000.00]
Llula a u	USD	\$210.00 (4)	-	-	-	\$210.00 (4)
Urban		[210.00-210.00]	-	-	-	[210.00-210.00]
	USD per CYP	\$22.58 ⁽⁴⁾	-	-	-	\$22.58 ⁽⁴⁾
		[22.58-22.58]	-	-	-	[22.58-22.58]
	Naira	-	-	-	-	-
		- [-	-	-	-
D	USD	-	-	-	-	-
Rural		- i	-	-	-	-
	USD per CYP	-	-	-	-	-
		- 1	-	-	-	-
Female Sterilizatio	n .	· ·				
	Naira	\$42000.00 (20)	-	-	=	\$42000.00 (20)
		[20000.00-60000.00]	-	=	=	[20000.00-60000.00]
Lluban	USD	\$210.00 (20)	-	-	=	\$210.00 (20)
Urban		[100.00-300.00]	-	-	-	[100.00-300.00]
	USD per CYP	\$22.58 ⁽²⁰⁾	-	-	=	\$22.58 (20)
		[10.75-32.26]	=	-	=	[10.75-32.26]
	Naira	\$15000.00 (1)	-	-	-	\$15000.00 ⁽¹⁾
		-			-	-
Rural	USD	\$75.00 ⁽¹⁾	-	-	-	\$75.00 ⁽¹⁾
nuidi		-	<u>-</u>		-	
	USD per CYP	\$8.06 (1)	-	-	-	\$8.06 (1)
		_ [-	-	_	_

Table C6: Median price of selected modern contraceptive methods in Nigerian Naira, USD*, and USD per CYP^{†‡}, by private outlet type – Urban/Rural, 2015

	Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total§
Median price of method, with	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)	Median ^(N)
interquartile range [∞]	[IQR]	[IQR]	[IQR]	[IQR]	[IQR]

- * Based on the average rate of exchange from August 10 to October 23, 2015 of 500 Naira per 1 USD.
- † This price is determined for the unit used in CYP conversion factors: condoms: 1 condom; oral contraceptives: 1 cycle or blister package; emergency contraceptives: 1 dose; injectables: 1 dose/injection; implants: 1 implant insertion (1 or 2 rods); IUDs: 1 IUD.
- ‡ CYP Couple Year Protection is the estimated protection provided by contraceptive methods during a one-year period, based upon the volume of all contraceptives sold or distributed free of charge to clients during that period (see Annex 11).
- § In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies, PPMVs and General Retailer/Kiosks.
- ∞ In urban areas, the number of family planning products captured in audit sheets with missing retail and/or wholesale price information are as follows: 444 oral contraceptives, 181 emergency contraceptives, 197 injections, 29 implants and 43 IUDs. In urban areas, the number of family planning products captured in audit sheets with missing retail and/or wholesale price information are as follows: 86 oral contraceptives, 29 emergency contraceptives, 31 injections, 5 implants and 4 IUDs.
- Price for all commodities with a provider-dependent service (injectables, implants, IUDs) may include service charge.

Table C7: Median markup percentage for selected modern contraceptive commodities with interquartile range, by private outlet type – Urban/Rural, 2015

1,000	Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total*
Median markup percentage [†] of commodity, with interquartile range ^{‡,§,∞} :	Median % ^(N) [IQR %]	Median % ^(N) [IQR %]	Median % ^(N) [IQR %]	Median % ^(N) [IQR %]	Median % ^(N) [IQR %]
Oral contraceptives					
Urban	150% ⁽²¹⁾ (0%, 200%)	90% ⁽⁹³⁾ (40%, 130%)	80% ^(1,057) (70%, 140%)	200% ⁽¹⁷⁾ (90%, 400%)	90% ^(1,188) (70%, 140%)
Rural	100% ⁽⁷⁾ (100%, 100%)	230% ⁽⁶⁾ (100%, 260%)	70% ⁽²¹⁵⁾ (40%, 190%)	100 ⁽⁴⁾ (90%, 120%)	70% ⁽²³²⁾ (40%, 180%)
Emergency contraceptives					
Urban	100% ⁽³⁾ (100%, 100%)	50% ⁽⁷⁸⁾ (30%, 100%)	70% ⁽³⁰³⁾ (50%, 110%)	30% ⁽⁶⁾ (30%, 120%)	70% ⁽³⁹⁰⁾ (40%, 100%)
Rural	-	110% ⁽⁶⁾ (10%, 150%)	70% ⁽⁴⁸⁾ (40%, 70%)	-	70% ⁽⁵⁴⁾ (30%, 70%)
Contraceptive injectables					
Urban	200% ⁽⁶⁶⁾ (70%, 280%)	100% ⁽⁷⁸⁾ (50%, 150%)	110% ⁽²⁴⁴⁾ (70%, 150%)	280% ⁽¹⁾ (280%, 280%)	110% ⁽⁴¹⁴⁾ (70%, 190%)
Rural	150% ⁽¹⁴⁾ (150%, 150%)	80% ⁽¹⁰⁾ (70%, 150%)	70% ⁽⁸²⁾ (50%, 120%)	-	150% ⁽¹⁰⁶⁾ (70%, 150%)
Implants					
Urban	50% ⁽⁶⁾ (50%, 50%)	-	-	-	50% ⁽⁶⁾ (50%, 50%)
Rural	150% ⁽⁶⁾ (100%, 150%)	-	-	-	150% ⁽⁶⁾ (100%, 150%)
IUDs					
Urban	170% ⁽¹⁸⁾ (100%, 1,230%)	50% ⁽⁴⁾ (50%, 50%)	20% ⁽⁶⁾ (10%, 20%)	-	110% ⁽²⁸⁾ (30%, 250%)
Rural	3,900% ⁽⁴⁾ (400%, 3,900)	-	- -		3,900% ⁽⁴⁾ (400%, 3,900)

- * In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies, PPMVs and General Retailer/Kiosks.
- † To determine median markup percentage, we first determined the profit margin for selected modern contraceptives at private sector outlet categories: retail price wholesale price. We then determined a profit margin proportion by: profit margin/retail price. Finally, we converted profit margin to markup by: wholesale price/(1- profit margin proportion). We converted to a percentage and determined the median markup with IQR range. Using oral contraceptives sold in private health facilities as an example, this can be interpreted as private health facilities adding 50% to the wholesale costs to set the retail cost.
- ‡ In urban areas, the number of family planning products captured in audit sheets with missing retail and/or wholesale price information are as follows: 444 oral contraceptives, 181 emergency contraceptives, 197 injections, 29 implants and 43 IUDs. In urban areas, the number of family planning products captured in audit sheets with missing retail and/or wholesale price information are as follows: 86 oral contraceptives, 29 emergency contraceptives, 31 injections, 5 implants and 4 IUDs.
- § This price is determined for the unit CYP conversion factors: condoms: 1 condom; oral contraceptives: 1 cycle or blister package: emergency contraceptives: 1 does; injectables: 1 dose/injection; implants: 1 implant insertion (1 or 2 rods): IUDs: 1 IUD.
- → Price for all commodities with a provider-dependent service (injectables, implants, IUDs) may include service charge.

Table C7: Median markup percentage for selected modern contraceptive commodities with interquartile range, by private outlet type – Urban/Rural, 2015

	Private For-Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total*
Median markup percentage [†] of commodity, with interquartile range ^{‡,§,∞} :	Median % ^(N)	Median % ^(N)	Median % ^(N)	Median % ^(N)	Median % ^(N)
	[IQR %]	[IQR %]	[IQR %]	[IQR %]	[IQR %]

Table C8: Contraceptive method market share: Relative proportion of total CYP sold/distributed, by method and outlet type – Urban/Rural, 2015

CYPs sold or distributed in previous 1 month by outlet type and contraceptive method type as a % of total	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [‡]	TOTAL§
CYPs sold / distributed*,†:	%	%	%	%	%	%	%	%	%	%
1. Male condoms										
Urban	0.8	0.0	0.0	0.9	0.6	3.5	27.4	3.6	35.1	36.0
Rural	4.7	0.0	0.0	4.7	0.8	0.3	12.1	1.3	14.5	19.2
2. Female condoms										
Urban	0.2	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.1	0.3
Rural	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2
3. Cyclebeads										
Urban	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.0	0.3	0.4
Rural	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1
4. Oral contraceptives										
Urban	0.7	0.0	0.0	0.7	0.1	1.1	7.1	0.1	8.4	9.1
Rural	0.9	0.0	0.0	0.9	0.7	0.0	4.4	0.0	5.1	6.0
Combined oral contraceptives										
Urban	0.4	0.0	0.0	0.4	0.1	1.1	7.1	0.1	8.3	8.7
Rural	0.6	0.0	0.0	0.6	0.7	0.0	4.3	0.0	5.1	5.7
Progestin-only pills										
Urban	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.4
Rural	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3
5. Emergency contraceptives										
Urban	0.0	0.0	0.0	0.0	0.0	2.1	1.8	0.0	3.9	3.9
Rural	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	2.2	2.2
6. Contraceptive injectables										
Urban	4.1	0.0	0.0	4.1	0.8	2.1	3.8	0.0	6.7	10.8
Rural	4.8	0.1	0.0	4.9	1.3	0.2	2.0	0.0	3.6	8.5
Depo-provera injectables										
Urban	3.0	0.0	0.0	3.0	0.6	1.2	2.3	0.0	4.0	7.0
Rural	3.3	0.0	0.0	3.3	0.7	0.0	1.2	0.0	2.0	5.3
Noristerat injectables										
Urban	1.1	0.0	0.0	1.1	0.2	0.9	1.5	0.0	2.7	3.8
Rural	1.5	0.1	0.0	1.6	0.6	0.1	0.8	0.0	1.5	3.2
Sayana Press injectables					_					
Urban	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1
Rural	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1
7. Implants										
Urban	27.0	0.0	0.0	27.1	1.6	0.0	0.1	0.0	1.6	28.7

Table C8: Contraceptive method market share: Relative proportion of total CYP sold/distributed, by method and outlet type – Urban/Rural, 2015

5 1 10 di 11 j 11 di 11 di 11 j 20 20										
CYPs sold or distributed in previous 1 month by outlet type and contraceptive method type as a % of total	Public Health Facility	Community Health Worker	Private Not-For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [‡]	TOTAL§
CYPs sold / distributed*,†:	%	%	%	%	%	%	%	%	%	%
Rural	9.5	0.0	0.0	9.5	37.2	0.0	0.0	0.0	37.2	46.7
Implanon implants										
Urban	12.3	0.0	0.0	12.3	0.2	0.0	0.1	0.0	0.3	12.7
Rural	2.6	0.0	0.0	2.6	22.9	0.0	0.0	0.0	22.9	25.5
Jadelle implants										
Urban	14.7	0.0	0.0	14.7	1.3	0.0	0.0	0.0	1.3	16.0
Rural	6.9	0.0	0.0	6.9	14.3	0.0	0.0	0.0	14.3	21.2
8. IUDs										
Urban	1.9	0.0	0.1	2.0	6.8	0.1	0.7	0.0	7.6	9.6
Rural	2.8	0.0	0.0	2.8	14.1	0.0	0.0	0.0	14.1	16.9
9. Male sterilization										
Urban	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rural	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1
10. Female sterilization										
Urban	0.5	0.0	0.0	0.5	0.8	0.0	0.0	0.0	0.8	1.3
Rural	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1
OUTLET TYPE TOTAL§										
Urban	35.3	0.0	0.1	35.4	11.1	8.9	41.0	3.6	64.6	100.0
Rural	22.9	0.1	0.0	23.1	54.4	0.5	20.6	1.3	76.9	100.0

- * A total 734,541 and 229,511 CYP (weighted) were reportedly distributed in the previous 1 month in rural and urban areas, respectively. This is based on the number of commodities reportedly sold for categories 1-8 (not number of services performed for categories 6-8) and number of sterilizations reportedly performed for categories 9-10. See Annex 11 for a description of CYP calculation and Annex 12 for CYP numbers by outlet type and method category.
- † The total number of FP products audited (oral contraceptive, injection and insertion products) in rural and urban areas were 886 and 3,449 respectively. A total of 2 injection products and 4 tablet products were excluded from market share analysis due to inconsistent or missing generic names, 56 emergency contraceptive products (6 rural & 50 urban), 129 oral contraceptives (12 rural & 117 urban), 205 male condoms (27 rural & 178 urban), 17 female condoms (1 rural & 16 urban) and 10 cyclebeads (5 rural & 5 urban), were excluded from market share analysis for missing volume information. 2 male sterilizations and 4 female sterilizations were excluded for missing volume information as well. A total of 179 products were excluded due to outlier volumes and prices (7 rural & 172 urban).
- ‡ In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs.
- § Row total equals CYP volume for the specified contraceptive method type. Column total equals market share for the specified outlet type method categories 1-10.
- ∞ Internationally quality-assured (IQA) contraceptives are defined as those with WHO Pre-qualification or those on a Stringent Regulatory authority (SRA) list. See Annex 8 for a list of all quality-assured brands found in the survey.

Table C9: Contraceptive method market share within outlet type: Relative proportion of total CYP sold / distributed within outlet type, by method – Urban/Rural, 2015

type, by method – Orba	il/ Kul al, 201	13							
CYPs sold or distributed in	Public	Community			Private For-				
previous 1-month	Health	Health	Private Not-	Public Total	Profit Health	Pharmacy	PPMV	General	Private Total [‡]
contraceptive method type as	Facility	Worker	For-Profit	i done rotar	Facility	1 Harmacy		Retailer	i iii die i otai
a % of total CYPs sold /	racincy	Worker			raciney				
distributed within outlet	%	%	%	%	%	%	%	%	%
type ^{*,†} :				·					
1. Male condoms									
Urban	2.4	100.0	1.6	2.4	5.6	39.5	66.8	98.3	54.3
Rural	20.7	0.0	0.0	20.5	1.5	58.0	58.4	98.9	18.8
2. Female condoms									
Urban	0.4	0.0	0.0	0.4	0.1	0.0	0.2	0.0	0.2
Rural	0.9	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0
3. Cyclebeads									
Urban	0.0	0.0	0.0	0.0	2.3	0.0	0.2	0.0	0.5
Rural	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
4. Oral contraceptives									
Urban	2.0	0.0	0.5	2.0	1.0	12.1	17.3	1.4	12.9
Rural	3.9	0.0	7.6	3.9	1.4	4.6	21.2	0.9	6.7
Combined oral contraceptives									
Urban	1.1	0.0	0.1	1.1	1.0	12.1	17.3	1.4	12.9
Rural	2.5	0.0	0.0	2.4	1.4	4.6	21.1	0.9	6.7
Progestin-only pills									
Urban	1.0	0.0	0.4	1.0	0.0	0.0	0.1	0.0	0.0
Rural	1.4	0.0	7.6	1.4	0.0	0.0	0.1	0.0	0.0
5. Emergency contraceptives									
Urban	0.0	0.0	0.0	0.0	0.0	23.1	4.4	0.3	6.0
Rural	0.0	0.0	0.0	0.0	0.0	5.9	10.5	0.2	2.9
6. Contraceptive injectables									
Urban	11.6	0.0	9.0	11.5	7.5	23.7	9.2	0.0	10.4
Rural	20.9	100.0	92.4	21.3	2.5	31.5	9.9	0.0	4.6
Depo-provera injectables									
Urban	8.5	0.0	5.1	8.5	5.3	13.1	5.5	0.0	6.2
Rural	14.2	6.6	66.9	14.2	1.3	7.2	6.0	0.0	2.6
Noristerat injectables									
Urban	3.1	0.0	3.9	3.1	2.2	10.5	3.7	0.0	4.2
Rural	6.6	93.4	25.5	7.1	1.1	24.3	3.9	0.0	2.0
Sayana Press injectables									
Urban	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.0	0.1
Rural	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.1
7. Implants									

Table C9: Contraceptive method market share within outlet type: Relative proportion of total CYP sold / distributed within outlet type, by method – Urban/Rural, 2015

type, by inclined of bal	ii, itai ai, 201								
CYPs sold or distributed in previous 1-month contraceptive method type as a % of total CYPs sold /	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total [‡]
distributed within outlet type*,†:	%	%	%	%	%	%	%	%	%
Urban	76.7	0.0	16.1	76.5	14.2	0.0	0.2	0.0	2.5
Rural	41.4	0.0	0.0	41.2	68.3	0.0	0.0	0.0	48.4
Implanon implants									
Urban	35.0	0.0	7.8	34.9	2.1	0.0	0.2	0.0	0.5
Rural	11.4	0.0	0.0	11.3	42.0	0.0	0.0	0.0	29.8
Jadelle implants									
Urban	41.7	0.0	8.3	41.6	12.1	0.0	0.0	0.0	2.1
Rural	30.0	0.0	0.0	29.9	26.3	0.0	0.0	0.0	18.6
8. IUDs									
Urban	5.5	0.0	72.8	5.7	61.7	1.6	1.6	0.0	11.8
Rural	12.1	0.0	0.0	12.0	26.0	0.0	0.0	0.0	18.4
9. Male sterilization									
Urban	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1
Rural	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1
10. Female sterilization									
Urban	1.4	0.0	0.0	1.4	7.2	0.0	0.0	0.0	1.2
Rural	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.1
			U					1	

- * A total 734,541 and 229,511 CYP (weighted) were reportedly distributed in the previous 1 month in rural and urban areas, respectively. This is based on the number of commodities reportedly sold for categories 1-8 (not number of services performed for categories 6-8) and number of sterilizations reportedly performed for categories 9-10. See Annex 11 for a description of CYP calculation and Annex 12 for CYP numbers by outlet type and method category.
- † The total number of FP products audited (oral contraceptive, injection and insertion products) in rural and urban areas were 886 and 3,449 respectively.

 A total of 2 injection products and 4 tablet products were excluded from market share analysis due to inconsistent or missing generic names, 56 emergency contraceptive products (6 rural & 50 urban), 129 oral contraceptives (12 rural & 117 urban), 205 male condoms (27 rural & 178 urban), 17 female condoms (1 rural & 16 urban) and 10 CycleBeads (5 rural & 5 urban), were excluded from market share analysis for missing volume information. 2 male sterilizations and 4 female sterilizations were excluded for missing volume information as well. A total of 179 products were excluded due to outlier volumes and prices (7 rural & 172 urban).
- ‡ In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs.
- Internationally quality-assured (IQA) contraceptives are defined as those with WHO Pre-qualification or those on a Stringent Regulatory authority (SRA) list. See Annex 8 for a list of all quality-assured brands found in the survey.

 Categories 1 through 10 sum to 100% within each column.

Table C10: Ava	ailability of s	selected con	traceptive s	ervices, am	ong outlets	screened,	by outlet ty	pe – Urban	vs. Rural, 20	15
	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total*	General Retailer	Total
	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
Proportion of outlets screened, providing†:	U: N=107 R: N=107	U: N=2 R: N=10	U: N=11 R: N= 4	U: N=120 R: N= 121	U: N=274 R: N= 59	U: N=214 R: N=16	U: N=2,231 R: N= 570	U: N=2719 R: N=645	U: N=7,829 R: N= 1,9333	U: N=10,666 R: N= 2,699
Contraceptive injection service										
Urban	69.0 (50.9, 82.7)	0.0	5.2 (0.7, 28.4)	54.1 (33.4, 73.4)	37.3 (25.6, 50.7)	30.7 (11.8, 59.6)	10.0 (5.9, 16.3)	13.6 (9.0, 20.0)	0.0 (0.0, 0.1)	4.3 (3.1, 5.9)
Rural	65.8 (51.7, 77.6)	47.1 (10.3, 87.4)	8.8 (0.7, 57.9)	61.0 (48.8, 72.0)	57.0 (33.4, 77.8)	13.3 (5.5, 28.7)	10.0 (5.8, 16.7)	16.3 (10.6, 24.2)	0.0	6.5 (5.0, 8.3)
Implant insertion service										
Urban	39.5 (26.1, 54.7)	0.0	0.1 (0.0, 1.2)	30.3 (19.5, 43.9)	19.0 (11.0, 30.6)	0.5 (0.1, 3.7)	0.4 (0.1, 2.5)	1.9 (0.8, 4.7)	0.0	0.9 (0.5, 1.6)
Rural	20.2 (10.1, 36.4)	0.0	0.0	15.9 (7.8, 29.6)	32.6 (17.9, 51.7)	0.0	0.0	4.4 (1.7, 10.9)	0.0	1.7 (1.2, 2.5)
IUD insertion service				, ,						
Urban	32.5 (20.9, 46.7)	0.0	2.8 (0.3, 24.5)	25.5 (16.3, 37.7)	28.5 (17.6, 42.7)	0.0 -	0.0 (0.0, 0.1)	2.4 (1.2, 4.7)	0.0	0.9 (0.6, 1.5)
Rural	18.5 (8.4, 36.2)	0.0	0.0	14.6 (6.3, 30.3)	38.3 (24.8, 53.8)	0.0	0.0	5.1 (2.3, 10.9)	0.0	1.8 (1.3, 2.5)
Male sterilization										
Urban	0.7 (0.1, 4.1)	0.0	0.0	0.5 (0.1, 3.3)	5.3 (2.2, 12.4)	0.0 -	0.0	0.4 (0.1, 1.4)	0.0 -	0.1 (0.0, 0.3)
Rural	0.9 (0.1, 6.1)	0.0	0.0	0.7 (0.1, 5.0)	0.4 (0.1, 2.3)	0.0	0.0	0.1 (0.0, 0.3)	0.0	0.0 (0.0, 0.2)
Female sterilization										
Urban	2.1 (0.9, 4.7)	0.0	1.6 (0.1, 15.5)	2.0 (0.8, 5.0)	10.3 (5.5, 18.4)	0.0	0.0	0.8 (0.3, 2.3)	0.0	0.2 (0.1, 0.6)
Rural	0.0	0.0	0.0	0.0	10.7 (3.0, 31.9)	0.0	0.0	1.4 (0.3, 7.1)	0.0	0.3 (0.1, 1.5)

^{*} In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs. This category excludes General Retailers/Kiosks.

[†] The denominator includes 58 urban outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview) and 10 rural outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview)

Table C111: Service readiness* to provide provider-dependent contraceptive services, among outlets reportedly offering the procedure, by outlet type – Urban/Rural

		Public Health Facility	Community Health Workers	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total [†]
•	n of outlets	%	%	%	%	%	%	%	%
offering se	ervice, with‡:	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
Contracep	tive injections								
	Availability of	92.8	-	32.5	91.6	55.6	93.6	47.3	56.0
	commodity	[85.0, 96.7] ⁽⁸⁴⁾	-	[6.6, 76.6] ⁽⁴⁾	[83.0, 96.0] (88)	[43.4, 67.2] ⁽¹¹⁹⁾	[76.9, 98.5] ⁽⁴⁶⁾	[19.7, 76.7] ⁽¹⁸⁹⁾	[32.1, 77.4] ⁽³⁵⁶⁾
	Availability of	95.6	-	100.0	95.7	96.8	69.0	31.9	52.2
	credentials	[87.4, 98.5] (84)	-	[100.0,100.0] (4)	[87.6, 98.6] (88)	[92.6, 98.6] ⁽¹¹⁹⁾	[34.5, 90.4] (46)	[14.3, 56.8] (189)	[32.4, 71.3] (356)
Urban	Availability of	99.4	-	100.0	99.4	97.6	100.0	85.8	90.7
	equipment	[97.5, 99.9] ⁽⁸⁴⁾	-	[100.0,100.0] (4)	[97.5, 99.9] ⁽⁸⁸⁾	[92.6, 99.2] ⁽¹¹⁹⁾	[100.0,100.0](46)	[80.4, 89.9] (187)	[85.4, 94.2] (354)
	Service	89.1	-	32.5	87.9	55.3	66.6	19.3	34.8
	readiness	[78.8, 94.7] ⁽⁸⁴⁾	-	[6.6, 76.6] ⁽⁴⁾	[77.5, 93.9] (88)	[43.3, 66.7] (119)	[31.2, 89.7] (46)	[8.1, 39.4] (187)	[20.0, 53.2] (354)
	Availability of	87.6	91.8	100.0	88.2	64.3	100.0	26.4	44.6
	commodity	[69.7, 95.6] ⁽⁷⁰⁾	[35.2, 99.6] ⁽³⁾	(1)	[77.3, 94.3] ⁽⁷⁴⁾	[53.7, 73.7] ⁽³¹⁾	[100.0,100.0] (3)	[10.5, 52.4] ⁽⁶⁹⁾	[28.8, 61.6] (103)
	Availability of	68.7	2.2	100.0	59.1	92.9	24.0	44.8	67.2
Dl	credentials	[44.1, 85.9] ⁽⁷⁰⁾	[0.1, 35.4] (3)	(1)	[34.9, 79.5] (74)	[69.1, 98.7] ⁽³¹⁾	[1.7, 85.5] ⁽³⁾	[17.1, 76.2] (69)	[32.2, 89.8] (103)
Rural	Availability of	84.7	100.0	100.0	87.0	99.3	100.0	97.4	98.3
	equipment	[50.7, 96.8] ⁽⁷⁰⁾	[100.0,100.0] (3)	(1)	[54.8, 97.4] ⁽⁷⁴⁾	[93.7, 99.9] ⁽³¹⁾	[100.0,100.0] (3)	[89.3, 99.4] ⁽⁶⁹⁾	[94.2, 99.5] ⁽¹⁰³⁾
	Service	56.7	2.2	100.0	48.8	59.7	24.0	13.0	35.0
	readiness	[32.6, 78.0] ⁽⁷⁰⁾	$[0.1, 35.4]^{(3)}$	(1)	[23.2, 75.1] ⁽⁷⁴⁾	[46.1, 72.0] ⁽³¹⁾	[1.7, 85.5] ⁽³⁾	[5.1, 29.5] ⁽⁶⁹⁾	[20.5, 52.9] (103)
Implant in	sertions								
	Availability of	91.1	-	100.0	91.1	34.5	0.0	11.1	30.1
	commodity	[75.9, 97.1] ⁽⁴⁷⁾	-	(1)	[75.9, 97.1] ⁽⁴⁸⁾	[17.0, 57.7] ⁽⁶⁷⁾	(1)	[0.6, 71.0] (4)	[12.5, 56.5] ⁽⁷²⁾
	Availability of	86.0	-	100.0	86.0	98.4	100.0	92.3	97.4
Llubana	credentials	[74.1, 93.0] ⁽⁴⁷⁾	-	(1)	[74.1, 93.0] ⁽⁴⁸⁾	[87.8, 99.8] ⁽⁶⁷⁾	(1)	[89.7, 94.3] ⁽⁴⁾	[91.3, 99.3] ⁽⁷²⁾
Urban	Availability of	75.9	-	0.0	75.8	89.4	100.0	18.5	77.8
	equipment	[58.7, 87.4] ⁽⁴⁷⁾	-	(1)	[58.7, 87.4] ⁽⁴⁸⁾	[71.1, 96.6] ⁽⁶⁷⁾	(1)	[3.7, 57.4] (4)	[52.7, 91.7] ⁽⁷²⁾
	Service	65.6	-	0.0	65.6	34.5	0.0	11.1	30.0
	readiness	[43.1, 82.8] ⁽⁴⁷⁾	-	(1)	[43.0, 82.7] ⁽⁴⁸⁾	[16.9, 57.7] ⁽⁶⁷⁾	(1)	[0.6, 71.0] (4)	[12.4, 56.4] (72)
	Availability of	84.4	-	-	84.4	90.8	-	-	90.8
	commodity	[58.8, 95.4] ⁽²²⁾	-	-	[58.8, 95.4] ⁽²²⁾	[65.1, 98.1] ⁽¹³⁾	-	-	[65.1, 98.1] ⁽¹³⁾
Demal	Availability of	90.8	-	-	90.8	100.0	-	-	100.0
Rural	credentials	[68.4, 97.8] (22)	-	-	[68.4, 97.8] (22)	[0.0, 0.0] (13)	-	-	[100.0,100.0](13)
	Availability of	98.7	-	-	98.7	99.8	-	-	99.8
	equipment	[94.1, 99.7] ⁽²²⁾	-	-	[94.1, 99.7] ⁽²²⁾	[97.1, 100.0] ⁽¹³⁾	-	-	[97.1, 100.0] ⁽¹³⁾

Table C111: Service readiness* to provide provider-dependent contraceptive services, among outlets reportedly offering the procedure, by outlet type – Urban/Rural

		Public Health Facility	Community Health Workers	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total [†]
Proportion of outlets		%	%	%	%	%	%	%	%
offering service, with:		(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	Service	74.5	-	-	74.5	90.8	-	-	90.8
	readiness	[44.4, 91.5] ⁽²²⁾	-	-	[44.4, 91.5] ⁽²²⁾	[65.1, 98.1] ⁽¹³⁾	-	-	[65.1, 98.1] ⁽¹³⁾
IUD insert									
	Availability of	70.7	-	59.3	70.4	53.6	-	29.2	53.4
	commodity	[43.5, 88.3] ⁽⁵²⁾	-	[54.5, 64.0] ⁽³⁾	[43.9, 87.8] ⁽⁵⁵⁾	[38.1, 68.5] ⁽⁹²⁾	-	[1.6, 91.2] (2)	[38.1, 68.1] ⁽⁹⁴⁾
	Availability of	95.9	-	96.4	95.9	99.9	-	0.0	99.1
Urban	credentials	[88.6, 98.6] ⁽⁵²⁾	-	[51.3, 99.8] ⁽³⁾	[89.1, 98.5] ⁽⁵⁵⁾	[99.6, 100.0] ⁽⁹²⁾	-	$[0.0, 0.0]^{(2)}$	[97.7, 99.7] ⁽⁹⁴⁾
Orban	Availability of	82.6	-	96.4	82.9	86.7	-	70.8	86.6
	equipment	[71.0, 90.2] ⁽⁵¹⁾	-	[51.3, 99.8] ⁽³⁾	[71.8, 90.2] ⁽⁵⁴⁾	[73.5, 93.9] ⁽⁹²⁾	-	[8.8, 98.4] (2)	[73.5, 93.8] ⁽⁹⁴⁾
	Service	55.3	-	55.7	55.3	48.8	=	0.0	48.4
	readiness	[31.8, 76.6] (51)	-	[49.1, 62.1] ⁽³⁾	[32.4, 76.2] (54)	[33.6, 64.2] ⁽⁹²⁾	-	$[0.0, 0.0]^{(2)}$	[33.2, 63.8] (94)
Rural	Availability of	56.9	-	-	56.9	57.1	-	-	57.1
	commodity	[13.8, 91.6] ⁽¹⁹⁾	-	-	[13.8, 91.6] ⁽¹⁹⁾	[38.2, 74.1] (16)	-	-	[38.2, 74.1] ⁽¹⁶⁾
	Availability of	94.7	-	-	94.7	99.6	-	-	99.6
	credentials	[78.2, 98.9] ⁽¹⁹⁾	-	-	[78.2, 98.9] ⁽¹⁹⁾	[95.6, 100.0] ⁽¹⁶⁾	-	-	[95.6, 100.0] ⁽¹⁶⁾
	Availability of	87.9	-	-	87.9	99.2	-	-	99.2
	equipment	[63.0, 96.9] ⁽¹⁸⁾	-	-	[63.0, 96.9] ⁽¹⁸⁾	[94.4, 99.9] ⁽¹⁶⁾	-	-	[94.4, 99.9] ⁽¹⁶⁾
	Service	45.1	-	-	45.1	56.3	-	-	56.3
	readiness	[7.8, 88.9] ⁽¹⁸⁾	-	-	[7.8, 88.9] (18)	[37.7, 73.2] ⁽¹⁶⁾	-	-	[37.7, 73.2] (16)
Male steri	ilizations								
Urban	Availability of	100.0	-	-	100.0	100.0	-	-	100.0
	credentials	(1)	-	-	(1)	[100.0,100.0](15)	-	-	[100.0,100.0](15)
	Availability of	100.0	-	-	100.0	80.8	-	-	80.8
	equipment	(1)	-	-	(1)	[27.4, 97.9] ⁽¹⁵⁾	-	-	[27.4, 97.9] ⁽¹⁵⁾
	Service	100.0	-	-	100.0	80.8	-	-	80.8
	readiness	(1)	-	-	(1)	[27.4, 97.9] ⁽¹⁵⁾	-	-	[27.4, 97.9] ⁽¹⁵⁾
Rural	Availability of	0.0	-	-	0.0	100.0	-	-	100.0
	credentials	(1)	-	-	(1)	[100.0,100.0] (2)	-	-	[100.0,100.0] (2)
	Availability of	0.0	-	-	0.0	68.0	-	-	68.0
	equipment	(1)	-	-	(1)	[2.7, 99.4] (2)	-	-	[2.7, 99.4] (2)
	Service	0.0	-	-	0.0	68.0	-	-	68.0
	readiness	(1)	-	-	(1)	[2.7, 99.4] (2)	-	-	[2.7, 99.4] (2)
Female st	erilizations								

Table C111: Service readiness* to provide provider-dependent contraceptive services, among outlets reportedly offering the procedure, by outlet type – Urban/Rural

		Public Health Facility	Community Health Workers	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	Private Total†
Proportion of outlets		%	%	%	%	%	%	%	%
offering service, with::		(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
Urban	Availability of	90.1	-	100.0	91.8	93.0	-	-	93.0
	credentials	[42.8, 99.1] ⁽⁵⁾	-	(1)	[48.0, 99.3] ⁽⁶⁾	[75.8, 98.3] ⁽⁴⁰⁾	-	-	[75.8, 98.3] ⁽⁴⁰⁾
	Availability of	69.4	-	0.0	57.2	67.3	=	-	67.3
	equipment	[22.1, 94.8] ⁽⁵⁾	-	(1)	[25.0, 84.3] ⁽⁶⁾	[39.2, 86.8] (40)	=	-	[39.2, 86.8] (40)
	Service	69.4	-	0.0	57.2	67.3	=	-	67.3
	readiness	[22.1, 94.8] ⁽⁵⁾	-	(1)	[25.0, 84.3] ⁽⁶⁾	[39.2, 86.8] (40)	-	-	[39.2, 86.8] (40)
Rural	Availability of	-	-	-	-	100.0	-	-	100.0
	credentials	-	-	-	-	[100.0,100.0] (3)	-	-	[100.0,100.0] (3)
	Availability of	-	-	-	-	100.0	-	-	100.0
	equipment	=	-	-	-	[100.0,100.0] (2)	-	-	[100.0,100.0] (2)
	Service	-	-	-	-	100.0	-	-	100.0
	readiness	-	-	-	-	[100.0,100.0] (2)	-	-	[100.0,100.0] (2)

Full service readiness is defined as having available: 1. The commodity (not applicable for male/female sterilization); 2. A provider with credentials meeting the guidelines to perform the service; and 3. A minimum set of sentinel equipment (http://www.cpc.unc.edu/measure/prh/rh indicators/specific/long-acting-permanent-methods/percent-of-facilities-with-appropriate) for providing the service. Observations that are missing information for commodity availability, provider credentials, or equipment are excluded from the 'service readiness' denominator.

[†] In this table, Private Total includes Private For-Profit Health Facilities, Pharmacies and PPMVs. This category excludes General Retailers/Kiosks.

The denominator includes outlets that met screening criteria for a full interview but did not complete the interview (were not interviewed or completed a partial interview). The list of family planning products with incomplete survey information are as follows: 42 IUDs, 38 implants, 109 injections, 3 male sterilizations and 11 female tubal litigations. The list of family planning products with incomplete survey information in urban areas are as follows: 31 IUDs, 27 implants, 70 injections, 1 male sterilizations and 10 female tubal litigations. The list of family planning products with incomplete survey information in rural areas are as follows: 11 IUDs, 11 implants, 39 injections, 2 male sterilizations and 1 female tubal litigations.

Annexes

Annex 1: FPwatch Background

FPwatch is a multi-country research project implemented by PSI (www.psi.org). Standardized tools and approaches are employed to provide comparable data across countries and over time. Project countries include: Ethiopia, the DRC, India, Nigeria and Myanmar. The project was launched in 2014 with funding from the BMGF for four project countries, and is currently funded through 2016 by the BMGF. Funding for Myanmar was secured through the 3MDG Fund in 2015.

FPwatch is designed to provide timely, relevant and high-quality modern contraceptives and associated services market evidence. The goal of providing this market evidence is to inform and monitor national and global policy, strategy and funding decisions for understanding FP markets. FPwatch is monitoring family planning markets in the context of increased investments in family planning as part of the FP2020 Initiative, a partnership aiming to expand access to family planning information, services and supplies to an additional 120 million women and girls in 69 of the world's poorest countries by 2020.¹

The project implements a set of research tools designed to:

- 1) Provide a picture of the total market for distribution of modern family planning methods including: all providers carrying condoms, oral contraceptives, emergency contraceptives, injectables, contraceptive implants or IUDs, or providing provider-dependent contraceptive services including: injections, implant insertions, IUD insertions or male or female sterilizations; the relative modern contraceptive market share for each provider type; stock outs; and price markups.
- 2) Monitor the readiness of market components for distribution of modern family planning methods, including: availability of modern contraceptives and services; and provider qualifications, training and essential equipment for providing services.
- 3) Monitor the performance of market components for distribution of modern family planning methods, including: the relative market share for each method and for short-acting relative to long-acting methods; consumer price; quality-assurance indicators for contraceptives.

FPwatch research tools for FP market monitoring include:

1. Outlet surveys

Outlet surveys entail collecting quantitative data from all outlets and providers with the potential to sell or distribute modern contraceptives and/or provide provider-dependent contraceptive services. These include health facilities, community health workers, pharmacies, drug stores, retail outlets, market stalls and mobile providers. Information on male and female condoms is collected from all enumerated outlets including brand, price of most popular condom and volume of all condoms sold. A screening process identifies outlets that provide modern contraceptives above the level of oral contraceptives and/or provide provider-dependent family planning services. Among these eligible outlets, service providers are interviewed and all modern contraceptives are audited. The audit collects information about each modern contraceptive in stock (e.g. brand name, drug active ingredients and strengths, manufacturer, etc.) and retailer reports on consumer price and sale/distribution volumes for each product. A provider interview is conducted among those outlets where services including contraceptive injections, implant and IUD insertions and male and female sterilizations are available. The provider interview on services collects information on price and volume of services, provider qualifications available at the outlet and the availability of a minimum set of equipment needed to provide the service. A representative sample of outlets is

¹ FP2020. 2016. FP2020 Website. Accessed via: http://www.familyplanning2020.org/ on January 1, 2016.

identified within target study domains such that findings from the outlet survey provide estimates of contraceptive availability, price and relative market share across the entire market as well as within key market segments.²

2. Key informant interviews

The outlet survey was complemented by in-depth interviews conducted with key informants at the national and state levels. The interviews provided context for national family planning trends, policies and strategy for interpreting the data.

² O'Connell KA, Poyer S, Solomon T, et al. 2013. Methods for implementing a medicine outlet survey: lessons from the anti-malarial market. *Malaria Journal*, *12*: 52.

Page 157

Annex 2: Nigeria Background

Nigeria presents a challenge for health programmers due to its large population of nearly 175 million people, rapid population growth and wide ranging cultural, religious and political contexts. By 2050, Nigeria is projected to have population of 450 million people. At present, nearly half of Nigerians are under the age of 18. This has considerable implications for family planning programs in the next decade as a large portion of the population will be reaching reproductive age. In addition to population growth, significant socioeconomic disparities and access to healthcare exist within the country. Disparities are most apparent between the north and south, but there are differences even between states within the same region. While more than half of the population resides in the north, it is much less densely populated than the south. With communities and households widely spread geographically and women less able to seek care outside of their homes, the north represents a challenging environment for increasing access to health products and services.

The total fertility rate, which remained steady at 5.7 children per woman between 2003 and 2008, has begun to gradually decline and now stands at 5.5.³ Similarly, CPR among married women has increased slightly, from 13% in 2003 to 15% in 2013 and CPR among all women stands at 17.5%. Unmet need is high, with approximately 20% of women reporting unmet need for family planning methods. Only ten percent of married women use a modern method.⁴ Short-term contraceptive methods are most commonly used; 3% of married women use injectables, 2% use male condoms, and 2% use oral contraceptives, while less than 1% of married women use any other modern method.⁵ A number of family planning access barriers have been identified including: lack of service availability, fear of social disapproval or lack of social acceptability and fears about the perceived health risk and side effects. Some of these barriers are more apparent in the northern regions of the country with modern CPR ranging from 3-4% in Northern states compared to 15-20% for Southern states. Lack of access to modern family planning methods has been linked to higher rates of maternal and child mortality.⁶

Both the public and private sectors are important providers of family planning commodities in Nigeria, with each providing a different method mix. Of all modern methods, approximately 60% is provided by the private sector. However, this figure is influenced by the large proportion of condoms, which are primarily delivered outside of the public sector such as through social marketing. In contrast, a large proportion of long-acting reversible contraceptives (LARCs) including contraceptive implants and intrauterine devices (IUDs) are provided within the public sector. With frequent stock outs of contraceptive commodities in the public sector, the private sector plays an important role in provision of family planning commodities and services in Nigeria. These facilities include regulated providers, such as registered pharmacies, and unregulated drug shops and retail outlets.⁸

The Government of Nigeria has made recent important advances in increasing access to and uptake of modern contraceptives. As part of its FP2020 commitments of achieving a CPR of 36% by 2018, Nigeria has committed to providing an additional US \$8.35 million annually over the next four years in addition to its current annual commitment of US \$3 million, signifying an increase of nearly 300%. In addition, Nigeria has developed a detailed implementation plan to expand use of modern contraceptives and is effecting policy change and supporting task shifting that will enable community health workers (CHWs) to deliver a range of contraceptives. Nigeria has also scaled up family planning trainings, including training on injectable contraceptives for community health workers, and is distributing contraceptives to the last mile using the review-resupply meeting model.

³ National Population Commission. 2013. Nigeria Demographic and Health Survey 2013: Preliminary Report. Measure DHS, ICF International.

⁴ National Population Commission [Nigeria] and ICF International. 2014. Nigeria Demographic and Health Survey 2013. Rockville, Maryland, USA: National Population Commission and ICF International.

 $^{^{5}}$ UNFPA, 2013: The state of world population 2013.

⁶ Department for International Development (DFID). 2011. Scaling up access to contraceptive commodities in Nigeria. DFID, UKaid. 7 IBID.

ACTwatch Group, SFH/Nigeria and the Independent Evaluation Team. (2012). ACTwatch Outlet Survey Report 2011 (Round 3). Endline Outlet Survey Report for the Independent Evaluation of Phase 1 of the Affordable Medicines Facility – malaria (AMFm): Nigeria. Abuja, Nigeria: ACTwatch/PSI/SFH Nigeria.

Annex 3: Outlet Survey Methods

Design and Study Population

FPwatch implements cross-sectional outlet surveys in project countries. The study population is defined as all outlets with the potential to sell or distribute modern contraceptives and/or provide associated contraceptive services. In Nigeria, this includes the following outlet types:

The outlet survey is a study of all outlets that distribute modern family planning commodities or offer provider-dependent family planning services. In Nigeria, this includes the following outlet types:

Public health facilities	Government (federal or state) public facilities including teaching hospitals and federal medical centers at the tertiary level; general hospitals at the secondary level; and primary health centers and clinics at the primary level.
Community health workers	Community-based health volunteers including Community Health Extension Workers.
Private not-for-profit health facilities Private for-profit health facilities	Non-governmental (NGO) or mission/faith-based health facilities including hospitals and clinics. Private hospitals and clinics.
Pharmacies	Pharmacies are licensed by the Pharmacy Council of Nigeria and are authorized to sell all classes of medicines including prescription-only medicines. Pharmacies are regulated by the National Agency for Food and Drug Administration and Control. Pharmacies are owned by registered pharmacists or owners employing the services of a registered pharmacist.
Drug stores	Proprietary Patent Medicine Vendors (PPMVs) are small-to-medium sized outlets selling primarily medicines. PPMVs may be registered by the Directorate of Pharmaceutical Services. However, many are not registered. PPMVs are legally permitted to sell over-the-counter medicines including oral contraceptives.
General retailers/Kiosks	Supermarkets, mini-markets and kiosks primarily sell fast-moving consumer goods, food and provisions. Kiosks/tables are points of sale located in non-permanent structures that sell fast-moving goods such as food, beverages and household goods. Although retailers may have over-the-counter medicines including oral contraceptives available, national authorities do not regulate the sale of medicines by retailers.

Inclusion criteria

- One or more modern family planning methods at the level (see below for hierarchy) of oral contraceptives and above reportedly in stock on the day of the survey.
- One or more modern family planning methods at the level of oral contraceptives (see below) or above reportedly in stock within the past 3 months.
- The provision of family planning services including at least one of the following: 1. Insertion of contraceptive implants; 2. Insertion of IUDs; 3. Male sterilizations; or 4. Female sterilizations.

Modern family planning methods include:

- 1. Cycle Beads, birth control patches and vaginal birth control rings
- 2. Vaginal foaming tablets
- 3. Male and female condoms

If an outlet has only one or more of methods 1-3 and no others available today or in the previous three months and are not able to provide any family planning services, they are not eligible for a family planning product audit or provider interview.

- 4. Oral contraceptives
- 5. Emergency oral contraceptives
- 6. Contraceptive injections

- 7. Contraceptive implants
- 8. Hormonal and copper-based IUDs
- 9. Male sterilizations
- 10. Female sterilizations

If an outlet has at least one of methods/services #4-10 available today or in the previous three months, they are eligible for a family planning product audit and provider interview.

Exclusion criteria

- 1. Outlets that serve the military and/or do not serve the general public.
- 2. Outlets such as hotels or brothels where condoms are typically available, but other modern family planning methods are not available.
- 3. Outlets that do not provide informed consent to participate.

Sample Size

The outlet survey is powered to meet minimum requirements for the ACTwatch malaria market survey and the FPwatch family planning market survey.

A series of calculations was completed to identify minimum sample size requirements to estimate with precision (+/-5 percentage points) for 1 key indicator: the proportion of outlets with three or more modern family planning methods available, among outlets with family planning commodities/services available on the day of the survey. This indicator was chosen because it is highly relevant for FP2020 goals for women and girls to have informed choice and access to family planning information and a range of modern contraceptive methods.

The required sample size for each research domain (6 geopolitical zones) was calculated in three steps: 1) determine the required number of family planning outlets; 2) determine the number of clusters for the census to arrive at this number of outlets.

Required number of Outlets

The required number of family planning outlets to estimate the key indicator with specified precision is identified using the following formula:

$$n \ge deff * \frac{Z^2(P)(1-P)}{D^2}$$

Where:

- deff = a design effect of 2 was used to account for cluster sampling.
- Z = Z-score corresponding to level of confidence with which it is desired to be sure that the true population lies within +/- D percentage points. Assuming a 2-sided test with α =.05, Z=1.96
- P = estimated proportion of family planning outlets that will have three or more modern family planning methods available. The most conservative estimate (producing the largest sample size) of 50% was used.
- D = maximum tolerable error; to obtain an estimate within +/- D percentage points of the true population value; set at 5 percentage points.

The sample size required was increased to account for up to 10% non-response.

Using these values, the sample size required is approximately 770 outlets per each of the six geo-political domains for a total of 4,620 outlets.

Required number of Outlets

The estimated number of enumerated outlets required for the key indicators was determined by the following formula for outlets within each domain:

 $N = n/P_{fp}$

where P_{fp} is the proportion of outlets having family planning commodities or services available at the time of the survey among all outlets enumerated. In this equation, the assumptions are as follows: N = desired sample size of all outlets for monitoring availability, n = desired sample size of outlets with family planning commodities or services available at the time of the survey. P_{fp} is the estimated proportion of outlets that will have family planning commodities or services available at the time of the survey.

We expected approximately 85% of outlets screened will have modern family planning commodities or services available based on PMA2020 Nigeria findings. Therefore, we expected to screen 905 outlets in each of the geopolitical zones for a total of 5,430 outlets screened.

Required number of Clusters (localities)

Information provided by the 2013 ACTwatch Nigeria outlet survey on the average numbers of outlets by type in localities. Based on this information, outlet density for *localities* for each of the six geopolitical zones was expected to be approximately: 15.8 (NC), 37.7 (NE), 23.7 (NW), 23.7 (SE), 30.6 (SS) and 47.9 (SW). Considering sample size requirements to estimate key indicators +/- 10 percentage points, the optimal number of *localities* required to reach desired number of outlets was 210 localities: 58 (NC), 25 (NE), 39 (NW), 39 (SE), 30 (SS) and 19 (SW).

Data Collection

Field teams received training including an orientation to the study and questionnaire, classroom training on completing outlet audits for modern family planning commodities and modules on assessments of service readiness for provision of implants, IUDs and sterilizations, as well as took part in a field exercise. A paper-based structured questionnaire was used with providers in all approached outlets. A series of screening questions was administered at all outlets to determine eligibility for the survey.

Outlets where family planning commodities or services are reportedly available were invited to participate in the survey. Following informed consent services, an audit of all available family planning commodities was conducted. Drug audit information was collected for: spermicidal gels, foams and creams, vaginal birth control rings, birth control patches, oral contraceptives, injectables, implants, IUDs and emergency contraceptives; and included: formulation, package size, brand name, active ingredients and strengths, manufacturer, country of manufacture, reported sale/distribution, retail price and wholesale price. Non-drug product audit information for diaphragms, condoms, and Cycle Beads was collected including: brand name, manufacturer, country of manufacture, reported sale/distribution, retail price and wholesale price. Where provider-dependent methods were available, including IUDs, implants and sterilization, a series of questions was administered to assess basic readiness to perform the service. In addition to the product audit, a series of questions was administered to the senior-most provider regarding provider training and qualifications and presence of essential equipment for FP services. Geo-coordinates were captured at each sampled outlet.

Up to three visits were made to all outlets to complete the screening process, audit and provider interview as needed (e.g., where outlets were closed or providers were not available).

Data Entry, Processing, and Analysis

Double data entry was completed using Microsoft Access. All data cleaning and analysis was performed using Stata 13.1 (©StataCorp, College Station, TX). Data were weighted to account for variation in probability of outlet selection (see Annex 4), and standard error calculation reflected clustering of outlets at LGA and locality-levels. Standard indicators were constructed according to definitions applied across FPwatch project countries (see Annex 10).

Protection of Human Subjects

The outlet survey protocol was submitted for national ethical review by the National Health Ethics Research Committee (NHREC). The protocol was also submitted to the PSI Research Ethics Board (REB). Provider interviews and product audits were completed only after administration of a standard informed consent form and provider

consent to participate in the study. Providers had the option to end the interview at any point during the study. Standard measures were employed to maintain provider confidentiality and anonymity.

Timeframe

Data collection began in August, 2015 following a 10-day fieldworker training and finished by the end of October, 2015.

Annex 4: Sampled LGAs and Localities

Region	State	LGA Name	Locality Name	Urban /Rural
NORTH CENTRAL	BENUE	ADO	IKPADARA	RURAL
NORTH CENTRAL	BENUE	AGATU	АТАКРА	RURAL
NORTH CENTRAL	BENUE	GWER EAST	ALIADE	URBAN
NORTH CENTRAL	BENUE	GWER EAST	TSE JIR	RURAL
NORTH CENTRAL	BENUE	KATSINA-ALA	МВААВАА	RURAL
NORTH CENTRAL	BENUE	KWANDE	MBAGBAR	RURAL
NORTH CENTRAL	BENUE	LOGO	АКАА	RURAL
NORTH CENTRAL	BENUE	MAKURDI	MBAAKUVA I	RURAL
NORTH CENTRAL	BENUE	OHIMINI	ONDO (Ohimini)	RURAL
NORTH CENTRAL	BENUE	OJU	IKWOKWU	RURAL
NORTH CENTRAL	BENUE	TARKA	Mbaadi II	RURAL
NORTH CENTRAL	BENUE	USHONGO	MBATAKOR	RURAL
NORTH CENTRAL	FCT ABUJA	AMAC	KUZHIBI-KPANKPAM TESHI	RURAL
NORTH CENTRAL	FCT ABUJA	AMAC	PYAKASA	URBAN
NORTH CENTRAL	FCT ABUJA	AMAC	UTAKO	URBAN
NORTH CENTRAL	FCT ABUJA	Bwari	МРАРЕ	URBAN
NORTH CENTRAL	FCT ABUJA	KWALI	KWALI	URBAN
NORTH CENTRAL	KOGI	ANKPA	AFORGAMGAM	RURAL
NORTH CENTRAL	KOGI	BASSA	EMI-ASUBA	RURAL
NORTH CENTRAL	KOGI	IBAJI	OFORACHI, ECHA-OJA, ETIOLI,OFUGO, ARUKWAJA, OKO-OFU 1&2	RURAL
NORTH CENTRAL	KOGI	KABBA/BUNU	KABBA	URBAN
NORTH CENTRAL	KOGI	LOKOJA	KAYINKO	RURAL
NORTH CENTRAL	KOGI	LOKOJA	LOKOJA TOWNSHIP	URBAN
NORTH CENTRAL	KOGI	OKEHI	ABOBO	RURAL
NORTH CENTRAL	KOGI	OKENE	OKENE TOWNSHIP	URBAN
NORTH CENTRAL	KOGI	OLAMABORO	OGBODAGA	RURAL
NORTH CENTRAL	KOGI	YAGBA WEST	ODO-ARA	RURAL
NORTH CENTRAL	KWARA	ASA	TURAWA	RURAL
NORTH CENTRAL	KWARA	EDU	GAMALEGI	RURAL
NORTH CENTRAL	KWARA	EKITI	ORA AYEGBAJU	RURAL
NORTH CENTRAL	KWARA	IFELODUN	SHARE	URBAN
NORTH CENTRAL	KWARA	ILORIN EAST	ILORIN KANKATU	URBAN
NORTH CENTRAL	KWARA	ILORIN WEST	Pakata	URBAN
NORTH CENTRAL	KWARA	KAIAMA	KAIAMA	RURAL
NORTH CENTRAL	NASARAWA	DOMA	AKUNYA	RURAL
NORTH CENTRAL	NASARAWA	KARU	TAKALAFIA	RURAL
NORTH CENTRAL	NASARAWA	LAFIA	KANTSAKUWA	RURAL
NORTH CENTRAL	NASARAWA	LAFIA	LAFIA	URBAN
NORTH CENTRAL	NASARAWA	тото	ANG. FULANI IGWAPATI	RURAL
NORTH CENTRAL	NASARAWA	WAMBA	WAMBA	RURAL
NORTH CENTRAL	NIGER	AGWARA	ADEHE	RURAL
-	NIGER	BIDA	BIDA	URBAN

NORTH CENTRAL	NIGER	CHANCHAGA	MINNA	URBAN
NORTH CENTRAL	NIGER	KATCHA	EMI-RAFI	RURAL
NORTH CENTRAL	NIGER	LAVUN	RUGGAN-CHIBO	RURAL
NORTH CENTRAL	NIGER	MASHEGU	MAHUTA-MASUCHI	RURAL
NORTH CENTRAL	NIGER	MOKWA	TSAFA	RURAL
NORTH CENTRAL	NIGER	PAIKORO	RUGANBodari	RURAL
NORTH CENTRAL	NIGER	RAFI	MERU	RURAL
NORTH CENTRAL	NIGER	RIJAU	RIGITO	RURAL
NORTH CENTRAL	NIGER	SHIRORO	GWADA	RURAL
NORTH CENTRAL	PLATEAU	воккоѕ	TUKYEH	RURAL
NORTH CENTRAL	PLATEAU	JOS NORTH	KABONG	URBAN
NORTH CENTRAL	PLATEAU	JOS SOUTH	RAYFIELD	URBAN
NORTH CENTRAL	PLATEAU	KANKE	KYANGSHI	RURAL
NORTH CENTRAL	PLATEAU	MANGU	BUREH	RURAL
NORTH CENTRAL	PLATEAU	RIYOM	GANAWURI	RURAL
NORTH CENTRAL	PLATEAU	SHENDAM	NIAGLONG	RURAL
NORTH CENTRAL	PLATEAU	SHENDAM	SHENDAM	URBAN
			TIMCHANG VILLAGE -	
NORTH CENTRAL	PLATEAU	WASE	BARKIN RIJIYA	RURAL
NORTH EAST	ADAMAWA	DEMSA	KA ADE	RURAL
NORTH EAST	ADAMAWA	FUFORE	GURIN	RURAL
NORTH EAST	ADAMAWA	GANYE	DAKUNA TIBA	RURAL
NORTH EAST	ADAMAWA	GIREI VINIKLANG		URBAN
NORTH EAST	ADAMAWA	GIREI	WURO MALA	RURAL
NORTH EAST	ADAMAWA	GUYUK	GUDENYI TUDU	RURAL
NORTH EAST	ADAMAWA	LAMURDE	SABON GARI	RURAL
NORTH EAST	ADAMAWA	MAYO-BELWA	TOLA	RURAL
NORTH EAST	ADAMAWA	NUMAN	GWEDA MALLAM	URBAN
NORTH EAST	ADAMAWA	SONG	MAMBRUSO	RURAL
NORTH EAST	ADAMAWA	YOLA NORTH	KAREWA	URBAN
NORTH EAST	BAUCHI	ALKALERI	BODOL	RURAL
NORTH EAST	BAUCHI	ALKALERI	UNG. SARKIN YAKI DAM	RURAL
NORTH EAST	BAUCHI	BAUCHI	BAUCHI	URBAN
NORTH EAST	BAUCHI	BAUCHI	GASGAL	RURAL
NORTH EAST	BAUCHI	BAUCHI	YELWAN MAKARANTA	RURAL
NORTH EAST	BAUCHI	DARAZO	NAYI NAWA	RURAL
NORTH EAST	BAUCHI	DARAZO	TARA	RURAL
NORTH EAST	BAUCHI	DASS	BUNDOT	RURAL
NORTH EAST	BAUCHI	GAMAWA	GAMAWA	URBAN
NORTH EAST	BAUCHI	GAMAWA	GANGAWA	RURAL
NORTH EAST	BAUCHI	GAMAWA	KAISUWA DOLE	RURAL
NORTH EAST	BAUCHI	NINGI	RAKAJAWA	RURAL
NORTH EAST	BAUCHI	NINGI	SHANDE	RURAL
NORTH EAST	BAUCHI	TAFAWA-BALEWA	DAGRAK	RURAL
NORTH EAST	BAUCHI	TORO	DABABE	RURAL
NORTH EAST	BAUCHI	TORO	MAI GANGA	RURAL
NORTH EAST	BAUCHI	ZAKI	ARIRI	RURAL
NORTH EAST	GOMBE	AKKO	BARAMBU	RURAL

		1		
NORTH EAST	GOMBE	AKKO DOLLI MADAKI		RURAL
NORTH EAST	GOMBE	AKKO	KUMO	URBAN
NORTH EAST	GOMBE	BALANGA	Buwangal	RURAL
NORTH EAST	GOMBE	BILLIRI	LAYAR	RURAL
NORTH EAST	GOMBE	GOMBE	NASARAWO	URBAN
NORTH EAST	GOMBE	KALTUNGO	DINDIBIN	RURAL
NORTH EAST	GOMBE	KWAMI	TAPPI BABA DALA	RURAL
NORTH EAST	TARABA	BALI	SABONGIDA 'A'	RURAL
NORTH EAST	TARABA	DONGA	BIEM	RURAL
NORTH EAST	TARABA	GASHAKA	MAI GANDI	RURAL
NORTH EAST	TARABA	JALINGO	JALINGO	URBAN
NORTH EAST	TARABA	KARIM-LAMIDO	WURO GUGA	RURAL
NORTH EAST	TARABA	LAU	BANKINDANG	RURAL
NORTH EAST	TARABA	SARDAUNA	BONG DADINKOWA	RURAL
NORTH EAST	TARABA	TAKUM	TAKUM	URBAN
NORTH EAST	TARABA	USSA	LISSAM	RURAL
NORTH EAST	TARABA	YORRO	YALI	RURAL
NORTH WEST	JIGAWA	BABURA	GIDAN GAMJI-SHIRINYA	RURAL
NORTH WEST	JIGAWA	BIRNIN KUDU	ZARAINA	RURAL
NORTH WEST	JIGAWA	DUTSE	TAKUR GIDA DUBU	URBAN
NORTH WEST	JIGAWA	KIRIKASAMMA	TUTIYARI	RURAL
NORTH WEST	JIGAWA	KIYAWA KULLURU		RURAL
NORTH WEST	JIGAWA	MAIGATARI DANKUMBO		RURAL
NORTH WEST	JIGAWA	MIGA SANSANI CIKIN GARI		RURAL
NORTH WEST	KADUNA	BIRNIN-GWARI	UNG DANBORNO	RURAL
NORTH WEST	KADUNA	GIWA	GIWA	URBAN
NORTH WEST	KADUNA	IGABI	MARARABAN JOS	RURAL
			TUDUN WADA-	
NORTH WEST	KADUNA	IGABI	RIGACHIKUN	URBAN
NORTH WEST	KADUNA	IKARA	DAN LAWAL	RURAL
NORTH WEST	KADUNA	JEMA 'A	DALLE	RURAL
NORTH WEST	KADUNA	KACHIA	RIJANA	RURAL
NORTH WEST	KADUNA	KADUNA SOUTH	BADIKO	URBAN
NORTH WEST	KADUNA	KUBAU	ANCHAU TAKALAFIYA	URBAN
NORTH WEST	KADUNA	LERE	KWANAN DOYA	RURAL
NORTH WEST	KADUNA	LERE	SAMINAKA	URBAN
NORTH WEST	KANO	ALBASU	MAN GARI	RURAL
NORTH WEST	KANO	BICHI	DARIYA SANAKUR	RURAL
NORTH WEST	KANO	BUNKURE	GORA CIKIN GARI	URBAN
NORTH WEST	KANO	DALA	GOBIRAWA A	URBAN
NORTH WEST	KANO	GAYA	BAROKIJO/SHAGOGO	RURAL
NORTH WEST	KANO	GWALE	LOKON MAKERA	URBAN
NORTH WEST	KANO	KANO MUNICIPAL	DURUMIN ZUNGURA	URBAN
NORTH WEST	KANO	KUMBOTSO	SHEKA UNG. KUDU	URBAN
NORTH WEST	KANO	KUMBOTSO	YAN KUSA FAN DAKA	RURAL
NORTH WEST	KANO	KURA	KURUNSU MAU-RIMI	RURAL
NORTH WEST	KANO	MAKODA	FULANI KOFA/MAKODA	RURAL
NORTH WEST	KANO	MINJIBIR	KUNYA C/GARI	RURAL

NORTH WEST	KANO	NASARAWA GIGINYU		URBAN
NORTH WEST	KANO	RIMIN GADO	YALWAN DAN ZIYEL	RURAL
NORTH WEST	KANO	ROGO	BELI C/GARI	RURAL
NORTH WEST	KATSINA	BINDAWA	MAZANYA YANHORE	RURAL
NORTH WEST	KATSINA	DANJA	DABAI	RURAL
NORTH WEST	KATSINA	DUTSI	DAURAWA	RURAL
NORTH WEST	KATSINA	FASKARI	REMANYA	RURAL
NORTH WEST	KATSINA	KAITA	LOMI	RURAL
NORTH WEST	KATSINA	KANKARA	KANKARA	URBAN
NORTH WEST	KATSINA	KANKIA	KAFIN SOLI	RURAL
NORTH WEST	KATSINA	KATSINA	FILIN SAMJI	URBAN
NORTH WEST	KATSINA	MUSAWA	FAMMA GORO	RURAL
NORTH WEST	KATSINA	RIMI	ABUKUR	RURAL
NORTH WEST	KEBBI	AUGIE	LITTU GAJE	RURAL
NORTH WEST	KEBBI	BIRNIN KEBBI	BIRNIN KEBBI	URBAN
NORTH WEST	KEBBI	DANDI	YALAWA	RURAL
NORTH WEST	KEBBI	JEGA	KUITANE	RURAL
NORTH WEST	KEBBI	NGASKI	WARA II	RURAL
NORTH WEST	KEBBI	WASAGU/DANKO	TUDUN YAR UKKU	RURAL
			SHAMATAWAR ALH.	
NORTH WEST	SOKOTO	SABON BIRNI	MAMMAN	RURAL
NORTH WEST	SOKOTO	SOKOTO NORTH	SOKOTO	URBAN
NORTH WEST	SOKOTO	TAMBUWAL SANYINNA		RURAL
NORTH WEST	SOKOTO	TANGAZA	KWANNAWA	RURAL
NORTH WEST	SOKOTO	GIDAN JIKAN DAJI, ILLELAR WURNO MUAZU		RURAL
NORTH WEST	SOKOTO	YABO	KAURA TSOHON GIDA	RURAL
NORTH WEST	ZAMFARA	BIRNIN-MAGAJI	MODOMAWA	RURAL
NORTH WEST	ZAMFARA	BUKKUYUM	KARARE	RURAL
NORTH WEST	ZAMFARA	GUSAU	SARARA	RURAL
NORTH WEST	ZAMFARA	KAURAN-NAMODA	KAURAN-NAMODA	URBAN
NORTH WEST	ZAMFARA	MARADUN	FARU	RURAL
NORTH WEST	ZAMFARA	MARU	RUWAN DORUWA	RURAL
SOUTH EAST	ABIA	ABA SOUTH	OKPULOR - OKPOJIAKU	RURAL
SOUTH EAST	ABIA	AROCHUKWU	IBOM AROCHUKWU	RURAL
SOUTH EAST	ABIA	BENDE	AMAOKWU ELU	RURAL
SOUTH EAST	ABIA	IKWUANO	ELEMAGA IBERE	RURAL
SOUTH EAST	ABIA	OBINGWA	ИМИОСНА	RURAL
SOUTH EAST	ABIA	OSISIOMA NGWA	ABAYI	URBAN
SOUTH EAST	ANAMBRA	AGUATA	UMUGAMA-IHITE- UMUCHU	URBAN
SOUTH EAST	ANAMBRA	ANAOCHA	OKPALAEGBO-ADAZI- NNUKWU	URBAN
SOUTH EAST	ANAMBRA	AYAMELUM	UMERUM	RURAL
SOUTH EAST	ANAMBRA	IDEMILI NORTH	EBENESI-ORAUKWU	URBAN
SOUTH EAST	ANAMBRA	IHIALA	UBAHA-ISEKE	RURAL
			OKPUNO-EGBU-EKWULU	
SOUTH EAST	ANAMBRA	NNEWI NORTH	UMUDIM-NNEWI	URBAN
SOUTH EAST	ANAMBRA	NNEWI SOUTH	AFUBE-AMICHI	URBAN


SOUTH EAST	ANAMBRA	OGBARU	ANUMUDU-OKPOKO	URBAN
SOUTH EAST	ANAMBRA	ORUMBA NORTH	UMUEVE-AJALLI	RURAL
			OYOLU-PHASE I NKWELLE-	
SOUTH EAST	ANAMBRA	OYI	EZUNAKA	URBAN
SOUTH EAST	EBONYI	EBONYI	NDIECHI ISHIEKE	RURAL
			NDUFU UMUEZEALI	
SOUTH EAST	EBONYI	EZZA NORTH	ORIUZOR	RURAL
SOUTH EAST	EBONYI	IKWO	ODELIGBO AMAINYIMA	
SOUTH EAST	EBONYI	IVO	OKPUITUMO NDIBE OKPARIKE IHENTA	RURAL
300111 LAST	LBONTI	100	UMUAHAM UMUIGBOKE	KOKAL
SOUTH EAST	EBONYI	OHAOZARA	UGWULANGWU	RURAL
SOUTH EAST	ENUGU	AWGU	EZERE UGWUNGWU	RURAL
SOUTH EAST	ENUGU	ENUGU SOUTH	AWKUNANAW GARIKI	URBAN
SOUTH EAST	ENUGU	EZEAGU	UMUAGBA OWA UMUAGU	URBAN
			AMAKOFIA UKEHE	
SOUTH EAST	ENUGU	IGBO-ETITI	OBINETITI	URBAN
SOUTH EAST	ENUGU	IGBO-EZE SOUTH	UNADU OBAKA AGU	RURAL
			OVUORIE-UGBAWKA-	
SOUTH EAST	ENUGU	NKANU EAST	AMAMFU,ONUORE	URBAN
SOUTH EAST	ENUGU	OJI -RIVER	ISIKWE-ACHI OBINAGU .	URBAN
SOUTH EAST	ENUGU	UDENU	OBOLLO AFOR- UMUEZEJOR	URBAN
SOUTH EAST	ENUGU	UDI	EBE ADUKWU	RURAL
SOUTH EAST	IMO	AHIAZU-MBAISE	UMUAGBAVU	URBAN
SOUTH EAST	IMO	IDEATO NORTH	UMUOPIA	URBAN
SOUTH EAST	IMO	IKEDURU	AMASAA	RURAL
SOUTH EAST	IMO	ISIALA-MBANO	EZIAMA	RURAL
		ISU	EBENANO	URBAN
SOUTH EAST	IMO			
SOUTH EAST	IMO	NGOR-OKPALA	UMUODAGU NTU	RURAL
SOUTH EAST	IMO	OBOWO	UMUOKPA-UMULOGHO	RURAL
SOUTH EAST	IMO	OKIGWE	OFOATO	RURAL
SOUTH EAST	IMO	ORU EAST	UMUDARA-AKATTA UMUEMEOCHA OBI	RURAL
SOUTH EAST	IMO	ORU WEST	MGBIDI	URBAN
SOUTH EAST	IMO	OWERRI MUNICIPAL	OWERRI	URBAN
	AKWA			
SOUTH SOUTH	IBOM	EASTERN OBOLO	UDUM OKPON	RURAL
COLUTIU COLUTIU	AKWA	FTINIANI	FTINIANI	LIDDAN
SOUTH SOUTH	IBOM AKWA	ETINAN	ETINAN	URBAN
SOUTH SOUTH	IBOM	IKONO	ITON ODORO	RURAL
	AKWA			
SOUTH SOUTH	IBOM	NSIT IBOM	AFAHA OFFIONG	RURAL
COUTU COUTU	AKWA		IVOT AVAL	DLIDAI
SOUTH SOUTH	IBOM AKWA	UKANAFUN URUE OFFONG /	IKOT AKAI	RURAL
SOUTH SOUTH	IBOM	ORUKO	UKUDA	RURAL
	AKWA			
SOUTH SOUTH	IBOM	UYO	MBIABONG IKOT ESSIEN	RURAL
SOUTH SOUTH	BAYELSA	SAGBAMA	OFONI	URBAN
SOUTH SOUTH	BAYELSA	SAGBAMA	OGOBIRI	RURAL
SOUTH SOUTH	BAYELSA	SOUTHERN IJAW	POLOBUBOU	RURAL

	CROSS			
SOUTH SOUTH	RIVER	ABI	IBALEBO-ADADAMA	RURAL
	CROSS		IKOT EKPE OKON-IKOT	
SOUTH SOUTH	RIVER	AKPABUYO	ENEYO	RURAL
SOUTH SOUTH	CROSS RIVER	BEKWARRA	ABUALUGU	RURAL
300111300111	CROSS	DERWANIA	ABOALOGO	KOKAL
SOUTH SOUTH	RIVER	ETUNG	MONI BAKA	RURAL
SOUTH SOUTH	DELTA	BURUTU	AYAKOROMO	RURAL
SOUTH SOUTH	DELTA	IKA NORTH EAST	OWA-ALERO	RURAL
SOUTH SOUTH	DELTA	OKPE	EGBORODE	RURAL
SOUTH SOUTH	DELTA	OSHIMILI SOUTH	ASABA	URBAN
SOUTH SOUTH	DELTA	PATANI	PATANI	URBAN
SOUTH SOUTH	DELTA	UGHELLI NORTH	EKREDJEBOR	RURAL
SOUTH SOUTH	DELTA	WARRI SOUTH	IGBUDU 2 OTOVWODO AGBARHA WARRI)	URBAN
SOUTH SOUTH	EDO	ESAN NORTH EAST	UROMI	URBAN
SOUTH SOUTH	EDO	OREDO	BENIN CITY	URBAN
SOUTH SOUTH	EDO	ORHIONMWON	URHONIGBE	URBAN
SOUTH SOUTH	EDO	OVIA SOUTH WEST	IKOHA	RURAL
SOUTH SOUTH	EDO	OWAN EAST	UOKHA	RURAL
SOUTH SOUTH	RIVERS	AHOADA WEST	UKPELIEDE	RURAL
SOUTH SOUTH	RIVERS	ASARI TORU	BUGUMA	URBAN
SOUTH SOUTH	RIVERS	IKWERRE	APANI	RURAL
SOUTH SOUTH	RIVERS	OBIO/AKPOR	RUMUROLU	RURAL
SOUTH SOUTH	RIVERS	OYIGBO	OYIGBO URBAN	URBAN
SOUTH SOUTH	RIVERS	PORT-HAROURT	AZUABIE	URBAN
SOUTH SOUTH	RIVERS	TAI	KPOGHOR	RURAL
SOUTH WEST	EKITI	ADO EKITI	ADO-EKITI	URBAN
SOUTH WEST	EKITI	AIYEKIRE(GBONYIN)	ODE EKITI	URBAN
SOUTH WEST	EKITI	EFON	EFON - ALAAYE	URBAN
SOUTH WEST	EKITI	EMURE	OMU-OKE	URBAN
SOUTH WEST	EKITI	IDO-OSI	IFAKI EKITI	URBAN
SOUTH WEST	EKITI	IJERO	OKE ORO EKITI	RURAL
SOUTH WEST	EKITI	IKERE	IKERE EKITI	URBAN
SOUTH WEST	EKITI	IKOLE	IJEBU AGEGE	URBAN
SOUTH WEST	EKITI	OYE	ITAPA EKITI	RURAL
SOUTH WEST	LAGOS	AGEGE	KEKE	URBAN
SOUTH WEST	LAGOS	AGEGE	ORILE	URBAN
SOUTH WEST	LAGOS	AJEROMI IFELODUN	AMUKOKO	URBAN
SOUTH WEST	LAGOS	AJEROMI IFELODUN	AWODI-ORA	URBAN
SOUTH WEST	LAGOS	AJEROMI IFELODUN	TEMIDIRE	URBAN
SOUTH WEST	LAGOS	ALIMOSHO	ABARANJE	URBAN
SOUTH WEST	LAGOS	ALIMOSHO	ABORU	URBAN
SOUTH WEST	LAGOS	ALIMOSHO	ALAGBADO	URBAN
SOUTH WEST	LAGOS	ALIMOSHO	EGBE	URBAN
SOUTH WEST	LAGOS	ALIMOSHO	OKUNOLA	URBAN
SOUTH WEST	LAGOS	AMUWO ODOFIN	AMUWO	URBAN
SOUTH WEST	LAGOS	APAPA	ABETE	URBAN

SOUTH WEST	LAGOS	BADAGRY	ОСНОСВО	RURAL
SOUTH WEST	LAGOS	EPE	KETU EJIRIN	RURAL
SOUTH WEST	LAGOS	ETI OSA	TAKWA BAY	URBAN
SOUTH WEST	LAGOS	IFAKO IJAYE	HAMADIYA	URBAN
SOUTH WEST	LAGOS	IFAKO IJAYE	OGBA IJAIYE	URBAN
SOUTH WEST	LAGOS	IKEJA	ОРЕВІ	URBAN
SOUTH WEST	LAGOS	IKORODU	ERUNWEN	URBAN
SOUTH WEST	LAGOS	IKORODU	OWUTU	URBAN
SOUTH WEST	LAGOS	KOSOFE	KETU	URBAN
SOUTH WEST	LAGOS	KOSOFE	MAGODO	URBAN
SOUTH WEST	LAGOS	KOSOFE	OWORONSHOKI	URBAN
SOUTH WEST	LAGOS	LAGOS ISLAND	AGARAWU	URBAN
SOUTH WEST	LAGOS	LAGOS MAINLAND	OYINGBO	URBAN
SOUTH WEST	LAGOS	MUSHIN	ITIRE	URBAN
SOUTH WEST	LAGOS	MUSHIN	MOSHALASI	URBAN
SOUTH WEST	LAGOS	OJO	AJANGBADI	URBAN
SOUTH WEST	LAGOS	OJO	IJANIKIN	URBAN
SOUTH WEST	LAGOS	OSHODI ISOLO	EJIGBO	URBAN
SOUTH WEST	LAGOS	OSHODI ISOLO	ISOLO	URBAN
SOUTH WEST	LAGOS	SHOMOLU	BARIGA	URBAN
SOUTH WEST	LAGOS	SURULERE	IKATE	URBAN
SOUTH WEST	LAGOS	SURULERE	TEJUOSHO	URBAN
SOUTH WEST	OGUN	ABEOKUTA SOUTH	IBARA ABEOKUTA	URBAN
SOUTH WEST	OGUN	ABEOKUTA NORTH	OWU ABEOKUTA	URBAN
SOUTH WEST	OGUN	ADO-ODO/OTA	ADO - ODO	URBAN
SOUTH WEST	OGUN	ADO-ODO/OTA	IJOKO-OTA	URBAN
SOUTH WEST	OGUN	ADO-ODO/OTA	OWODE-OTA	RURAL
SOUTH WEST	OGUN	EGBADO NORTH	ALABATA, ALAGA, ISHAGA, ALABE,	RURAL
SOUTH WEST	OGUN	EWEKORO	OBADA OKO	RURAL
SOUTH WEST	OGUN	IFO	ALAGBOLE	URBAN
SOUTH WEST	OGUN	IFO	OTUN AKUTE	RURAL
SOUTH WEST	OGUN	IJEBU ODE	IJEBU ODE	URBAN
SOUTH WEST	OGUN	IKENNE	IPERU	URBAN
SOUTH WEST	OGUN	ODOGBOLU	OKEORUNDUN	RURAL
SOUTH WEST	ONDO	AKOKO NORTH EAST	IKARE-AKOKO	URBAN
SOUTH WEST	ONDO	AKOKO SOUTH EAST	EPINMI AKOKO	RURAL
SOUTH WEST	ONDO	AKURE SOUTH	AKURE	URBAN
SOUTH WEST	ONDO	ESE ODO	KIRIBO	RURAL
SOUTH WEST	ONDO	IDANRE	TEJUGBOLA	RURAL
SOUTH WEST	ONDO	IFEDORE	IGBARA-OKE	URBAN
SOUTH WEST	ONDO	ILAJE	OJAN	RURAL
SOUTH WEST	ONDO	ILE OLUJI/OKEIGBO	OLORUNTELE	RURAL
SOUTH WEST	ONDO	IRELE	ODE IRELE	URBAN
SOUTH WEST	ONDO	ODIGBO	AJUE	RURAL
SOUTH WEST	ONDO	ONDO WEST	ONDO	URBAN
SOUTH WEST	ONDO	OSE	IFON	URBAN

			OLOKO CAMP,	
SOUTH WEST	ONDO	owo	BOLORUNDURO	RURAL
SOUTH WEST	OSUN	ATAKUMOSA WEST	IFEWARA	RURAL
SOUTH WEST	OSUN	AYEDADE	GBONGAN	URBAN
SOUTH WEST	OSUN	BOLUWADURO	IRESI	URBAN
SOUTH WEST	OSUN	EGBEDORE	OLORUNSOGO	RURAL
SOUTH WEST	OSUN	IFE CENTRAL	ILE - IFE	URBAN
SOUTH WEST	OSUN	IFE EAST	FADEJI, SOMISEMU, AFEKI. FIDIBOMI	RURAL
SOUTH WEST	OSUN	IFE SOUTH	IFETEDO	URBAN
SOUTH WEST	OSUN	ILESHA WEST	ILESA	URBAN
SOUTH WEST	OSUN	IREWOLE	IKIRE	URBAN
SOUTH WEST	OSUN	IWO	IWO	URBAN
SOUTH WEST	OSUN	OBOKUN	ESA-OKE	URBAN
SOUTH WEST	OSUN	OLORUNDA	OTA-EFUN	URBAN
SOUTH WEST	OSUN	OSOGBO	OSOGBO	URBAN
SOUTH WEST	ОУО	AKINYELE	BAMGBE	URBAN
SOUTH WEST	ОУО	ATIBA	ELERINLE	RURAL
SOUTH WEST	ОУО	ATIBA	SAAKIN	URBAN
SOUTH WEST	ОУО	ATIGBO	TEDE	RURAL
SOUTH WEST	ОУО	EGBEDA	ADEGBAYI	URBAN
SOUTH WEST	ОУО	IBADAN NORTH	ALARO	URBAN
SOUTH WEST	ОУО	IBADAN NORTH EAST	IREFIN	URBAN
SOUTH WEST	ОУО	IBADAN NORTH WEST	ELEYELE	URBAN
SOUTH WEST	OYO	IBADAN SOUTH EAST	ODINJO	URBAN
SOUTH WEST	ОУО	IBADAN SOUTH WEST	OKE ADO	URBAN
SOUTH WEST	ОУО	IBARAPA CENTRAL	GAA EZEKIEL, ABULE ASAKA, ABULE EZEKIEL,	RURAL
SOUTH WEST	ОҮО	IDO	ALAAFIA ESTATE	URBAN
SOUTH WEST	OYO	KAJOLA	ABA OLUKOTUN ILERO, MAFOHUN, MOLETE II, ABULE BABA AFIS O, ABA- ADEYEMI, OGUN OSUN, MOLETE I,	RURAL
SOUTH WEST	ОУО	KAJOLA	ОКЕНО	URBAN
SOUTH WEST	ОУО	OGBOMOSHO NORTH	OGBOMOSHO OWODE- OMOSIN	URBAN
SOUTH WEST	ОУО	OLUYOLE	OLUNDE	URBAN
SOUTH WEST	ОУО	ONA- ARA	IDI OSE	URBAN
SOUTH WEST	ОУО	ORELOPE	BUDO ASO	RURAL
SOUTH WEST	ОУО	ORELOPE	IGBOHO	URBAN
SOUTH WEST	ОУО	OYO WEST	PAKOYI	URBAN
SOUTH WEST	OYO	SURULERE	ELEBEKEBE	RURAL

Annex 5: Map of Sampled Clusters



Annex 6: Detailed Sample Description

Table X1: National Sample Description

	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total
Number of outlets screened (Figure 1 Box B)	214	12	15	241	333	230	2801	9762	13126	13367
Number of outlets eligible and interviewed (Figure 1 Box D)	159	5	5	169	168	200	1950	35	2353	2522
Number of outlets eligible but not interviewed (interview non-participation)	1	0	0	1	7	5	11	1	24	25
Number of interviewed outlets with at least one modern contraceptive (excluding condoms) on the day of the survey (Figure 1, Box D1)	142	3	3	148	138	197	1730	33	2098	2246
Number of interviewed outlets that provide associated FP services, but do not stock modern contraceptives (excluding condoms) (Figure 1 Box D3)	17	0	2	19	26	2	46	0	74	93

Table X2: Regional Sample Description

	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total
Number of outlets screened (Figure 1 Box B)	214	12	15	241	333	230	2801	9762	13126	13367
North Central	48	3	1	52	51	43	416	1253	1763	1815
North East	25	0	1	26	13	7	127	394	541	567
North West	44	1	1	46	15	4	285	929	1233	1279
South East	21	3	4	28	53	20	329	1094	1496	1524
South South	20	1	1	22	28	21	194	879	1122	1144
South West	56	4	7	67	173	135	1450	5213	6971	7038
Number of outlets eligible and interviewed (Figure 1 Box D)	159	5	5	169	168	200	1950	35	2353	2522
North Central	37	2	1	40	26	42	321	4	393	433
North East	18	0	1	19	6	3	89	0	98	117
North West	32	1	1	34	10	4	221	0	235	269

	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total
South East	12	0	0	12	24	16	156	4	200	212
South South	15	0	0	15	8	16	121	0	145	160
South West	45	2	2	49	94	119	1042	27	1282	1331
Number of outlets eligible but not interviewed (interview non-participation)	1	0	0	1	7	5	11	1	24	25
North Central	0	0	0	0	0	0	2	1	3	3
North East	0	0	0	0	0	0	1	0	1	1
North West	0	0	0	0	0	0	0	0	0	0
South East	0	0	0	0	0	0	1	0	1	1
South South	0	0	0	0	1	2	1	0	4	4
South West	1	0	0	1	6	3	6	0	15	16
Number of interviewed outlets with at least one modern contraceptive (excluding condoms) on the day of the survey (Figure 1, Box D1)	142	3	3	148	138	197	1730	33	2098	2246
North Central	34	2	1	37	20	40	274	5	339	376
North East	18	0	1	19	3	2	83	0	88	107
North West	29	0	0	29	5	4	191	0	200	229
South East	11	0	0	11	23	16	141	4	184	195
South South	15	0	0	15	7	17	118	0	142	157
South West	35	1	1	37	80	118	923	24	1145	1182
Number of interviewed outlets that provide associated FP services, but do not stock modern contraceptives (excluding condoms) (Figure 1 Box D3)	17	0	2	19	26	2	46	0	74	93
North Central	3	0	0	3	5	1	7	0	13	16
North East	0	0	0	0	3	1	0	0	4	4
North West	3	0	1	4	5	0	13	0	18	22
South East	1	0	0	1	1	0	4	0	5	6
South South	0	0	0	0	1	0	1	0	2	2

Table X3: Urban vs Rural Sample Description

	Public Health Facility	Community Health Workers	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total
Number of outlets screened (Figure 1 Box B)	214	12	15	241	333	230	2801	9762	13126	13367
Urban	107	2	11	120	274	214	2231	10548	7829	10668
Rural	107	10	4	121	59	16	570	2578	1933	2699
Number of outlets eligible and interviewed										
(Figure 1 Box D)	159	5	5	169	168	200	1950	35	2353	2522
Urban	84	1	4	89	131	187	1593	29	1940	2029
Rural	75	4	1	80	37	13	357	6	413	493
Number of outlets eligible but not interviewed (interview non-participation)	1	0	0	1	7	5	11	1	24	25
Urban	0	0	0	0	7	4	10	1	22	22
Rural	1	0	0	1	0	1	1	0	2	3
Number of interviewed outlets with at least one modern contraceptive (excluding condoms) on the day of the survey (Figure 1, Box D1)	142	3	3	148	138	197	1730	33	2098	2246
Urban	76	0	2	78	113	185	1418	25	1744	1822
Rural	66	3	1	70	25	12	312	5	354	424
Number of interviewed outlets that provide associated FP services, but do not stock modern contraceptives (excluding condoms) (Figure 1										
Box D3)	17	0	2	19	26	2	46	0	74	93
Urban	8	0	2	10	15	2	36	0	53	63
Rural	9	0	0	19	11	0	10	0	21	30

Section 1: Census Information: Interviewer	completes this section for a	ll outlets	
	.ompietes tilis section for <u>a</u>	<u> </u>	
Outlet ID (Interviewer-State-LGA-Locality-Outlet ID)			
	_		
C1. Today's date (dd/mm/yyyy)	1]-[]-[2 0 1	L 5]
C2. Interviewer's name	C	2a. Interviewer's code	
	1		1 1
C3. State	C	3a. State code	·
[]	1	1 1 1
C4. Local Government Area (LGA)	C	ـــــــــــــــــــــــــــــــــــــ	_11
[1	1	
C5. Locality			_ J
[1	r I	
C6. Village/street	J	<u> </u>	_
[1		
C7. Name of outlet <i>If no name, record "no name"</i>		7a. Outlet code	
	1	1	
C8. Type of Outlet	J	L	
01 = University Hospital/Federal Medical Center	10 = Super/Mini-Market/Prov	visions Store	
02 = General Hospital/Specialist	11 = Kiosk/Table		
03 = Primary Health Care Center/Comprehensive	12 = Community Health Exter	nsion Workers	
Health Center	24 = Role Model Mother		
04 = NGO/Mission Hospital	25 = Village Health Worker		[]
05 = Private Hospital/Private Clinic	15 = Hawker		
06 = Pharmacy	96 = Other (<i>specify</i>)		
07 = Proprietary Patent Medicine Vendor	r	1	
08 = Private Diagnostics Lab (<i>lab only</i>)	L	J	
09 = NGO/Mission Diagnostics Lab (lab only)			
C8. Is this area part of the booster sample?	1 = Yes)=No	[]
Hello, my name is, I work for Society for Family the availability of antimalarial medicines and diagnostic testi improve the availability of appropriate antimalarial treatment see if you could be part of the survey.	ng services and family planning pro and family planning methods in Nigo	ducts and services. The results eria. I would like to ask you a f	will be used to ew questions to
Section 2: Screening & Eligibility for Antimal	arials: Interviewer complet	es this section for <u>all o</u> u	<u>utlets</u> .
SM1. Do you have any medicines in stock today?			
1 = Yes <i>Go to SM3</i>			[]
0 = No			
SM2. Are there any medicines that are out of stock too	day, but that you stocked in the p	east 3 months?	
1 = Yes Go to SM4			[]
0 = No			·
8 = Don't know <i>Go to SM5</i>	taday?		
SM3. Do you have any antimalarial medicines in stock	•	o in CO	
1 = Yes Provide information sheet Proceed to <u>Section 4: Antin</u>	& gain consent. Record start time	e in C9.	[]
0 = No Verify with prompt card. Go			
SM4. Are there any antimalarial medicines that are ou		cked in the past 3	
months?	,	p	
	& gain consent. Record start tim	e in C9. Proceed to	
Section 4: Antimalarial Aug	_	US. 1. 10000 to	L]
0 = No Verify with prompt card. G			
8 = Don't know Verify with prompt card. G			
SM5. Are you offering any diagnostic services or selling		?	[]

1 = Yes	Go to SM6	
0 = No	Verify with prompt card. Proceed to Section 3: Screening & Eligibility for Family	
	<u>Planning</u> .	
SM6. Are any of these se	rvices or tests for suspected malaria?	
1 = Yes	Provide information sheet & gain consent. Record start time in C9.	
	Proceed to <u>Section 5: Diagnostic Audit</u> .	ſ 1
0 = No	Verify with prompt card. Proceed to Section 3: Screening & Eligibility for Family	LJ
	<u>Planning</u> .	

Before proceeding to the full interview ensure you have given the respondent a <u>study information sheet</u>, <u>explained the study</u> and <u>obtained informed consent</u>.

Section 3: Screening & Eligibility for Family Planning: Interviewer completes this section for <u>a</u>	ll outlets.
SFP1. Do you have any male or female condoms available at this location today? Verify with prompt cards.	
1 = Yes	[]
0 = No Verify with prompt card. <i>Go to SFP7</i>	
SFP2. What brands of male condoms do you have in stock today?	
A = (specify): []	
B = (specify): []	
C = (specify): []	
D = (specify): []	
E = (specify): []	
X = No male condoms	
Z = Refused	
SFP3. What brands of female condoms do you have in stock today?	
A = (specify): []	
B = (specify): []	
C = (specify): []	
X = No female condoms	
Z = Refused	
SFP4. What is the most common brand of condom you sell to individual consumers?	
A = (specify): []	
Y = Don't know	
Z = Refused	
SFP5. What is the price for the most common brand of condoms you sell to individual consumers?	
If condoms are sold individually, record '1' for package size.	
This outlet sells a package of $\begin{bmatrix} \ \ \ \end{bmatrix}$ condom(s) for $\begin{bmatrix} \ \ \ \ \end{bmatrix}$ condom(s) for $\begin{bmatrix} \ \ \ \ \end{bmatrix}$ -N- (Nigerian Naira). 98 = Don't know 99 = Refused 9999 = Refused	
SFP6. How many condoms of all brands total have you sold to individual consumers at this location in the last 7 do	<u>1ys</u> ?
If condoms are sold individually, record '1' for package size.	
This outlet sold $[$] individual condoms in the $\underline{last\ 7\ days}$. 9998 = Don't know 9999 = Refused	

	o you have any of the following family planning products available at this location Read all options and verify each option with prompt cards.	1 = Yes (if at least one available) Provide information sheet & gain consent. Record start time in C9.
A.	Oral contraceptive tablets	Proceed to Section 8: Family
В.	Emergency contraceptive tablets	Planning Product Audit.
C.	Injectable contraceptives	0 = No (none available)
D.	Contraceptive implants	, ,
E.	Contraceptive IUDs	LJ
SFP8. A	re there any of the following family planning products that are out of stock today,	1 = Yes (if at least one available)
but that	you stocked in the past 3 months at this location? Read all options and verify	Provide information sheet & gain
each op	tion with prompt cards.	consent. Record start time in C9.
		Proceed to <u>Section 8: Family</u>
A.	Oral contraceptive tablets	Planning Product Audit, Question
В.	Emergency contraceptive tablets	<u>AFP15.</u> 0 = No
C.	Injectable contraceptives	U = NO
D.	Contraceptive implants	
E.	Contraceptive IUDs	<u></u>]
SFP9. D	o you provide any of the following family planning services at this location? Read	1 = Yes (if at least one available)
all optic	ons.	Provide information sheet & gain
		consent. Record start time in C9.
A.	Insertion/removal of contraceptive implants	Proceed to <u>Section 9 Family</u>
В.	Insertion/removal of contraceptive IUDs	Planning Provider Module-All
C.	Female sterilizations	Methods Except Sterilizations 0 = No
D.	Male sterilizations	Proceed to <u>Section 12: ORS, Zinc &</u>
		Amoxicillin; Consent not required.

If have not done so previously for malaria sections, before proceeding to the full interview for family planning sections ensure you have given the respondent a <u>study information</u> <u>sheet</u>, <u>explained the study</u> and <u>obtained informed consent</u>.

Section 12: ORS, Zinc & Amoxicillin: Interviewer completes this section for <u>ALL</u> outlets.	
Read to the provider: I have just a few questions for you about availability of treatments for diarrhea and pneum	nonia.
ORS1. Do you have any oral rehydration salts, also known as ORS in stock today?	
Verify with prompt card	
1 = Yes	LJ
0 = No	
ORS2. Do you have any zinc tablets for treatment of diarrhea in children in stock today?	
Verify with prompt card	
1 = Yes	LJ
0 = No	
ORS3. Which strength of zinc tablets for treatment of diarrhea in children do you have in stock today?	
Read list, circle ALL that apply	
A = 10mg	A
B = 20mg	В
Z = Other (specify): []	Z
ORS4. Do you have any ORS that is packaged together with zinc treatment for diarrhea in children in stock	
today? Verify with prompt card	r 1
1 = Yes	LJ
0 = No	
AB1. Do you have any antibiotics in stock today?	
1 = Yes	[]
0 = No	
AB2. Do you have any amoxicillin dispersible tablets, also known as Amox DT?	
Show prompt card. Interviewer: ask to see the product and verify that it is dispersible amoxicillin	l r ı
1 = Yes	
0 = No Go to C9 – Result of visit	
AB3. Which strength of amoxicillin dispersible tablets, also known as Amox DT, do you have in stock today?	
Read list, circle ALL that apply	A
A = 125mg	B
B = 250mg	Z
Z = Other (specify): []	

C9. Result of visit(s).								
Date	Visit 1	Visit 2	Visit 3					
(dd/mm/yy)	[]-[]-[1 5]	[]-[]-[1 5]	[_]-[]-[1 5]					
Time started (in 24hr clock)		[_]:[]						
Time completed (in 24hr			·					
clock)	[_]:[]	[_]:[_]	[_]:[]					
Result	[_]	[_]	[]					
	01 = Outlet eligible & surv	01 = Outlet eligible & survey completed Go to						
	02 = Outlet ineligible: doe	es not meet any screening c	riteria Go to E1					
	03 = Interview interrupted	d	Go to C11					
	04 = Respondent not avail	lable/time not convenient	Go to C11					
	05 = Outlet not open at th	ne time	Go to C11					
	06 = Outlet closed permar	nently	Go to E1					
	96 = Other							
	(specify):[]					
	99 = Refused		Go to C10					
C10. If the provider refused,	-							
	k respondent for a time they woul		note in C11					
2 = Thinks it's an inspe 3 = Not interested		io to E1 io to E1	[]					
6 = Other (specify):[G	90 (0 E1	1					
9 = Refuses to give rea	son G	50 to E1						
Section E: Ending the in	ıterview							
E1. Name of interviewee:								
5 = Not applicable, no resp			[]					
•	tion identifiers of outlet (not PO bo	999999999 = Not app	licable: no respondent no telephone					
E4.Latitude: [N]-[E6. Additional observations	_]-[] by interviewer (if any)	E5.Longitude: [E]-[<u>]-[</u>]					

THANK THE PROVIDER AND END INTERVIEW.

I. ANTIMALARIALS

Section 4: Antimalarial Audit

A0. Read to the provider:

Can you please show us the full range of antimalarials that you currently have in stock? Do you currently have any of the following?

Prompt entire list using antimalarial prompt card; No response to be recorded.

- Artemether lumefantrine, such as Lonart, Lonart-DS, Amatem, Artemef, Lumartem, Coartem, Lokmal
- Artesunate amodiaquine, such as Larimal, Comosunate, Dart, Diasuate, Arsuamoon, Malmed
- Other artemisinin combination therapies, such as P-Alaxin, Artequin, Waip, ACT, Co-Arinate, Duo-Cotecxin
- **Artemether monotherapies**, such as *Gvither*, *Sanarteme*, *Artem*
- Artesunate monotherapies, such as Artesunat, G-Sunate, Askasunate, Malmeter, Eurosunate, Arthlon
- Chloroquine, such as New 2.2.1, Evans, Palquine, Dana Quimal, Capquin, Vinaquine
- SP, such as Fansidar, Amalar, Laridox, Maldox, Malareich, Metakelfin, Antimal, Vitadar
- Quinine, such as Malagold, Alpaquine, Embassy Quine
- Amodiaguine, such as Amobin, Malaratab, Loquin, Alphaquine
- **Mefloquine**, such as *Mephaquin*, *Meflotas*, *Lariam*
- Syrups or suspensions, such as Vinaquine, Triple Action Maxiquine, Emzor, Lonart, Maldox, Alaxin, Vamirex Triple ACT, Camoquine, Halfan, Palquine, Peace, Labquin, Shekquine, Lokmal
- Injectables, such as Labquin, Sivoquine, E-mal, Tayquine, Sanarteme, Clotin, Paluther
- Granules or powders, such as Camosunate, Artesmodia, Artequin, Paediatric, Tamether

If the outlet has no antimalarials in stock cross-check screening results then proceed to question A16.

Proceed to the antimalarial audit. Different antimalarial audit sheets will be used to record the antimalarial information based on the dosage form of the medicine.

Separate the antimalarials into two piles:

- The first pile should contain all the antimalarials in the form of tablets, suppositories, or granules.
 Use the Tablets, Suppositories & Granules Drug Audit Sheet to record these.
- The second pile should contain all the antimalarials in any form other than tablets, suppositories or granules. Use the Non-Tablet Drug Audit Sheet to record these.

If additional audit sheets are used, add these sheets after the ones provided and staple the questionnaire again. All pages should be in order before you move onto the next outlet.

Number <u>each drug</u> by assigning a Product Number (starting from 1 for TSG drugs and again from 1 for NT drugs). Number <u>each audit sheet used</u> in the spaces provided at the bottom of the page.

ADDITIONAL NOTES ON THE SUB-OUTLET CODE

In all outlets, complete the <u>Sub-Outlet Code</u> (as well as the Product Number) for each drug audited. These codes are listed below.

SUL	UB-OUTLET CODES							
Χ	ALL outlets that have only ONE dispensing/distribution point for medicines/diagnostics							
Α	Outpatient department / dispensary/Main pharmacy (if used by all patients)							
В	Adult outpatient department / adult dispensary / adult clinic							
С	Child outpatient department / child dispensary / child clinic							
D	Antenatal / maternity clinic/MCH							
Е	ART / HIV/AIDS clinic							
G	Private dispensing unit within a public health facility							
L	Laboratory (for RDT audit)							
Z	Other (specify the type in the space for audit comments – TSG 15 or NT 15)							

Sub-outlet		ET, SUPPOSITORY & C	RANUL	E DRUG AUDI 2. Strength			G)OUTLET ID: [_ pase strength?	_]-[3. Dosage]-[]]-[]-[]
code [] Product number				[_ _	mg mg mg	[_] 1 = [_] 0 =	= Yes = No = Don't know		form/formulation 1 = Tablet 2 = Suppository 3 = Granule			and age information)
[]]						[_]	[]			
5. Manufacti	urer	6. Country of manufacture	[_ tablets/ granule 1 =	re a total of _ suppositories/ sachets in each: Package Pot/tin []	a fix com (FD0 1 = 0 0 = 8 =	Yes	9. Does product have the Green leaf logo? 1 = Yes 0 = No 8 = Don't know	16a. Does thi a scratch area authenticatio 1 = Yes 0 = No go to 8 = Don't know [] 16b. Record t 1 = 38353 2 = 38351 3 = 1391 6 = other : []	n? 10 w go to 10	individual described suppositor This outlet last 7 days Of This outlet or granule	consumers (Recin Q7 OR record ries / granule part sold [s sold [s sold [s sachets in the licable = 995; Re] packages/ tins in the
11. Stocked		12. Retail selling price		13. Wholesale p	ourch	nase price			ou stock this medi	-	-	15. Comments
any point in past <u>3 montl</u>				For the outlet's	mos	t recent wh	olesale purchase		t read list. <u>Circle ALL</u> responses give		given	
1 = Yes		L tablets, suppositories or	granule					Free su Profita			A B	
0 = No 8 = Don't		sachets cost an individual customer	_	[tablets, supposi] itorie	es or granu	le sachets cost		mended by the go	vernment	C D	
know			NGN	[NGN				Customer demand or preference Positive brand reputation			E F	

Free = 000000

Refused = 999997

Don't know = 999998

Often prescribed by doctors

Don't know

Other

Specify [_

Most effective for treating malaria H

X

Z

Tablet A	اع +:4،	1 +0 0	1 1	of [1
Tablet A	uait Si	neet i	1 1	OTI	1

Free = 00000

Refused = 99997

Don't know = 99998

NON-I ABLE	ET DRUG AUDIT S	HEET (N I): SY	RUP, S	USPENSION, INJE	CTION	IS & OTHERS O	UTLE.	т ID:	[_	_]-[<u>_ll_</u>]-[_	l_	_	_]-[<u> </u>]-[_		
Sub-outlet code	1. Generic name			2. Strength			2a.	Is thi	s base st	trengt	h?	3. [Dosag	e form	n/formu	lation			
Product number				[].	mg/[mg/[.] .[_]mL .[_]mL .[_]mL .[_]mL powder injection)		1 = Yes			1 = Yes 2 = 3 = No 3 = Don't know 4 = 5 = 5			1 = Syrup 2 = Suspension 3=Liquid injection 4 = Powder injection 5 = Drops 6 = Other (specify)					
4. Brand name (Include weigh information)		5. Manufacturer		6. Country of manufacture	7. Package size There are a total of [].[] m (or mg for powder injection in each: 1 = Bottle 2 = Ampoule/vial []		nL ns)	orodu :he Gr ogo? L = Ye:) = No		scratch area and authentication of the scratch area and a			or mok n? 10 v go t	oile to 10		district days construction this distriction the last 7	10. Amount sold/ distributed in the last days to individual consumers This outlet sold [] bottles, ampoules or v in the last 7 days Refused = 9997;		
11. Stocked or any point in the past 3 months 1 = Yes 0 = No 8 = Don't know []	ne bottles ampoul	es or vials cost	For the wholes	nolesale purchase pri e outlet's most recent sale purchase: s, ampoules or vials o	t	14. Why do you stock Do not read list. Free supply Profitable Recommended Low price Customer dema Positive brand r Often prescribe Most effective f Don't know	by the and or by the depth of t	ne gov or pref	<u>L</u> respond vernmen ference	eses grand A	iven	τ]?	15. C	Comme	ents			w = 9998	
	Refused = 999	= 00000 97Don't know = 1998	E	Free = 000000 Refused = 999997 Oon't know = 999998		Other Specify [Z		_]							

Non-Tablet Audit Sheet [___|__] of [___|__]

past <u>3 months?</u>	ntimalarial medicines that are out of stock <u>today</u> , but that you stocked in the	
1 = Yes	go to AM17	[]
0 = No	5	
8 = Don't know	go to Section 5: Antimalarial Diagnostic Audit	
	ames of the treatments that are out of stock? brand names. Record one medicine per line.	
1 = Yes, specify		
[] []	
[] []	r 1
[LJ
[
r		

OUTLET ID: [__|__]-[__|__]-[__|__]

Interviewer: Go to Section 5: Antimalarial Diagnostic Audit.

Section 5: Antimalarial Diagnostic Audit
This section is about availability of malaria blood testing. Completing the questions may require speaking with more
than 1 staff member at the outlet. If the respondent does not know the answer to a question in this section, ask to
speak with another staff member who can provide the information.

D1. Does this outlet/facility have customers/patients?	disposable gloves available today for staff to use when seeing	
1 = Yes		[]
0 = No		
8 = Don't know		
D2. Does this outlet/facility have a	a sharps container, also called a sharps disposal box or safety box,	
available today for staff to use?		
1 = Yes		[]
0 = No		
8 = Don't know		
D3. Is malaria microscopic testing	available here today?	
1 = Yes		[]
0 = No go to D	7	<u></u> -
	d for malaria at this facility/outlet using microscopy within the past 7	
days?	a for maiana at this facility/ outlet asing meroscopy within the past 7	
997 = Refused; 998 = Do	n't know	
D5.	II t know	
	copic test for malaria for an <u>adult</u> : [] NGN	
	Free = 00000; NA =99995; Refused = 99997; Don't know=9999	98
D6.		
What is the <u>total cost</u> for a micros	copic test for malaria for a <u>child under five</u> : [NGN	I
	Free = 00000; NA = 99995; Refused = 99997; Don't know=999	98
D7. Malaria rapid diagnostic tests,	, also called RDTs, are small, individually wrapped blood tests that are	
able to quickly diagnose wheth	ner a person has malaria. Show RDT images in prompt card	
Are malaria RDTs available he	ere today?	
1 = Yes		[]
0 = No	go to D9	
8 = Don't know	ask to speak with a respondent who has this information	
De Blosse show us the full range	of RDTs that you currently have in stock. Do you currently have any of the	following?
Read entire list; No response to b		ionowing:
•		
 SD Bioline, Wondfo One S 		
 First Response, ParaChec 	k, Maleriscan, CTK on site rapid test	

Proceed to the RDT audit.

If additional audit sheets are used, add these sheets after the ones provided and staple the questionnaire again. All pages should be in order before you move onto the next outlet.

Number each RDT by assigning a Product Number.

Number <u>each audit sheet used</u> in the spaces provided at the bottom of the page.

Complete the <u>Sub-outlet Code</u> as well as the Product Number for each RDT audited. Sub-outlet codes are listed on <u>page 6</u>.

		RAPID DIA	AGNOSTIC TEST AUDIT S	SHEET	(RDT) O∪	TLET ID: []-[_	_]-[_	_]-[_]-[_	_]	
Sub- outlet code [] Product number []	1. Bran	d name	(circle ALL that apply) HRP2 A pLDH B Aldolase C Not indicated Z	vom/ Specify	Property of the indicated	A B C D E F G	4. Manufacturer	5. Country of Manufacture	6a. Product catalogue number	6b. Lot Number	kit, with kit co-ps with its pipette: 1 = Yes 0 = No	
13. Number tests sold/distributed in the last 7	ld/ this test this brand of RDT to test clients here at this		pro clie	16a. Does this facility/outlet provide this brand of RDT for clients to take away for testing somewhere else?		price For the outlet	17. Wholesale purchase price For the outlet's most recent wholesale purchase:		18. Why do you stock this RDT [SHOW RDT]? Do not read list. Circle ALL responses given			
individual	uays to	stocked out at	facility/outlet? 1 = Yes	SUII			wholesale pur	chase.	Free supply		A	
consumers (Record total	1 # of	any point in	0 = No <i>go to 16a</i>		1 = Yes 0 - No	go to 17] tests	Profitable		В	
tests)	-	the past	$8 = \text{Don't know} \ \textbf{go to 16}$	ба		n't know <i>go to</i>	17		Recommended by	the government	C	
This outlet s distributed	old or	$\frac{3}{\text{months}}$?	[]		Г	1		eost	Low price	_	D	
			15b. If yes, what is the <u>total</u>						Customer demand	or preference	E	
[]	1 = Yes $0 = No$	cost for an adult to have a test conducted with this RDT,		t 16b. If yes, what is cost of this RDT for an adult?		[Positive brand reputation		
tests in the l days	ast 7	8 = Don't know	including RDT cost and service fee?	r	1 1 1] NGN	NGN	_	Don't know		X	
uays		KIIOW		L		_] NON	Free =	= 000000	Other	Z		
Refused = Don't know=999	,	[]	15c. If yes, what is the <u>total</u>	this age		t is the cost of child under the	Refused	999995 ! = 999997 ow=999998	specify]	
			cost for a child under the age of five to have a test conducto with this RDT, including RD cost and service fee?	ed L—	_ _	_] NGN						

RDT Audit Sheet [] of [

[__|__] NGN

Free = 00000; NA = 99995; Refused = 99997; Don't know=99998

OUTLET ID: [_]-[l 1-f]-[1 1]-[1
			-!!!		.	.

RDT stock outs

D9. Are there any mala	ria RDTs that are out of stock today, but that you stocked in the past <u>3 months</u> ?	
1 = Yes		
0 = No	go to D11	[]
8 = Don't know	go to D11	
D10. What are the bran	d names of the malaria RDTs that are out of stock?	
-	inc.	
1 = Yes, specify		
[r 1
r	1	LJ
L		
[]	
0 = No, provider	can't remember	
D11. Does this facility/o	outlet provide medicines or prescription for medicines?	
1 = Yes	go to Section 5: Provider Module	
0 = No	check that S1 is no and S2 is no (the outlet has no medicines/had no medicines recently) and that C7 is 14 or 15. Go to Section 3: Screening & Eligibility for Family Planning.	

Interviewer: Go to <u>Section 6: Antimalarial Provider Module</u>.

Our ID. (1 16 1	1 15 1	1 1 1 1 1	
OUTLET ID: I	1 1-1 1	-	-]-[

Section 6: Antimalarial Provider Module

This section is for the senior-most staff member who is responsible for providing malaria treatment, prescriptions or medicines to clients/patients.

PM1. Do your responsibilities at this outlet/facility include: providing prescriptions, treatment, <u>or</u> medicines to clients?	
medicines to chemis:	
1 = Yes	lJ
0 = No ask to speak with the senior-most person at the outlet with 1 or more of these responsibilities.	
PM2. For how many years have you worked in this outlet/facility? If less than 1 year, enter 01	
	[_]
PM3. What age are you today? Write age in years	
97 = Refused 98 = Don't know	[]
PM4. <i>Don't read:</i> Is respondent male or female?	
1 = Male	[_]
2 = Female	
PM5. What is the highest level of education you completed?	
1 = No formal education 2 = Some primary school	
3 = Completed primary school	
4 = Some secondary school	[]
5 = Completed secondary school	
6 = Some university/college	
7 = Completed a university/college degree/diploma	
PM6. Have you received any training in the last 12 months that included a component on malaria	
diagnosis, including malaria rapid diagnostic tests or microscopy?	
Include pre-service training and stand-alone workshops.	[]
1 = Yes 0 = No	
8 = Don't know	
PM7. Have you received any training in the last 12 months on the national treatment guidelines for	
malaria? Include pre-service training and stand-alone workshops.	
1 = Yes	[]
0 = No	
8 = Don't know PM8. Do you have any of the following health qualifications ?	
Read list. Record 1 for yes, 0 for no	
I. Dispenser (diploma in Pharmacy)	[]
II. Pharmacist (Degree in Pharmacy)	[]
III. Medical doctor	[]
IV. Clinical Officer	[]
V. Nurse / Nursing Officer	[]
VI. Midwife	[]
VII. Laboratory technician / Lab assistant	[]
VIII. Pharmaceutical technologist	[]
IX. Pharmacy technician	[]
X. Public Health Technician/Officer	[]
XI. Health Assistant, Medical Assistant / Nursing Assistant / Nursing Aid	[]
	[]
XII. Community Health Worker	LJ

········							
PM9. Not including yourself, do any other people work health qualifications? Read list. Record 1 for yes, 0 for no, 8 for don't know	king in this outlet or f	acility have the following	3				
	I. Dis	spenser (Diploma in Phar	macy) []				
	II. Ph	armacist (Degree in Phar	macy) []				
		III. Medical (doctor []				
		IV. Clinical (Officer []				
		V. Nurse / Nursing (Officer []				
		VI. M	idwife []				
	VII. Labora	atory technician / Lab ass	sistant []				
	VIII.	Pharmaceutical techno	ologist []				
		IX. Pharmacy tech					
		ublic Health Technician/0					
XI. Health Assistant	-	Nursing Assistant / Nursi					
	XII.	Community Health V	Vorker []				
provided. Ask the provider to show you the medicine if it is in stock to verify the name and dosage form. PM10. In your opinion, for treating uncomplicated malaria in <u>adults</u> , what is the <u>most effective</u> antimalarial medicine? Ask the provider to show you the medicine if it is in stock. Generic or brand name Dosage form/formulation							
	01 = Tablet 02 = Suppository 03 = Granule	04 = Syrup 05 = Suspension 06 = IM/IV Injection (liquid or powder)	07 = Drops 95 = None specified 98 = Don't know				
[] Don't know = 98		[]					
PM11. In your opinion, for treating uncomplicated ma medicine? Ask the provider to show you the medicine if it is in s	tock.	er five, what is the most o	<u>effective</u> antimalarial				
PM11. In your opinion, for treating uncomplicated ma		er five, what is the most o	effective antimalarial				
PM11. In your opinion, for treating uncomplicated ma medicine? Ask the provider to show you the medicine if it is in s	tock.	er five, what is the most o	effective antimalarial 07 = Drops 95 = None specified 98 = Don't know				
PM11. In your opinion, for treating uncomplicated ma medicine? Ask the provider to show you the medicine if it is in s	Dosage form/form 01 = Tablet 02 = Suppository	er five, what is the most of t	07 = Drops 95 = None specified				
PM11. In your opinion, for treating uncomplicated ma medicine? Ask the provider to show you the medicine if it is in s	Dosage form/form 01 = Tablet 02 = Suppository	er five, what is the most of t	07 = Drops 95 = None specified				
PM11. In your opinion, for treating uncomplicated ma medicine? Ask the provider to show you the medicine if it is in s	Dosage form/form 01 = Tablet 02 = Suppository	er five, what is the most of t	07 = Drops 95 = None specified				

12. What antimalarial medicine for treating uncontrol of the provider to show you the medicine if it is in Generic or brand name	-		recommend to custome
	Dosage form/form 01 = Tablet 02 = Suppository		
	01 = Tablet 02 = Suppository		
	02 = Suppository		07 = Drops
[95 = None specified
[os Granaic	06 = IM/IV Injection	98 = Don't know
[(liquid or powder)	30 Don't know
[(inquia or powder)	
[
]	[]]	
Don't know = 98		 -	
Don t know = 98			
13. What antimalarial medicine for treating unco	omplicated malaria in <u>c</u>	<u>hildren under five</u> do yo	u <u>most often recommen</u>
to customers?			
the provider to show you the medicine if it is in	n stock.		
Generic or brand name	Dosage form/form	ulation	
	01 = Tablet	04 = Syrup	07 = Drops
	02 = Suppository	05 = Suspension	95 = None specified
	03 = Granule	06 = IM/IV Injection	98 = Don't know
		(liquid or powder)	
	,		
]	[]	
		١١	
Don't know = 98			
14. In your opinion, for treating severe malaria is the provider to show you the medicine if it is in Generic or brand name	Dosage form/form 01 = Tablet		ontimalarial medicine? O7 = Drops 95 = None specified 98 = Don't know
14. In your opinion, for treating <u>severe</u> malaria is the provider to show you the medicine if it is in	Dosage form/form 01 = Tablet 02 = Suppository	oulation 04 = Syrup 05 = Suspension 06 = IM/IV Injection	07 = Drops 95 = None specified
14. In your opinion, for treating <u>severe</u> malaria is the provider to show you the medicine if it is in	Dosage form/form 01 = Tablet 02 = Suppository	oulation 04 = Syrup 05 = Suspension 06 = IM/IV Injection	07 = Drops 95 = None specified
14. In your opinion, for treating <u>severe</u> malaria is the provider to show you the medicine if it is in	Dosage form/form 01 = Tablet 02 = Suppository	oulation 04 = Syrup 05 = Suspension 06 = IM/IV Injection	07 = Drops 95 = None specified

	OUTLET ID: []-[]		LIIII-	J
PM16. Plea	ase name the first line medicine recom	mended by the governme	ent to treat uncomplicated	
malaria.				
	d list. Only one response allowed.			
	emether Lumefantrine (Lonart, Artefar			
	Т _			
	Tm		Go to PM17	
	esunate Amodiaquine (DUAC, Coarsucc			
	ydroartemisinin Piperaquine (Duo-cote	ecxin, P-alaxin)		
	odiaquine	t moith and		[]
	emether(Artenam, Paluther, Artesiane,	, Laritner)		
	emisinin osunato (Artosun Larinato Diasmotrin	n)	→ Go to PM19	
	esunate (Artesun, Larinate, Plasmotrin oroquine (Sugarquin)	n)	GO TO PIVITY	
10 = Cili 11 = Qui				
1	fadoxine Pyrimethamine (Fansidar, SP,	Orodar Ekelfin Metakeli	fin)	
	ner specify: [1	
	n't know			
PM17. Plea	ase explain the government recommen	ded treatment regimen f	or this drug for an <u>adult</u> (60kg)	
What	t is the dosage formulation?			
	= Tablet 04 = Syru		· I	
	= Suppository 05 = Susp		ne specified	1 1
03	= Granule 06 = Injec		t applicable n't know	<u> </u>
If prov	vider responded not tablet then skip to		T C KIIOW	
ij prov	nuer responded not tubiet then skip to	PIVIIO		
Read	the following 3 questions to the provi	der		
		•	ets should they take at a time?	
		II. How many time	s per day?	[]
		III. Over how many	days?	[]]
If res	pondent has the medicine available us	se the package to comple	te the table below.	Don't know = 98
1 -	medicine is not available ask respond	• •		
If ide	ntification not possible, ask responden		•	,
	Generic name	Strength in mg	Brand name	
		[1 1ma		
L1J		[_].[]mg		
[_]		[].[]mg		
[_]		[_].[]mg		
	[]	Don't know=999.8		
200	of a shows a	la Maio duvo a Corad dos		
ivian	ufacturer	Is this drug a fixed-dos	e combination	
		1 = Yes		
		0 = No 8 = Don't kno	NA/	
		ס – טטוו נ אווט	vv	
		i		1 1
	2't know = 00		[]	
Dor	n't know = 98		[]	

	OUTLET	· ID: []-[.]-[]]-[-]
	-	vernment recomme	_	n for this drug for a 2-year old	
What	is the dosage for	rmulation?			
02 =	= Tablet = Suppository = Granule		spension 95 = N ection (IV/IM) 96 = N	Orop None specified Not applicable Don't know	[]
	-	not tablet then skip westions to the pro	to PM19		
			I. How many ta	blets should they take at a time?	
			II. How many tir	nes per day?	
			III. Over how ma	nv davs?	[]
If the	medicine is not a	ıvailable ask respor	use the package to comp Ident to identify from pro ent to recall medicine de	plete the table below.	[] Don't know = 98
,,	Generic name		Strength in mg	Brand name	7
			[_ _ _].[_]mg [_ _].[_]mg		
[]			[].[]mg		
	[_]	Don't know=999.8		
Manı	ıfacturer		Is this drug a fixed-dos e	e combination	
			1 = Yes 0 = No 8 = Don't knov	v	
Don	't know = 98				
					- ·
PM19. Plea	se name the med	dicine recommende	d by the government to t	reat severe malaria.	
	d list. Only one re		,		
01 = Arte	esunate (Artesun,	Larinate, Plasmotri	im)	Go to PM20	
02 = Arte	emether <i>(Artenar</i>	n, Paluther, Artesiai	ne, Larither)	Go to PM20	
03 = Qui	nine			Go to PM20	
04 = ACT	-				r 1 1
			in, Lumartem, Coartem)		LIJ
	-	uine (DUAC, Coarsu	7 7		
	•	Piperaquine <i>(Duo-co</i>	tecxin, P-alaxin)	Go to PM21	
	oroquine (Sugard			(6.)	
	-		P, Orodar, Ekelfin, Metak	elfin)	
96 = Oth 98 = Dor				-	
		mulation for the rec	commended medicine by	the government to treat severe	
	o not read dosag		-,	_	
01 = Tablet		04 = Syrup		07 = Drops	

95 = None specified

02 = Suppository

03 = Granule

05 = Suspension

06 = IM/IV Injection (Liquid or powder) 98 = Don't know

[__|_]

OUTLET ID: [· I	1-[1 1	l 1	-[1 1	1 1	-[1 1	l 1	! 1	-[1 1	
OUILLI 10. 1		11	1 1			1 1		1	1 1	1 1	1 1		1 1	

PM21. Malaria rapid diagnostic tests, also called RDTs, are small, individually wrapped blood tests that are able to quickly diagnose whether a person has malaria. Show RDT images in prompt card			
Have you ever seen or heard of malaria RDTs?			
1 = Yes			
PM22. Have you ever tested a client for malaria using an RDT?			
1 = Yes 0 = No 8 = Don't know	[]		
PM23. Would you ever recommend a patient/customer take an antimalarial if a blood test using a rapid diagnostic test produced a negative test result for malaria? Read list. Record only one response.			
1 = Yes, Sometimes 2 = Yes, Always 3 = No, Never			
PM24. Under what circumstances would you recommend a patient/customer take an antimalarial following a negative RDT test for malaria? Do not read list. Prompt "anything else" until the respondent is finished. Circle ALL responses given			
When they have signs/symptoms of malaria	А		
When they ask for antimalarial treatment	В		
When they are a child	С		
When they are an adult	D		
When they are a pregnant woman	E		
When I do not trust/believe the test	F		
When I know the patient/customer	G		
Other (specify) [х		

PM29. What are the danger signs of <u>severe</u> illness in a child under 5? Do not read list. Prompt "anything else" until the respondent is finished. Circle ALL responses given	
Unable to drink /unable to breastfeed	А
Vomits everything	В
Convulsions	С
Lethargic or unconscious	D
Don't know	Z
Other (specify) []	×
PM30. What would you do if a 2-year old child was brought to this outlet with the danger signs of severe illness? Do not read list. Only one response allowed.	
01 = Seek advice/help from someone in this facility	
02 = Treat the child in this facility	
03 = Refer to a health facility (clinic, hospital) with or without treating here	[]
04 = Refer to a non health facility outlet (not a clinic or hospital) with or without treating here	
05 = Send them away/home without medicine	
06 = Send them away/home with medicine	
96 = Other (specify): []	
98 = Don't know	

Interviewer: Go to <u>Section 7: Antimalarial Audit Tracking</u>
<u>Sheet</u>.

OUTLET ID: []-[]-[]-[]				
Section 7: Antimalarial Audit Tracking Sheet				
TM1. Were there any antimalarial TABLETS/SUPPOSITORIES/GRANULES in stock at this outlet?				
1 = Yes	r 1			
0 = No <i>go to T4</i>	LJ			
8 = Don't know <i>go to T4</i>				
TM2. Total number of TABLET/SUPPOSITORY/GRANULE <u>audit sheets</u> completed				
<u> </u>	[]]			
TM3. Did you complete audit sheet information for <u>all available</u>				
TABLETS/SUPPOSITORIES/GRANULES?				
1 = Yes, audit complete	[]			
0 = No, audit complete				
,				
The Manual Control of the Control of				
TM4. Were there any antimalarial NON TABLETS (Syrups, suspensions, Injectables) <u>in stock</u> at this outlet?				
1 = Yes 0 = No	LJ			
0 = No				
0 - Don't know go to 17				
TM5. Total number of NON-TABLET <u>audit sheets</u> completed				
	[]			
TM6. Did you complete audit sheet information for all available NON-TABLETS?				
1 - Vos audit complete	r 1			
1 = Yes, audit complete 0 = No, audit not complete	LJ			
o No, addit not complete				
TNAZ Ware there are DDTs in the sketch at this sublat?				
TM7. Were there any RDTs in <u>stock</u> at this outlet?				
1 = Yes	r 1			
0 = No go to T10	LJ			
8 = Don't know go to T10				
TM8. Total number of RDT <u>audit sheets</u> completed				

T10. COMMENTS: Reason for incomplete audit sheets (if response is no to T3, T6, or T9):	
110. Comments. Reason for incomplete addit sheets (if response is no to 15, 16, or 15).	

TM9. Did you complete audit sheet information for all available RDT?

1 = Yes, audit complete0 = No, audit not complete

Interviewer: Very important! Make sure to Go to <u>Section 3:</u> <u>Screening & Eligibility for Family Planning.</u>

Outlet ID: []-[]-	[]]-[]-[

Section 8: Family Planning Product Audit

Before Going to the full interview ensure you have given the respondent a <u>study information sheet</u>, <u>explained</u> <u>the study</u> and <u>obtained informed consent.</u>

A0. Read to the provider:

Can you please show us the full range of family planning products that you currently have in stock? Do you currently have any of the following?

Prompt entire list using family planning prompt card; No response to be recorded.

- Rapid pregnancy test kits
- Birth control patches
- Vaginal birth control rings
- CycleBeads
- Diaphragms
- Vaginal foaming tablets
- Male condoms such as X
- Female condoms such as X
- Oral contraceptive tablets such as X
- Emergency contraceptive tablets such as X
- Injectable contraceptives such as X
- Contraceptive implants such as X
- Contraceptive IUDs such as X
- Early term medical abortion tablets such as X; *These may be located in a different department of the outlet/facility

If the outlet has no family planning products in stock check screening results then Go to question A15.

Different product audit sheets will be used to record the product information based on the form and brand of product.

Separate the family planning products into five piles:

- The first pile should contain one of each brand of all non-drug family products available at the outlet including: male and/or female condoms. If rapid pregnancy test kits, CycleBeads and/or diaphragms are available, include in this pile. Use the FP Non-Drug Audit Sheet to record.
- The second pile should contain one of each brand of all oral contraceptive tablets available at the outlet including: oral contraceptives and/or emergency contraceptives. If birth control patches, misoprostol and/or vaginal foaming tablets are available, include in this pile. Use the FP Tablet Audit Sheet to record.
- The third pile should contain of one of each brand of all injectable contraceptives available at the outlet. Use the FP Injection Audit Sheet to record.
- The fourth pile should contain of one of each brand of all contraceptive implants and IUDs available at the outlet. If vaginal birth control rings are available, include in this pile. Use the FP Insertion Audit Sheet to record.

If additional audit sheets are used, add these sheets after the ones provided and staple the questionnaire again. All pages should be in order before you move onto the next outlet.

Number <u>each family planning product</u> by assigning a Product Number (starting from 1 for FP Non-Drugs, again from 1 for Tablets and so on).

Number <u>each audit sheet used</u> in the spaces provided at the bottom of the page.

A0. Does outlet collect facility-level records of family planning products sold and/or services provided?	
1 = outlet keeps records	
0 = outlet does not keep records	[]

If records are available and permitted to view, ask respondent to cross-check answers given for "amount sold/distributed" for all products and services. If figures for audit sheets given by the respondent and the records are not the same, ask the respondent the reasons for discrepancies and make a comment in "comments" section for each brand/product. If discrepancies exist, record the figure given by the respondent after viewing the records.

	FP NON-DRUG AUD	OIT SHEET (ND): INCL	UDES CONDO	MS, C	YCLEBEADS, DIAPHRAGN	is C	OUTLET ID: []-	·[]-[]	
Product	1. Non-drug type	2. Brand name		3. Ma	nufacturer		ountry of	5. Package size	a to divide with a set of
	1 = Male condom 2 = Female					man	ufacture	(Record '1' if product	s individually sold) There are a total of
_	condom 3 = CycleBeads 4 = Diaphragm								
	5 = Rapid pregnancy test kit							individu	al non-drug products in each package.
	[]						[]		
6. Amoui	nt sold/distributed in	the last 1 month to	7. Stocked o	ut at	8. Retail selling price		9. Wholesale purcha	ase price	10. Comments
individua	l consumers		any point in the		(Record # of packages or		For the outlet's most recent wholesale		
(Record #	t of packages describ	ed in Q5)	past 3 months?		non-drug products describe		purchase. (Record # of packages or non-		
				in Q5)			drug products described in Q5)		
	This outlet sold/di	stributed	1 = Yes						
			0 = No						
	[ll	8 = Don't know		[_]				
	packages in the <u>las</u>	t 1 month.			packages cost an individ	dual	packages cost		
	Refused = 99	997	[]		customer				
Don't know = 9998				[] NGN		[]NGN			
							Free =	000000	
6a. Source of information						Refused	= 999997		
0 = Provider recall				Free = 00000 Refused = 99997		Don't kno	w = 999998		
				Don't know = 99998					
1 = Outlet records []				20					

FP Non-Drug Audit Sheet [__|__] of [__|__]

				ATCHES, FOAMING, MISO TABLETS	OUTLLTIL		J¯L	IIJ ¯ lI	IJ ⁻ L_		111	<u>ll</u>
	1. Tablet type	1a. ˈ	Tablet type-use	2. Brand name		3. G	eneric nar	ne		3a. Stren	gth	
Product		(Ask	provider) Do you ever use									
	1 = contraceptiv		product for emergency		[_]	A.				[[]].[] m	ng/tab
	tablets		traception?		L1J					·!		-6/ ca.2
[_]	2 = birth control	I COIII	raception:		r 1 1	_				r 1 1	_].[_] m	og/tab
	patch	4,	,		[_]	В.				L _	_].[]	ig/tab
	3 = vaginal	1 = `	res									
	foaming tablets	0 = 1	No		[_ _]	C.				l _ _].[] m	ıg/tab
	4 = misoprostol	8 = 1	Don't know									
	tablets		Not applicable									
			tot applicable									
	r 1		r 1		[_]							
	·		LJ	1	·							
4. Manufa	cturer		5. Country of Manufacture	6. Package size				mount sold/distribute			onth to indiv	idual consumers
				(For contraceptive tablets, 1 packa	ge = 1 blis	ter	(Rec	ord # of packages des	scribed in	Q6)		
				package of X tablets)								
								Th	nis outlet	sold/dist	ributed	
				There are a total	of					,		
					•				ГІ	1 1	1	
									LI		J	
									.1	41 14	1	
								pac	ckages in	the <u>last</u> .	<u>t montn</u> .	
				tablets in each pack	kage.							
									-	sed = 999		
									Don't k	know = 95	3 98	
							7a. 9	Source of information	1			
							0 = 5	Provider recall				
				1				Outlet records				
							1-0	Juliet records				
			L J							[]		
8. Stocked	out at any	9. Retail	selling price	10. Wholesale purchase price			I	11. Comments				
point in th			# of packages described in Q6)		olesale ni	rcha	SP.					
months?	le past <u>s</u>	(NECOIU)	+ of packages acscribed in Qo	(Record # of packages described	-	Cita	30					
months:			f 1 3	(Record # 0) packages described	ı III Qoj							
			LIJ									
1 = Yes				LII	_]							
0 = No		packa	ges cost an individual custome	r packages	cost							
8 = Don't k	cnow											
o bonti	anow.		[1] [IGN						
			· · · · · · · · · · · · · · · · · · ·									
			Free = 0000	Free = 000	0000							
	[] I		Refused = 9997	Refused = 95								
'			Don't know = 9998	Don't know =								
			DUII L KIIUW = 9998	Don t know =	<i></i>							

FP Tablet Audit Sheet [___|___] of [___|___]

FP INJECTI	ION AUDIT SHE	ET (INJ): INCLUDES	S INJECT	ABLES		OUTLE ⁻	т ID: []-[.]-[]-[_	_]-[
Product	1. Brand name	9		2. Generic name		2a. Strength		3. Manufacturer		4. Country of Manufacture	
number			[_ _]	A.		[].[] n	ng / []. [] mL				
[]		1	[_ _]	В.		[].[] n	ng / [].[] mL				
5. Package There a	e size re a total of	6. Package conten Does package with vial contain	h mon vials	mount sold/distributh to individual cor described in Q5)	uted in the last 1 nsumers (Record # of	8. Stocked out at any point in the past 3 months?	9. Do you, or other injection services for injectable at this or	or this brand of	have been o	ny injection procedures conducted at this ty in the last 1 month?	
[_	_].[]	disposable needle for injection? This outle			d/distributed	1 = Yes 0 = No	1 = Yes 0 = No → Go to Q11		[]		
mL in each vial.		1 = Yes [_ 0 = No		[vials in the <u>la</u>] st 1 month.	8 = Don't know 8 = Don't know >	• Go to Q11		Refused = 9997 on't know = 9998		
		[]		Refused Don't kno			•	he total cost to have ling product cost and	10a. Source 0 = Provider	of information	
			7a. 9	Source of information	on		[] [1 = Outlet re		
				Provider recall Outlet records				= 00000		[]	
				[_]			ed = 99997 now = 99998			
	-	ity provide this brain procedures some	-		12. Wholesale purcha (Record # of vials descri	-	13. Comme	ents			
	= Yes = No	→ Go to Q12			For the outlet's most r	recent wholesale pu	urchase				
8 =	= Don't know	→ Go to Q12			[]	_]					
				vials cost							
11b. If yes, what is cost of 1 vial for an individual customer?				[NGN							
[] NGN Free = 0000 Refused = 9997				Refuse	= 000000 d = 999997 ow = 999998						

FP Injection Audit Sheet [___|__] of [___|__]

FP INSERT	ION AUDIT SHE	ET (INS): INCL	UDES IMPLA	NTS, RIN	GS, IL	JDS		OUT	ΓLET	ID: []-[]	<u>]-[_]-[_</u>	<u>ll</u>]-[]
Product number	1. Brand name		2. Type 1 = Contrace	ntivo		3	3. Generic name			Strength not record for copper IUD)	4. Manufacturer		5. Country of Manufacture
[_ _]			implant 2 = Vaginal b control ring	irth	[_]] <u> </u>] <u> </u>			[_].[] mg _].[] mg			
			3 = Hormona	ı-based			j.						
			4 = Copper-b IUD	ased					For	<u>implants only</u> , strengths for			
			[]	1	[_]	_]				[] number of rods		_	[]
6. Package	size	7. Package con		1		-	stributed in the last 1	9. Stocked o		10. Do you, or other staff, per			v many injection
In each nac	kage, there are	Does package					al consumers (Record # of d in Q6)	at any point the past <u>3</u>	in	services for this brand at this	outlet/facility?	1 -	ures have been ted at this outlet/facility
-	otal of	изрозиыс ирр	incutor:	риски	cs acs	cribe	a iii Qoj	months?		1 = Yes			ast 1 month?
		1 = Yes			This	outle	et sold/distributed			0 = No		_	
[_ll	0 = No						1 = Yes		8 = Don't know → Go to Q12	2		
nur	mber of	r	1]	_	0 = No		r 1			
1 = Rod(s)		L	_]		раска	ages	n the <u>last 1 month</u> .	8 = Don't kn	ow	10a. If yes, what is the total c	aat ta baya thia	-	Refused = 9997
` '	→ Go to Q8	7a. Package co	ontents			Rej	fused = 997			brand inserted, including pro			Don't know = 9998
3 = Ring(s)	→ Go to Q8	Does package				Don'	't know = 998	ſ 1		service fee?	audi cost ana		
		disposable tro	car?	8a. Sou	irce of	infor	mation	LJ				11a. So	urce of information
	r 1	1 = Yes								[NGN		0 - Prov	vider recall
'	lJ	0 = No	= No 0 = Provider reca						Free = 00000			let records	
				1 = Out	let red	cords							
		[_]							Don't know = 9			[]
12. Does th	nis outlet/facility	provide this b	rand of impla	nt/IUD f	or	1	3. Wholesale purchase prid	e		14. Comments		•	
clients to ta	ake away for inj	ection procedu	res <u>somewhe</u>	re else?		(,	Record # of packages descri	bed in Q6)					
1 = Yes 0 = No → Go to Q13				For the outlet's most recent wholesale purchase									
8 = Don't know → Go to Q13 []				[] packages cost									
12a. If yes, what is cost of 1 implant/IUD for an individual customer?					. [NGN								
[]NGN				Free = 000000									
Free = 0000 Refused = 9997				Refused = 999997 Don't know = 999998									
Don't know = 9998													

FP Insertion Audit Sheet [___|__] of [___|__]

199

AFP15. Are there past 3 mon	e any family planning products that are out of stock today, but that you stocked in the ths?	
1 = Yes		[]
0 = No	Go to <u>Section 9: Family Planning Provider Module—All Methods Except Sterilizations</u>	
8 = Don't know	Go to Section 9: Family Planning Provider Module—All Methods Except Sterilizations	
•	now the names of the products that are out of stock?	
Will accept gene	ric or brand names. Record one product per line.	
1 = Yes, specify		
[] []	r 1
[LJ
[
[
[

Outlet ID: [__|__]-[__|__]-[__|__]

Interviewer: Go to <u>Section 9: Family Planning Provider Module—</u>
<u>All Methods Except Sterilizations</u>.

Section 9: Family Planning Provider Module—All Methods Except Sterilizations

This section is about provider training, credentials and equipment for all methods except sterilizations. Completing the questions may require speaking with more than 1 staff member at the outlet. If the respondent does not know the answer to a question in this section, ask to speak with another staff member who can provide the information.

FP1. How many days per week are family planning products provided at this outlet/facility?	r 1
FP2. Do you provide counseling on which type of family planning methods to choose at this	<u> </u>
outlet/facility?	
1 = Yes	[]
counseling services for family planning.	
0 = No	
FP3. Does this outlet have any job aids for counseling customers on which type of family planning	
method to choose? (Ask to the respondent to see job aids)	
1 - Vos absanyad	r 1
1 = Yes, observed 2 = Yes, not observed	LJ
0 = No	
8 = Don't know	
FP4. Have you or any other current staff member at this outlet/facility received any training in the last	
12 months on counseling customers on which type of family planning methods to use? <i>Including pre-</i>	
service training and stand-alone workshops.	
	[]
1 = Yes	
0 = No	
8 = Don't know Go to FP6	
FP5. From which organization(s) did you, or staff from this outlet/facility, receive training on	
counseling customers on which types of family planning methods to use?	
$\Delta = \Gamma$	Α
A = [] B = []	В
C = []	С
	X
X = Don't know	Z
Z = Refused	
FP6. Does this outlet/facility provide any of the following services?	1 = Yes
Read each procedure from the following list and record response.	0 = No
	8 = Don't know
P6a. Contraceptive injections	
P6b. Contraceptive implant insertion procedures	
P6c. IUD insertion procedures	<u> </u>
	If 'no' or 'don't
	know' for all, \rightarrow Go to
	FP26
FP7. Are you the senior-most staff member available today that can perform any of the following	
services: contraceptive injections, contraceptive implant procedures and/or IUD insertion procedures?	
1 = Yes	[]
0 = No	
8 = Don't know	
FP8. Is the senior-most staff member available today to speak with?	
1 = Yes Speak with the senior-most staff member	
0 = No Continue speaking with current respondent	[]
8 = Don't know Continue speaking with current respondent	·,

FP9. Do your own responsibilities at this outlet/facility include providing any of the following?	1 = Ye	25
Read each procedure from the following and record response:	0 = N	
P9a. Contraceptive injections	[]	
P9b. Contraceptive implant insertion procedures P9c. IUD insertion procedures	[] []	
FP10. Have you received any training in the last 2 years that included a component on performing	1 = Ye	es
contraceptive injections, contraceptive implant insertions and/or IUD insertions? <i>Include pre-service</i>	0 = N	О
training and stand-alone workshops. Ask for and record each method.		
D10a Injectable contracentives	[]	
P10a. Injectable contraceptives P10b. Contraceptive implant insertions	[]	
P10c. IUD insertion	[]	
FP11. Not including yourself, has any other current staff member at this outlet/facility received any	1 = Ye	es
training in the last 2 years that included a component on performing contraceptive injections,	0 = N	-
contraceptive implant insertions and/or IUD insertions? <i>Include pre-service training and stand-alone</i>	8 = D	on't know
workshops. Ask for and record each method.		
P11a. Contraceptive injections	Г 1	
P11b. Contraceptive injections	[]	
P11c. IUD insertion	[]	
FP12. From which organization(s) did you or staff from this facility/outlet receive training on performing		
contraceptive implant insertions, IUD insertions, and/or male or female sterilizations?		
A = []		
B = []		A
C = []		B C
X = Don't know		X
Y = None/not applicable		Z
Z = Refused		
FP13. Check question P6 (Don't ask respondent):		1 = Yes
Does this outlet/facility provide any of the following services?		0 = No
		8 = Don't
		know
P13a. Contraceptive implant insertion proced	dures	[]
P13b. IUD insertion proced		
If 'no' or 'don't know' for all → Go to FP26		
FP14. How many days per week are contraceptive implant insertion procedures available at this		
outlet/facility? If none or never, record '0' and → Go to P17		LJ
FP15. If a woman came in today, could she receive a contraceptive implant insertion procedure at this		
outlet/facility?		
		[]
1 = Yes		
0 = No 8 = Don't know		
FP16. If a woman could not receive a contraceptive implant insertion procedure today, why would a woman	n he	
unable to receive this procedure today at this outlet/facility? <i>Record all that apply.</i>		
A = Carvice not offered today		
A = Service not offered today B = Trained provider not available today		A B
C = Product not available today		C
D = Equipment not available/non-functional today		D
E = Individual did not meet requirements to receive procedure		Е
Z = Other		Z
If other, specify:		

FP17. How many days per week are IUD insertion procedures available at this outlet/facility?		
If none or never, record '0' and $ o$ Go to FP20		[]
FP18. If a woman came in today, could she receive an IUD insertion procedure at this outlet/facility?		
1. Vac		, ,
1 = Yes		LJ
8 = Don't know		
FP19. If a woman could not receive an IUD insertion procedure today, why would a woman be unable to receive this procedure today at this outlet/facility? <i>Record all that apply.</i>		
A = Service not offered today		Α
B = Trained provider not available today		В
C = Product not available today		С
D = Equipment not available/non-functional today		D
E = Individual did not meet requirements to receive procedure		E
Z = Other		Z
If other, specify: [] FP20. Check Question FP6 (Don't ask respondent): Does outlet ever provide contraceptive implant		
procedures?		
procedures.		l 1
1 = Yes		,,
0 = No		
FP21. Does outlet/facility have a room for providing contraceptive implant procedures? Ask to observe room	om.	
1 = Observed		[J
2 = Reported, not seen 0 = Not available		
FP22. Does outlet/facility have the following equipment for providing contraceptive implant procedures?		1 = Observed
Read list and ask to observe equipment. When asking to locate each piece of equipment, verify each option	ion	2 = Reported,
with prompt cards.		not seen
		0 = Not
		available
i.Trocar (non-dispose		
	dine	
iii.Scalpel with blade (<i>for remo</i> iv.Straight mosquito forceps (<i>for remo</i>		[]
iv. straight mosquito forceps (<i>for remi</i> c	ovarj	[]
FP23. Check Question FP6 (Don't ask respondent): Does outlet ever provide IUD insertion procedures?		LJ
1 = Yes		[]
0 = No		
FP24. Does outlet/facility have a room for providing IUD insertion procedures? <i>Ask to observe room.</i>		
4. Observed		r 1
1 = Observed 2 = Reported, not seen		LJ
0 = Not available		
	1 = O	bserved
· · · · · · · · · · · · · · · · · · ·		eported, not
with prompt cards.	seen	
	0 = N	ot available
i. Examination table		
ii. Tenaculum iii. Uterine sound	[]	
iii. Uterine sound iv. Iodine	[]	
v. IUD string retriever (for removal)	[]	
FP26. For how many years have you worked in this outlet/facility?	·J	
If less than 1 year, enter 01		[[]

FP27. What age are you today?	
Write age in years	r 1 1
Write age in years 97= Refused	LIJ
98 = Don't know	
FP28. Don't read: Is respondent male or female?	
1 = Male	[]
2 = Female	
FP29. What is the highest level of education you completed?	
8 = No formal education	
9 = Some primary school	
10 = Completed primary school	
11 = Some secondary school	
12 = Completed secondary school13 = Some university/college	LJ
14 = Completed a university/college degree	
FP30. Have you or any other current staff member at this outlet/facility received any training in the last 12	
months on the national guidelines for family planning? Include pre-service training and stand-alone workshops.	
1 = Yes	r 1
0 = No	LJ
8 = Don't know	
5 DOT CKNOW	
FP31. Do you have any of the following health qualifications ?	
<u>Read list</u> .	
Record 1 for yes, 0 for no	
I. Dispenser (diploma in Pharmacy)	[]
II. Pharmacist (Degree in Pharmacy)	[]
III. Medical doctor	[]
IV. Clinical Officer	
V. Nurse / Nursing Officer	
VI. Midwife	[]
VII. Laboratory technician / Lab assistant	[]
VIII. Pharmaceutical technologist	[]
IX. Pharmacy technician	[]
X. Public Health Technician/Officer	[]
XI. Health Assistant, Medical Assistant / Nursing Assistant / Nursing Aid	[]
XII. Community Medicine Distributor/Village Health Team	[]

FP32. Not including yourself, do any other people working in this outlet/facility have the following health qualifications? Read list. Record 1 for yes, 0 for no, 8 for don't know	
I. Dispenser (diploma in Pharn	nacy) []
II. Pharmacist (Degree in Pharm	
III. Medical de	
IV. Clinical Of	·,
V. Nurse / Nursing Of	
VI. Mic	dwife []
VII. Laboratory technician / Lab assis	stant []
VIII. Pharmaceutical technol	ogist []
IX. Pharmacy techn	ician []
X. Public Health Technician/O	fficer []
XI. Health Assistant, Medical Assistant / Nursing Assistant / Nursing	g Aid []
XII. Community Medicine Distributor/Village Health 1	ream []
<u>Module—Sterilizations</u> .	
sterilizations. This may require speaking with staff from a different department or location in the 9. Completing the questions may require speaking with more than 1 staff member at the outlet. If not know the answer to a question in this section, ask to speak with another staff member who confirmation.	the respondent does
PS1. Does this outlet/facility provide any of the following services?	1 = Yes
Read each procedure from the following list and record response.	0 = No
	8 = Don't know
PS1a. Male sterilization procedures	[]
PS1b. Female Sterilization procedures	
	If 'no' or 'don't
	know' for both → Go
	to Section 11: Family
	Planning Audit
PS2. Are you the senior-most staff member available today that can perform any of the following	Tracker Sheet
services: male sterilization and/or female sterilization procedures?	
1 = Yes Go to PS4	[]
0 = No	
8 = Don't know	
PS3. Is the senior-most staff member available today to speak with?	
1 = Yes Speak with the senior-most staff member	
1 = Yes Speak with the senior-most staff member 0 = No Continue speaking with current respondent	
1 = Yes Speak with the senior-most staff member 0 = No Continue speaking with current respondent 8 = Don't know Continue speaking with current respondent	
1 = Yes Speak with the senior-most staff member 0 = No Continue speaking with current respondent	1 = Yes 0 = No

PS4a. Male sterilization	[]
PS4b. Female sterilization	[]
DOE Neatherly discovered the several section of the	4 //
PS5. Not including yourself, has any other current staff member at this outlet/facility received any	1 = Yes
training in the last 2 years that included a component on performing male or female sterilizations?	0 = No
Include pre-service training and stand-alone workshops. Ask for and record each method.	8 = Don't know
PS5a. Male sterilization	[]
PS5b. Female sterilization	[]
PS6. From which organization(s) did you or staff from this facility/outlet receive training on performing	-
male or female sterilizations?	
Λ-Γ	Α
A = []	В
B = []	С
C = []	X
X = Don't know	Z
Z = Refused	-
Z - NETUSEU	
PS7. For how many years have you worked in this outlet/facility?	
If less than 1 year, enter 01	[_]
PS8. What age are you today?	
Write age in years	
97= Refused	
98 = Don't know	
PS9. Don't read: Is respondent male or female?	
·	r 1
1 = Male	
2 = Female	
PS10. What is the highest level of education you completed?	
15 = No formal education	
16 = Some primary school	
17 = Completed primary school	[]
18 = Some secondary school	LJ
19 = Completed secondary school	
20 = Some university/college	
21 = Completed a university/college degree	
P11. Do you have any of the following health qualifications?	
Read list.	
Record 1 for yes, 0 for no	
I. Medical Doctor	[]
	J
II. Clinical Officer	[]
III. Nurse / Nursing Officer	[]
P12. Not including yourself, do any other people working in this outlet/facility have the following health	
qualifications? <u>Read list</u> .	
Record 1 for yes, 0 for no, 8 for don't know	
I. Medical Doctor	[]
II. Clinical Officer	[]
	LJ
III. Nurse / Nursing Officer	<u></u> J
PS13. How many days per week are male sterilization procedures available at this outlet/facility?	
The state of the s	[]
PS14. If a man came in today, could he receive a male sterilization procedure at this outlet/facility?	
. 22 aan came in coda,, codia ne receive a maie stermentin procedure at this outlet, facility:	
1 = Yes Go to PS16	[]
0 = No	
8 = Don't know	1

PS15. If a man could not receive a male sterilization procedure to	The state of the s	
receive this procedure today at this outlet/facility? Record all th	at apply.	
A = Service not offered today		Α
B = Trained provider not available today		В
C = Equipment not available/non-functional today		C
D = Individual did not meet requirements to receive procedure		D
Z = Other		Z
If other, specify: [
PS16. What would be the total cost for a male sterilization proce	dure at this outlet/facility?	
[_	NGN	
Free = 000000; Refused = 999997; Don't know=999998		
PS17. How many male sterilization procedures have you	PS17a. Source of information	
performed at this outlet/facility in the previous <u>1 month</u> ?		
	0 = Provider recall	
[] male sterilizations	1 = Outlet records	
Refused = 997; Don't know=998	r 1	
PS18. How many days per week are female sterilization procedu	res available at this outlet/facility?	
1 316. How many days per week are remain sternization procedu	res available at this outlet/facility:	[]
PS19. If a woman came in today, could she receive a female ster	ilization procedure at this outlet/facility?	<u></u> j
1 313. If a woman came in today, could she receive a remain ster	inization procedure at this outlety facility:	
1 = Yes Go to PS21		[]
0 = No		·,
8 = Don't know		
PS20. If a woman could not receive a female sterilization proced	ure today, why would a woman be unable	
to receive this procedure today at this outlet/facility? Record all	that apply.	
A = Service not offered today		A
B = Trained provider not available today		В
C = Equipment not available/non-functional today		C
D = Individual did not meet requirements to receive procedure		D
Z = Other If other, specify: [1	Z
PS21. What would be the total cost for a female sterilization pro	l cedure at this outlet/facility?	
7-321. What would be the total cost for a female sternization pro	cedure at this outlet/facility:	
[_	NGN	
Free = 000000; Refused = 999997; Don't know=999998		
PS22. How many female sterilization procedures have you perform	rmed PS22a. Source of information	
at this outlet/facility in the previous 1 month?		
	0 = Provider recall	
[] female sterilizations	1 = Outlet records	
Refused = 997; Don't know=998	r 1	
PS23. What types of female sterilization procedures are perform	ed at this outlet/facility? Read list and	
record all responses.	ed at this oddiet, identity. Neda not and	
, , , , , , , , , , , , , , , , , , ,		
A = Minilaparatomy		А
B = Laparascopy		В
C = Transcervical		С
Z = Other		Z
If other, specify: [J	
PS24. Does outlet/facility have a room for providing female steri	lization procedures? Ask to observe room.	
1 = Observed		[]
2 = Reported, not seen 0 = Not available		
I V - INVLAVAIIANIE		i

PS25. Does outlet/facility have the following equipment for providing female sterilization procedures? <u>Read list and ask to observe equipment</u> . When asking to locate each piece of equipment, verify each option with prompt cards.	1 = Observed 2 = Reported, not seen 0 = Not available
i. Surgical/examination table ii. Lidocaine iii. Sterile needle with syringe iv. Scalpel with blade v. Uterine elevator vi. Tubal hook	
PS26. What types of male sterilization procedures are performed at this outlet/facility? <i>Read list and record all responses.</i>	
A = Scalpel vasectomy B = No-scalpel vasectomy Z = Other If other, specify: []	A B Z
PS27. Does outlet/facility have a room for providing male sterilization procedures? <i>Ask to observe room.</i> 1 = Observed 2 = Reported, not seen 0 = Not available	
PS28. Does outlet/facility have the following equipment for providing male sterilization procedures? <u>Read list and ask to observe equipment</u> . When asking to locate each piece of equipment, verify each option with prompt cards.	1 = Observed 2 = Reported, not seen 0 = Not available
i. Surgical/examination table ii. Lidocaine iii. Sterile needle with syringe iv. Scalpel with blade v. Ringed/sponge forceps	
vi. Dissecting forceps	[]

Interviewer: Go to <u>Section 11: Family Planning Audit Tracker</u> <u>Sheet</u>.

Section 11: Family Planning Audit Tracking Sheet		
FPT1. Were there any family planning non-drugs including condoms, CycleBeads, diaphragms and/or rapid pregnancy test kits in stock at this outlet? 1 = Yes 0 = No		
8 = Don't know → <i>Go to T4</i>	r 1 3	
FPT2. Total number of FP Non-Drug <u>audit sheets</u> completed? FPT3. Did you complete audit sheet information for all available family planning non-drugs including	LIJ	
condoms, CycleBeads, diaphragms and/or rapid pregnancy test kits?	[]	
1 = Yes, audit complete	<u></u> ,	
0 = No, audit not complete FPT4. Were there any family planning tablets including oral contraceptives, emergency contraceptives, vaginal foaming tablets and/or birth control patches in stock at this outlet?		
1 = Yes 0 = No → Go to T7 8 = Don't know → Go to T7	[]	
FPT5. Total number of FP Tablet <u>audit sheets</u> completed?	[_]	
FPT6. Did you complete audit sheet information for <u>all available</u> family planning tablets including oral contraceptives, emergency contraceptives, vaginal foaming tablets and/or birth control patches? 1 = Yes, audit complete	[]	
0 = No, audit complete FPT7. Were there any family planning injections including injectable contraceptives in stock at this outlet?		
1 = Yes 0 = No → Go to T10 8 = Don't know → Go to T10		
FPT8. Total number of FP Injection <u>audit sheets</u> completed?	[_]	
FPT9. Did you complete audit sheet information for <u>all available</u> family planning injections including injectable contraceptives?	[]	
1 = Yes, audit complete 0 = No, audit not complete	<u> </u>	
FPT10. Were there any family planning insertions including contraceptive implants, IUDs and/or vaginal birth control rings in stock at this outlet?		
1 = Yes 0 = No → Go to T13 8 = Don't know → Go to T13		
FPT11. Total number of FP Insertion <u>audit sheets</u> completed?	[]	
FPT12. Did you complete audit sheet information for <u>all available</u> family planning insertions including contraceptive implants, IUDs and/or vaginal birth control rings? 1 = Yes, audit complete		
0 = No, audit not complete FPT13. COMMENTS: Reason for incomplete audit sheets (if response is no to FPT3, FPT6, FPT9, or FPT12):		

GO TO Section 12: ORS and Zinc—Make sure to complete!

Annex 8: Detailed Brand Listing with Quality Assurance Indications

Contraceptive Commodity	Brand	Formulation	Manufacturer (Country of Manufacturer)	WHO Prequalifed List*	SRA List [†]
	Combination 3	Levonorgestrel	Delpharm Lille Sas (France)		Yes
	Copill	Levonorgestrel	West Coast Pharmaceutical Works Ltd (India)		
	Curesinor	Levonorgestrel	Unicure Pharmaceutical Ltd (Nigeria)		
	Dianette	Ethinylestradiol	Bayer Schering Pharma Ag (Ireland)		Yes
	Evadir 2	Levonorgestrel	Precise Biopharma Pvt Ltd (India)		
	Exluton	Lynestrenol	Nv Organon Oss (Netherlands / Holland)		Yes
	Glostinor 2	Levonorgestrel	Global Healthcare Limited (India)		
	Levofem	Levonorgestrel	Pt Harsen Lab (Indonesia)		
	Microgynon	Levonorgestrel	Bayer Schering Pharma Ag (Germany)	Yes	
	Microgynon 30	Levonorgestrel	Bayer Schering Pharma Ag (Germany)	Yes	
	Microgynon Ed Fe	Levonorgestrel	Bayer Schering Pharma Ag (Germany)	Yes	
	Microlut	Levonorgestrel	Bayer Schering Pharma Ag (Germany)		Yes
	Nerostinor	Levonorgestrel	Pharbaco Central Pharmaceutical J.S.C No.1 (Vietnam)		
	Nicpostinew	Levonorgestrel	Nic Pharma Co Ltd (Vietnam)		
	Norlevo	Levonorgestrel	Delpharm Lille Sas (France)		Yes
Tablets	Ovrette	Norgestrel	Wyeth Laboratories Inc (Vietnam)		
	Pillanor 2	Levonorgestrel	Acme Formulation Pvt Ltd (India)		
	Poster Tablets	Levonorgestrel	Shuangwei Pharm Co Ltd (China)		
	Postiga 4	Levonorgestrel	JiangYesi Yesier Kang Tai Pharm Co. Ltd (China)		
	Postinor 1	Levonorgestrel	Gedeon Richter Plc (Hungary)	Yes	
	Postinor 2	Levonorgestrel	Gedeon Richter Plc (Hungary)	Yes	
	Postpill	Levonorgestrel	Jagsonpal Pharmaceutical Ltd (India)		
	Pregnon	Levonorgestrel	Famy Care Ltd (India)		
	Rogotinor	Levonorgestrel	Shanghai Pharmaceutical (Group) Co Ltd (China)		
	Sendinor 2	Levonorgestrel	Unicure Remedies Pvt Ltd (India)		
	Arthrotec 75	Misoprostal	Npil Pharmaceutical (Uk) Ltd (United Kingdom)		
	Cytotec	Misoprostal	Pfizer S.A. (Spain)		Yes
	Eprostol 200	Misoprostal	Zolon Healthcare Limited (South Korea)		
	Manstogan	Misoprostal	Manstogan (994)		
	Misoclear	Misoprostal	Acme Formulation Pvt Ltd (India)	Yes	

	Misofem	Misoprostal	Naari Ag (India)		
	Misoprostol 200	Misoprostal	West Coast Pharmaceutical Works Ltd (India)		
	Misotec	Misoprostal	Nisenton Pharmaceuticals (India)		
	Tyonex Misoprostol	Misoprostal	Divine Essential Formulations (Nigeria)		
	Vanprazol 200	Misoprostal	Cipla Ltd (India)		
	Depo Provera	Medroxyprogesterone Acetate	Pfizer Pharmacia & Upjohn Co (United States)	Yes	
Injectables	Norigynon	Norethisterone + Estradiol Valerate	Bayer Schering Pharma Ag (Germany)		Yes
	Noristerat	Norethisterone	Bayer Schering Pharma Ag (Germany)		Yes
	Sayana Press	Medroxyprogesterone Acetate	Pfizer (Belgium)	Yes	
	Copper T Model Tcu 380A	Copper / Cu 380A	Finishing Enterprises Inc (United States)		
	Eves	Copper / Cu 380A	Corporate Channels India Private Limited (India)	Yes	
	Implanon	Etonogestrel	Nv Organon Oss (Netherlands / Holland)		Yes
IUDs and	Jadelle	Levonorgestrel	Bayer Schering Pharma Oy (Finland)		Yes
Implants	Lng lus	Levonorgestrel	Bayer Schering Pharma Ag (Finland)		
	Lydia	Copper / Cu 380A	Pregna International Ltd (India)	Yes	
	Optima	Copper / Cu 380A	Injeflex Ind Com Ltd (Brazil)	Yes	
	Pregna	Copper / Cu 380A	Pregna International Ltd (India)	Yes	
	Smb Copper T380A	Copper / Cu 380A	Smb Corporation India (India)	Yes	

Annex 9. Sampling Weights

Sampling weights were applied for analysis of the Nigeria 2015 outlet survey data to account for variations in probability of selection as a result of the sampling design:

- 1) **Stratification**: Disproportionate allocation stratification was used to ensure adequate sample size within the regional domains to allow for domain-specific estimates. A representative sample was selected within each domain.
- 2) Multi-stage cluster sampling: A representative sample of localities (administrative units with population of approximately 10,000-15,000) was selected in each geopolitical zone using multi-stage cluster sampling. Using a list of all localities within each geopolitical zone, i.e. North Central, North East, North West, South East, South South and South West regions, localities were selected were with probability proportional to size (PPS). Within each selected *locality*, a census of all outlets with the potential to sell or distribute modern contraceptives and/or provide associated contraceptive procedures was conducted.

For North Central, North East, North West, South East, South South and South West regions, weights were calculated for both *LGA* probability of selection and *locality* probability of selection. Final weights were calculated by multiplying the corresponding *LGA* weight by a given *locality* weight:

The sampling weights applied during analysis are the inverse of the probability of selection. For North Central, North East, North West, South East, South South West:

$$W_i = \frac{1}{\mathbf{a} \times \frac{\mathbf{D}_{\alpha}}{\sum \mathbf{D}_{\alpha}} \times \mathbf{b} \times \frac{\mathbf{M}_{\alpha}}{\sum \mathbf{M}_{\alpha}}}$$

Where:

1st Stage of selection:

- D_{α} = estimated *LGA* population size
- ΣD_{α} = sum of estimated *LGA* population sizes
- a = number of *LGA* selected

2nd Stage of selection:

- M_{α} = estimated *locality* population size
- ΣM_{α} = sum of estimated *locality* population sizes in the stratum (region)
- b = number of *locality* selected within the district

Sampling weights are calculated at the cluster level and are applied to all outlets within a given cluster, regardless of outlet type.

A sampling frame with population sizes was used for selecting the sample because accurate estimates on the total number of outlets per geographic/administrative unit that may be eligible for a medicine outlet survey do not exist. The major assumption in using population figures for sampling and weighting is that distribution of outlets and/or distribution of medicines moving through outlets in a given cluster is correlated with population size.

Annex 10: FPwatch Indicator List

<u>Indicator 1: Modern contraceptive method market composition</u>

Table 1 reports the distribution of outlet types among outlets: 1. With at least one modern contraceptive method available on the day of the survey. Outlet types will be broad-based (public vs. private) as well as for major outlet types by country. Market composition is reported for provincial (Kinshasa, Katanga) as well as for urban/rural estimates.

Numerator	By outlet type, the number of outlets with any modern contraceptive method in stock at the time of the survey visit, as confirmed by presence of at least 1 brand/generic of 1 modern contraceptive method in the FP commodity audit section or condoms module or contraceptive procedure recorded in the FP provider section.
Denominator	Total number of outlets with any modern contraceptive method in stock or available at the time of the survey visit, as confirmed by presence of at least 1 brand/generic of 1 modern contraceptive method (male/female condoms, oral contraceptives, emergency contraceptives, injectables implants, IUDs) recorded in the contraceptive method audit section or condoms section or type of contraceptive procedure in the FP provider section.
Calculation	Numerator for each outlet type divided by the denominator.
Handling missing values	All outlets with at least 1 modern contraceptive method recorded in the contraceptive audit section or reporting availability of condoms in screening section or reporting availability of at least 1 contraceptive procedure will contribute to the indicator. This includes outlets where the interview was not fully completed (partial interview).
Notes and considerations	None.

<u>Indicator 2: Availability of at least 1 method of modern contraception</u>

Table 2 reports the proportion of all outlets screened that had any modern contraceptive method (male/female condoms, oral contraceptives, emergency contraceptives, injectables, implants, IUDs, cycle beads) in stock or offering male/female sterilization procedures at the time of the survey visit. Modern contraceptive method availability is reported for provincial (Kinshasa, Katanga) as well as for urban/rural estimates. Availability is reported among all outlets as well as among: individual outlet types and comparing all public outlets to all private for profit and not-for-profit outlets.

Numerator	1. Number of outlets with any modern contraceptive commodity in stock at the time of the survey visit, as confirmed by presence of at least 1 brand/generic of 1 modern contraceptive commodity recorded in the contraceptive commodity audit section, offering male/female sterilization procedures as indicated in the service provider interview, or reporting availability of condoms in condoms module.
Denominator	Number of outlets screened.
Calculation	Numerator divided by denominator.
Handling missing values	All screened outlets will contribute to the denominator. This includes outlets with commodities/procedures available but: 1) were not interviewed; or 2) the interview was partially completed.
Notes and considerations	Given partial or non-completion of interviews among eligible outlets and the inclusion of these outlets in the denominator, these availability indicators can be considered conservative estimates of modern contraceptive method availability. Outlets that only offer procedures for injectables, implants and/or IUDs but do not have the commodity in stock, will not be counted as having the method available.

Indicator 3: Availability of selected modern contraceptive methods

Table 3 reports the proportion of modern contraceptive commodity-stocking or procedure-providing (no contraceptive commodities available but providing injections, implant/IUD insertions and/or male/female sterilizations) outlets with specific modern contraceptive commodities in stock at the time of the survey visit. Modern contraceptive method availability is reported for provincial (Kinshasa, Katanga) as well as for urban/rural estimates. Availability is reported among all outlets as well as among: individual outlet types and comparing all public outlets to all private for profit and not-for-profit outlets.

Numerator	Number of outlets with X modern contraceptive commodity/procedure type in stock/available at the time of the survey visit, as confirmed by presence of at least 1 brand/generic of X modern contraceptive commodity for the commodity type recorded in the FP audit section. For condoms, this includes outlets with condoms only as indicated in the condoms module. For procedures, this includes outlets indicating availability of X service in the provider section.
Denominator	Number of outlets with any modern contraceptive commodity in stock or providing any contraceptive procedure at the time of the survey visit, as confirmed by presence of at least 1 brand/generic of 1 modern contraceptive commodity recorded in the FP method audit section, reporting availability of condoms in condoms module or reporting availability of at least one modern contraceptive procedure.
Calculation	Numerator for each modern contraceptive commodity/service type divided by the denominator.
Handling missing values	All outlets with any modern contraceptive method available will contribute to the denominator. This includes outlets with commodities/procedures available but the interview was partially completed.
Notes and considerations	Given partial completion of interviews among outlets potentially providing modern contraceptive methods and the inclusion of these outlets in the denominator, these availability indicators can be considered conservative estimates of modern contraceptive method availability.

Indicator 4: Availability of range/diversity of modern contraceptive methods

Table 4 reports the proportion of modern contraceptive commodity-stocking and procedure-providing outlets with 3 or more modern FP methods (commodity and/or service) in stock or available at the time of the survey visit, 3 or more methods with at least one method a LARC and 5 or more methods. Modern contraceptive method availability is reported for provincial (Kinshasa, Katanga) as well as for urban/rural estimates. Availability is reported among all outlets as well as among: individual outlet types and comparing all public outlets to all private for profit and not-for-profit outlets.

Numerator	1. Number of outlets with 3 or more modern contraceptive methods available at the time of the survey visit, as confirmed by presence of at least 1 brand/generic for any 3 or more combinations of modern contraceptive commodities (male condoms, female condoms, oral contraceptives, emergency contraceptives, injectables, implants, IUDs) recorded in the contraceptive method audit section, and/or condoms module and/or types of contraceptive procedures (male/female sterilizations) recorded in the FP provider section. 2. Number of outlets with 3 or more modern FP methods, including at least 1 LARC (implants, IUDs), available at the time of the survey visit, as confirmed by presence of at least 1 brand/generic for any 3 or more combinations, including at least 1 LARC, of modern contraceptive commodities (male condoms, female condoms, oral contraceptives, emergency contraceptives, injectables, implants, IUDs) recorded in the contraceptive audit section and/or condoms module and/or types of contraceptive procedures (male or female sterilizations) recorded in the FP provider section. 3. Number of outlets with 5 or more modern contraceptive methods available at the time of the survey visit, as confirmed by presence of at least 1 brand/generic for any 5 or more combinations of modern contraceptive commodities (male condoms, female condoms, oral contraceptives, emergency contraceptives, injectables, implants, IUDs) recorded in the contraceptive method audit section, and/or condoms module and/or types of contraceptive procedures (male/female sterilizations) recorded in the FP provider section.
Denominator	1. Number of outlets with any modern contraceptive commodity in stock or providing any contraceptive procedure at the time of the survey visit, as confirmed by presence of at least 1 brand/generic of 1 modern contraceptive commodity recorded in the contraceptive method audit section, reporting availability of condoms in condoms module or reporting availability of at least one contraceptive procedure.
Calculation	Numerator divided by denominator.
Handling missing values	All outlets with any modern contraceptive method available will contribute to the denominator. This includes outlets with commodities/procedures available but the interview was partially completed.
Notes and considerations	Given partial completion of interviews among outlets potentially providing modern contraceptive methods and the inclusion of these outlets in the denominator, these availability indicators can be considered conservative estimates of modern contraceptive method availability.

Indicator 5: Stock outs

Table 5 reports the proportion of outlets reporting a current stock out of a method (oral contraceptives, emergency contraceptives, injectables, implants, IUDs) that the outlet has reportedly had in stock in the previous 3 months. Stock outs are reported among all outlets as well as among: individual outlet types and comparing all public outlets to all private for profit and not-for-profit outlets.

Numerator	Number of outlets reporting a stock out of a method, as confirmed by report of a current stock out in the FP provider section, and the outlet does not have the method currently available, as confirmed in the contraceptive method audit section.
Denominator	Number of outlets reportedly offering the method at any point in the previous 3 months.
Calculation	Numerator for each modern FP commodity type divided by the denominator.
Handling missing values	All outlets reportedly offering the method will contribute to the denominator. This includes outlets with products available but the interview was partially completed.
Notes and considerations	This indicator only applies to outlets that reportedly offered the method in the previous three months. Those outlets that did not offer the method in the previous three months but might be expected to carry the product will not appear in this indicator. Instead, they will be seen in the converse (non-availability) of the availability of methods indicator.

Indicator 6: Price of modern contraceptive methods

Table 6 provides the median retail price, by method, combining all brands of *X* method. The IQR is provided as a measure of dispersion. Commodities with a service component (injections, implant and IUD insertions) may include a procedure price in addition to the commodity cost. Methods without a commodity (male/female sterilizations) will be reported on the price of procedure only. Median price is reported for provincial (Kinshasa, Katanga) as well as for urban/rural estimates and among all outlets as well as among: individual outlet types and comparing all public outlets to all private for profit and not-for-profit outlets.

Calculation	Median retail price for each modern contraceptive method price in US dollars with IQR.
Handling missing values	Contraceptive brands/generics with missing price information are excluded from the median price calculation.
Notes and considerations	For methods with an associated procedure (injection, implant and IUD insertion, male/female sterilization), cost will be determined for commodity (if there is commodity) and may include a service charge. Price in US dollars is calculated based on exchange rates available from www.oanda.com using the historical exchange rates tool. The average exchange rate over the entire data collection period is used for converting local currency captured during data collection to US dollars.

Indicator 7: Price of modern contraceptive methods in CYP

Table 7 provides the median retail price of 1 CYP by method, combining all brands/generics of X method. The IQR is provided as a measure of dispersion. Commodities with a service component (injections, implant and IUD insertions) may include a procedure price in addition to the commodity cost. Methods without a commodity (male/female sterilizations) will be reported on the price of procedure only. Median price is reported for provincial (Kinshasa, Katanga) as well as for urban/rural estimates and among all outlets as well as among individual outlet types and comparing all public outlets to all private for profit and not-for-profit outlets.

Calculation	Median retail price for 1 CYP of each modern contraceptive method price in US dollars with IQR.
Handling missing values	Contraceptive brands/generics with missing price information are excluded from the median price calculation.
Notes and considerations	Price per CYP will be determined by multiplying retail price by the CYP conversion factor. CYP conversion factors are used from http://www.cpc.unc.edu/measure/prh/rh_indicators/specific/fp/cyp. See Annex 11 for description of CYP calculation. For methods with an associated procedure (injection, implant and IUD insertion, male/female sterilization), cost will be determined for commodity (if there is commodity) and may include a service charge. Price in US dollars is calculated based on exchange rates available from www.oanda.com using the historical exchange rates tool. The average exchange rate over the entire data collection period is used for converting local currency captured during data collection to US dollars.

Indicator 8: Median markup percentage of modern contraceptives

Table 8 provides the median percentage markup (mean of retail price minus wholesale price) by selected methods combining the price for all brands/generics of a given method. The IQR is provided as a measure of dispersion. Median markups are reported for provincial (Kinshasa, Katanga) as well as for urban/rural estimates and among all outlets as well as among individual outlet types and comparing all public outlets to all private for profit and not-for-profit outlets.

Calculation	Median with IQR of: [(Retail price – wholesale price)/wholesale price] x 100
Handling missing values	Brands/generics with missing retail or wholesale price information will be excluded.
Notes and considerations	Given missing information among eligible outlets, potential variation for cost of methods within an outlet and the difficulties in disaggregating service/procedure cost from commodity cost this indicator should be interpreted with caution.

Indicator 9: Modern contraceptive method market share

Modern contraceptive method market share is the volume in CYP reportedly sold or distributed in the previous month for a selected contraceptive method as a percentage of the total CYP sold or distributed in the previous month across all method types. Expressed as a percentage, market share is the amount of a specific contraceptive method sold/distributed by a specific outlet type relative to the entire contraceptive market (total volume in CYP across all method types). Totals are reported per modern contraceptive method type. Across modern contraceptive method types, percentages in the entire table sum to 100% (the total market). Method market shares are is reported for provincial (Kinshasa, Katanga) as well as for urban/rural estimates.

Numerator	Total number of CYPs sold/distributed for X method and Y outlet.
Denominator	Total number of CYP sold/distributed for all methods.
Calculation	Numerator divided by denominator.
Handling missing values	CYPs sold/distributed are calculated among audited modern contraceptive methods with complete and consistent information. Modern contraceptive methods with incomplete or inconsistent information among key variables that define CYP sold/distributed (package size, amount sold/distributed) are excluded from the calculation.
Notes and considerations	See description of CYP calculation in Annex 11.

Indicator 10: Modern contraceptive market share within outlet types

Outlet market share is the volume in CYP reportedly sold or distributed in the previous month for a selected method type as a percentage of the total CYP sold or distributed in the previous month across within a given outlet type. Expressed as a percentage, market share is the volume in CYP sold/distributed for a given method relative to the total volume in CYP for that a given outlet type. Outlet types will be broad-based (public vs. private vs. not-for-profit) as well as for major outlet types by country. Within outlet categories, percentages sum to 100% (the total market). Outlet market shares are reported for provincial (Kinshasa, Katanga) as well as for urban/rural estimates.

Numerator	Total number of CYPs sold/distributed for X method in Y outlet.
Denominator	Total number of CYP sold/distributed in Y outlet category.
Calculation	Numerator divided by denominator.
Handling missing values	CYPs sold/distributed are calculated among audited modern contraceptive methods with complete and consistent information. Modern contraceptive methods with incomplete or inconsistent information among key variables that define CYP sold/distributed (package size, amount sold/distributed) are excluded from the calculation.
Notes and considerations	See description of CYP calculation in Annex 11.

Indicator 11: Availability of provider skills and certification for contraceptive procedures

Table 11 provides the proportion of outlets with a trained provider available for key modern contraceptive procedures (injection, implant and IUD insertion, male/female sterilization) among: 1. All screened outlets; and 2. Outlets recorded as providing the method, regardless of legality. Proportions are reported for selected outlet types and for provincial as well as for urban/rural estimates.

Numerator	Number of outlets with at least 1 provider having credentials to legally provide X contraceptive procedure (injection, implant and IUD insertion, male/female sterilization).
Denominator	1. All screened outlets; and 2. Outlets reportedly providing X provider-dependent method.
Calculation	Numerator divided by denominator 1 and denominator 2, for each method type.
Handling missing values	Methods with missing certification/training information will be excluded.
Notes and considerations	Necessary certifications for provider-dependent FP methods found in DRC National Family Planning Guidelines: Normes De La Zone De Sante Relatives Aux Interventions Integrees De Sante De La Mere, Du Nouveau-Ne Et De L'enfant En Republique Democratique Du Congo. Volume 6: Les Interventions De Planification Familiale. Secretariat General de La Ministere De La Sante Publique Edition 2012.

Indicator 12: Availability of necessary equipment for contraceptive procedures

Table 12 provides the proportion of outlets with a minimum set of necessary equipment available for contraceptive procedures (injection, implant and IUD insertion, male/female sterilization) among: 1. All screened outlets; and 2. Outlets recorded as providing the method, regardless of legality. Proportions are reported for selected outlet types and for provincial as well as for urban/rural estimates.

Numerator	Number of outlets reporting availability of all equipment (see list of equipment for each method below) necessary to provide <i>X</i> contraceptive procedure (injection, implant and IUD insertion, male/female sterilization).
Denominator	1. All screened outlets; and 2. Outlets reportedly providing \boldsymbol{X} provider-dependent method.
Calculation	Numerator divided by denominator 1 and denominator 2, for each method type.
Handling missing values	Methods with missing information on availability of key equipment will be excluded.
Notes and considerations	Contraceptive injection procedure: Equipment: Sterile needle with syringe Contraceptive implant procedure: Equipment: 1. Trocar; 2. Iodine; Equipment for Removal: 1. Scalpel with Blade (removal); 2. Straight Mosquito Forceps (removal) IUD insertion procedure: Equipment: 1. Room; 2. Examination Table; 3. Iodine; 4. Tenaculum; 5. Speculum; 6. Uterine Sound Female sterilization procedure: Equipment: 1. Room; 2. Examination Table; 3. Blood Pressure Apparatus; 4. Lidocaine; 5. Sterile Needle with Syringe; 6. Scalpel with Blade; 7. Uterine elevator; 8. Tubal Hook Male sterilization procedure: Equipment: 1. Room; 2. Examination Table; 3. Lidocaine; 4. Sterile Needle with Syringe; 5. Scalpel with Blade; 6. Ringed clamp/forceps; 7. Dissecting forceps Necessary equipment list taken from Measure Evaluation's Family Planning and Reproductive Health Indicators Database: http://www.cpc.unc.edu/measure/prh/rh_indicators.

Indicator 13: Full service readiness to provide contraceptive procedures

Table 13 provides the proportion of outlets with full service readiness for contraceptive procedures defined as: 1. Having at least one brand/generic of a selected contraceptive commodity available on the day of the survey (for injections, implants, IUDs); 2. Having at least one provider trained/certified for a selected method available at the outlet (for injections, implants, IUDs, sterilizations); and 3. Having a minimum, necessary set of equipment for providing a selected method available at the outlet. Outlets meeting each of these three criteria will be classified as "service ready." Proportions are reported for selected outlet types and for provincial as well as for urban/rural estimates.

Numerator	Number of outlets reporting availability of commodity and provider credentials and all necessary equipment for a selected method.
Denominator	1. All screened outlets; and 2. Outlets reportedly providing \boldsymbol{X} contraceptive procedure.
Calculation	Numerator divided by denominator 1 and denominator 2, for each method type.
Handling missing values	Methods with missing information on availability of commodities, provider credentials or key equipment will be excluded.
Notes and considerations	None.

Annex 11. Couple-Years of Protection (CYP)

Definition

Couple-years of protection (CYP) is the estimated protection provided by modern contraceptive methods during a one-year period, based upon the volume of all contraceptives sold or distributed free of charge to clients during that period. The CYP is calculated by multiplying the quantity of each method sold or distributed to clients by a conversion factor, to yield an estimate of the duration of contraceptive protection per unit of the method. The CYP for each method are then summed over all methods to obtain a total CYP figure. CYP conversion factors are based on how a method is used, failure rates, wastage, and how many units of the method are typically needed to provide one year of contraceptive protection for a couple. The calculation takes into account that some methods, like condoms and oral contraceptives, for example, may be used incorrectly and then discarded, or that IUDs and implants may be removed before their life span is realized.

FPwatch uses the CYP as a standard unit for price and sale/distribution analyses. Updated (2011) conversion factors, endorsed by USAID, are used in analysis. Updated conversion factors are listed below and can also be accessed from http://www.cpc.unc.edu/measure/prh/rh_indicators/specific/fp/cyp.

Table X4: CYP Conversion Factors								
Contraceptive method	Dose/unit used for calculating 1 CYP							
Oral contraceptives	15 cycles per CYP							
Condoms (male and female)	120 condoms per CYP							
Monthly vaginal ring/patch	15 rings/patches per CYP							
Vaginal foaming tablets	120 tablets per CYP							
Depo-provera injectable	4 doses (ml) per CYP							
Noristerat injectable	6 doses per CYP							
Cyclofem monthly injectable	13 doses per CYP							
Copper-T 38-A IUD	4.6 CYP per IUD inserted							
Levonorgestrel intrauterine system (LNG-IUS)	3.3 CYP per LNG-IUS inserted							
3-year implant (e.g., Implanon)	2.5 CYP per implant							
4-year implant (e.g., Sino-Implant)	3.2 CYP per implant							
5-year implant (e.g., Jadelle)	3.8 CYP per implant							
Emergency contraceptives	20 doses per CYP							
Standard days method (e.g., CycleBeads)	1.5 CYP per trained adopter							
	Global: 10 CYP							
Stavilization (male and famale)	India, Bangladesh, Nepal: 13 CYP							
Sterilization (male and female)	Other Asian Countries: 10.3 CYP							
	Africa: 9.3 CYP							

While it is recognized that the use of CYP may over-simplify and ignore many of the complexities of consumption and use, this analytical approach was selected because it standardizes dosing across method types and across countries (which may sometimes vary), thus permitting comparisons on both prices and volumes calculated on the basis of a CYP.

Additional considerations:

- CYP primarily reflects distribution and not actual use or impact. FPwatch calculates CYP according to contraceptive commodities sold/distributed rather than procedures performed.
- For provider-dependent contraceptive procedures, commodities sold/distributed does not necessarily imply that these commodities have been injected or inserted. We have chosen to count CYP for commodities

sold/distributed across all methods, assuming that contraceptive procedures on sold contraceptives requiring a procedure are performed.

Calculation

Price and volume data were entered according to how an outlet reported selling the contraceptive commodity. For example, if they sold oral contraceptives in packages of three blisters, they reported sales for a package of three blisters. If they sold blisters individually, there was an option to report sales by blister rather than package of three. During analysis, price and volume data were divided by how the units were sold. For example, if oral contraceptives are sold in a package of three blisters, volume and price is manipulated to give volume and price for each one unit. The units considered are those listed for CYP conversion rates. No product was sold by less than the CYP unit (e.g., by single oral contraceptive tablet vs. a blister (cycle)).

Price per CYP was determined by multiplying the given price by the CYP conversion factor (if short-acting method because all < 1 year) and dividing by the CYP conversion factor (if long-acting method because all > 1 year). Volume of CYP was determined by dividing the number of units sold by the CYP conversion factor (if short-acting method) and multiplying by the CYP conversion factor (if long-acting method). Some prices/volumes are given for an entire method that may use multiple conversion factors. For example, the volume of implants was reported by combining all 3-, 4- and 5-year implants using each of their appropriate CYP conversion factors.

Annex 12: Contraceptive Method Volume

Table X5: Reported Contraceptive Method Volumes — National, 2016										
CYP sold or distributed in previous 1 month by outlet type and	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total
contraceptive method type*,†:	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)
1. Male condoms	36770.1 (0.0, 74856.9)	20.9	3.4	36 7 94.5 (0.0, 74878.9)	7566.1 -	10352.0	151450.0 (77124.1, 225776.0)	17689.8 (0.0, 37138.5)	187057.9 (99047.7, 275068.2)	223852.4 (130453.3, 317251.5)
2. Female condoms	1835.1 (0.0, 3971.4)	0.0	0.0	1835.1 (0.0, 3971.4)	98.7 -	4.8	298.7 -	0.9 -	403.2 -	2238.3 (89.4, 4387.1)
3. Cyclebeads	446.0	0.0	0.0	446.0 -	576.4 -	8.5 -	212.3 (0.0, 517.1)	0.0	797.3 (0.0, 2092.9)	1243.3
4. Oral contraceptives	8199.2 (4123.6, 12274.9)	0.0	12.4	8211.6 (4137.9, 12285.3)	5681.2 (0.0, 14613.2)	2651.2 (358.5, 4944.0)	48417.4 (26003.0, 70831.9)	205.3 (0.0, 435.8)	56955.1 (26611.3, 87298.8)	65166.7 (34806.6, 95526.7)
IQA oral contraceptives	8199.2 (4123.6, 12274.9)	0.0	12.4 -	8211.6 (4137.9, 12285.3)	5677.8 (0.0, 14609.8)	2647.8 (359.2, 4936.3)	48137.2 (25946.9, 70327.5)	205.3 (0.0, 435.8)	56668.1 (26585.8, 86750.3)	64879.7 (34774.9, 94984.4)
Combined oral contraceptives	4991.4 (2064.8, 7918.0)	0.0 -	0.1 -	4991.5 (2064.9, 7918.2)	5670.7 (0.0, 14602.7)	2651.2 (358.5, 4944.0)	48227.4 (25841.2, 70613.5)	205.3 (0.0, 435.8)	56754.5 (26431.9, 87077.1)	61746.0 (31624.7, 91867.4)
Progestin-only pills	3207.8 (1750.3, 4665.4)	0.0 -	12.3	3220.1 (1765.0, 4675.2)	10.5 (0.0, 21.1)	0.0 -	190.1 (0.0, 452.2)	0.0 -	200.6 (0.0, 462.9)	3420.6 (1882.8, 4958.5)
5. Emergency contraceptives	8.8 (0.0, 26.9)	0.0	0.0	8.8 (0.0, 26.9)	11.4 (0.0, 24.5)	4960.3 (288.7, 9631.8)	20032.1 (1739.4, 38324.8)	41.9 (0.0, 102.0)	25045.7 (3767.0, 46324.3)	25054.5 (3775.8, 46333.2)
IQA emergency	8.8	0.0	0.0	8.8	0.0	2363.9	12956.4	23.1	15343.5	15352.3
contraceptives 6. Contraceptive injectables	(0.0, 26.9) 44500.3	816.7	156.6	(0.0, 26.9) 45473.6	11791.5	(215.8, 4512.1) 6074.3	(0.0, 26508.8) 23690.3	(0.0, 61.2)	(409.6, 30277.3) 41557.8	(418.5, 30286.1) 87031.4
Depo-provera	(18504.2, 70496.4) 30802.7	54.1	110.4	(19543.0, 71404.2) 30967.2	(0.0, 25308.2) 6744.3	(1874.0, 10274.5) 2969.7	(9930.4, 37450.3) 14329.5	(0.0, 5.3)	(20784.5, 62331.2) 24043.5	(53115.1, 120947.7) 55010.7
injectables Noristerat	(11670.0, 49935.4) 13697.6	(54.1,54.1) 762.6	(110.4, 110.4) 46.3	(11837.0, 50097.4) 14506.4	(196.5, 13292.0) 5047.2	(545.3, 5394.0) 3104.6	(5374.3, 23284.8) 9360.8	1.8	(12313.0, 35774.0) 17514.4	(32519.4, 77501.9) 32020.8
injectables Sayana Press injectables	(5073.3, 22321.8) 0.0	(762.6, 762.6) 0.0	0.0	(5862.1, 23150.7) 0.0	(0.0, 12168.5)	(1112.1, 5097.1) 28.6	(4041.5, 14680.1) 994.1	0.0, 5.3)	(7928.6, 27100.2) 1046.2	(18448.0, 45593.5)
7. Implants	131807.4 (36054.2, 227560.6)	0.0	34.0	131841.5 (36082.6, 227600.3)	(0.0, 58.8) 276907.4 (0.0, 693839.2)	(0.0, 73.2) 0.0 -	(0.0, 2697.5) 167.6 (0.0, 509.0)	0.0	(0.0, 2752.2) 277075.1 (0.0, 691314.3)	(0.0, 2752.2) 408916.5 (6101.2, 811731.8)
Implanon implants	47463.2 (12097.7, 82828.8)	0.0	16.5 -	47479.7 (12107.9, 82851.6)	168669.7 (0.0, 417573.9)	0.0	167.6 (0.0, 509.0)	0.0	168837.3 (0.0, 415433.5)	216317.1 (0.0, 459321.4)
Jadelle implants	84344.2 (7857.6, 160830.7)	0.0 -	17.6 -	84361.7 (7874.6, 160848.8)	108237.7 (0.0, 295323.9)	0.0 -	0.0	0.0	108237.7 (0.0, 294834.1)	192599.5 (7524.6, 377674.3)

Table X5: Repor	Table X5: Reported Contraceptive Method Volumes — National, 2016										
CYP sold or distributed in previous 1 month by outlet type and	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total	
contraceptive method type*,†:	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	
8. IUDs	24793.9 (0.0, 61438.9)	0.0	154.3	24948.2 (0.0, 61621.0)	119547.9 (0.0, 318411.9)	322.0 (0.0, 748.9)	1546.5 (0.0, 3734.5)	0.0	121416.3 (0.0, 318162.3)	146364.5 (0.0, 348353.8)	
9. Male	0.0	0.0	0.0	0.0	565.5	0.0	0.0	0.0	565.5	565.5	
sterilization	-	-	-	-	-	-	-	-	-	-	

2516.5

425262.6

(0.0, 966273.1)

10. Female

sterilization

Total Volume

1102.8

249463.7

(102927.1, 396000.3)

0.0

837.6

(0.0, 3826.0)

0.0

360.8

1102.8

250662.0

(104179.8, 397144.3)

0.0

24373.1

(7536.8, 41209.4)

0.0

245815.0

(134245.0, 357385.1)

0.0

17939.7

2516.5

713390.3

(0.0, 37394.7) (68493.3, 1358287.3)

3619.3

964052.4

(324792.2, 1603312.5)

[†] A total of 4,295 FP products were audited (3,007 contraceptive tablets, 1,004 injection products). In addition, 1,923 outlets were audited for male condoms, 223 for female condoms, 72 for Cyclebeads, 37 outlets for female sterilization services and 15 outlets for male sterilization services. A total of 2 injection products and 4 tablet products were excluded from market share analysis due to inconsistent or missing generic names. 56 emergency contraceptive products, 129 oral contraceptives, 205 male condoms, 17 female condoms and 10 Cyclebeads were excluded from analysis for missing volume information. 2 male sterilizations and 4 female sterilizations were excluded for similar missing volume information as well. A total of 49 products were excluded due to outlier volumes and prices.

Table X6: Reported Contraceptive Method Volumes — Geopolitical Zones, 2016										
CYP sold or distributed in previous 1 month by outlet type and	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total
contraceptive method type*,†:	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)
1. Male condoms										
North Central	6227.4 (0.0, 13128.0)	20.9	0.0	6248.3 (0.0, 13130.5)	1305.7 (0.0, 3367.6)	2295.8 (0.0, 5509.9)	29303.7 (12345.3, 46262.1)	9014.7 (0.0, 30679.2)	41919.9 (6060.5, 77779.2)	48168.1 (6459.0, 89877.2)
North East	912.9 (0.0, 2486.7)	0.0	2.4	915.3 (0.0, 2488.4)	0.9 -	196.9 (0.0, 1966.5)	5213.8 (3280.7, 7146.9)	157.5 (0.0, 1771.9)	5569.1 (3022.3, 8115.9)	6484.4 (2781.2, 10187.6)
North West	1783.2 (68.8, 3497.6)	0.0	0.0	1783.2 (68.8, 3497.6)	381.6 -	97.7 -	5056.6 (0.0, 11070.4)	3.5 (0.0, 48.3)	5539.4 (0.0, 12594.2)	7322.7 (0.0, 14743.3)
South East	322.2 (0.0, 1338.7)	0.0	0.0	322.2 (0.0, 1338.7)	386.0 (0.0, 868.1)	1052.5 (0.0, 2456.6)	18454.9 (0.0, 41449.8)	1822.9 (0.0, 4105.8)	21716.3 (0.0, 46231.4)	22038.5 (0.0, 46727.9)
South South	26479.6 (0.0, 84428.2)	0.0	0.0	26479.6 (0.0, 84428.2)	3904.2 (0.0, 15292.9)	1930.1 (0.0, 5961.9)	48760.8 (0.0, 124445.8)	294.6 (0.0, 1240.3)	54889.6 (0.0, 139883.8)	81369.2 (0.0, 172005.0)
South West	1044.9 (0.0, 2394.4)	0.0	1.1	1046.0 (0.0, 2397.3)	1587.8 (0.0, 3660.3)	4779.0 (0.0, 12941.5)	44660.3 (0.0, 91411.3)	6396.6 (0.0, 19578.5)	57423.6 (2481.2, 112366.0)	58469.6 (3211.7, 113727.5)

^{*} A total of 964,052 CYP (weighted) were reportedly distributed in the previous 1 month. This is based on the number of commodities reportedly sold for categories 1-8 (not number of services performed for categories 6-8) and number of sterilizations reportedly performed for categories 9-10.

Table X6: Reported Contraceptive Method Volumes — Geopolitical Zones, 2016										
CYP sold or distributed in previous 1 month by outlet type and	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total
contraceptive method type*,†:	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)
2. Female condoms										
North Central	25.7 (0.0, 66.1)	0.0	0.0	25.7 (0.0, 66.1)	0.0	3.1	13.8 (0.0, 57.3)	0.0	16.9 (0.0, 63.3)	42.6 (0.0, 92.2)
North East	51.0 (0.0, 207.3) 444.2	0.0 - 0.0	0.0	51.0 (0.0, 207.3) 444.2	0.0	0.0	0.4 - 54.1	0.0 - 0.0	0.4 - 54.1	51.5 (0.0, 209.2) 498.4
North West	(0.0, 1545.3) 126.0	- 0.0	0.0 - 0.0	(0.0, 1545.3) 126.0	0.0 - 21.0	0.0 - 0.7	(0.0, 206.7)	- 0.0	(0.0, 206.7) 151.9	(0.0, 1575.9) 277.9
South East	(0.0, 555.6)	- 0.0	- 0.0	(0.0, 555.6) 991.9	(0.0, 89.6)	(0.0, 9.7)	(0.0, 470.3)	- 0.0	(0.0, 479.5) 81.5	(0.0, 892.3) 1073.4
South South South West	(0.0, 3929.9) 196.2	0.0	0.0	(0.0, 3929.9) 196.2	- 14.4	- 1.1	(0.0, 63.4) 81.9	- 0.9	(0.0, 296.3) 98.3	(0.0, 3439.1) 294.6
3. Cyclebeads	(0.0, 570.0)	-	-	(0.0, 570.0)	(0.0, 57.7)	(0.0, 3.3)	(0.0, 233.8)	-	(0.0, 255.9)	(0.0, 708.5)
North Central	0.0	0.0	0.0	0.0	0.0	0.0	7.6 (0.0, 31.6)	0.0	7.6 (0.0, 31.6)	7.6 (0.0, 28.5)
North East	0.0	0.0	0.0	0.0	0.0 -	0.0 -	0.0	0.0 -	0.0	0.0
North West	414 (0.0, 2183.8)	0.0	0.0 -	414 (0.0, 2183.8)	0.0 -	0.0 -	0.0	0.0 -	0.0	414 (0.0, 1723.0)
South East	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South South	0.0 - 32.0	0.0	0.0	0.0 - 32.0	0.0 - 576.4	0.0	134.1 (0.0, 559.1) 70.6	0.0 - 0.0	134.1 (0.0, 559.1) 655.6	134.1 (0.0, 504.9) 687.7
South West	-	0.0	0.0		-	8.5 -	(0.0, 184.7)	-	(0.0, 2499.6)	(0.0, 2631.3)
4. Oral contraceptives										
North Central	1412.3 (0.0, 3294.2)	0.0	11.4	1423.7 (0.0, 3299.0)	969.5 (0.0, 2610.0)	425.1 (97.4, 752.8)	11777.9 (54.6, 23501.2)	9.6 (0.0, 33.1)	13182.2 (1165.1, 25199.3)	14605.9 (1957.3, 27254.5)
North East	640.2 (0.0, 1314.7)	0.0	1.0	641.2 (0.0, 1318.4)	3.1 (0.0, 10.6)	25.6 (0.0, 348.5)	1994.4 (0.0, 5056.1)	0.0 -	2023.1 (0.0, 5056.5)	2664.3 (0.0, 5776.7)
North West	2525.5 (0.0, 5075.7)	0.0	0.0	2525.5 (0.0, 5075.7)	3.1 (0.0, 13.1)	45.3 (0.0, 616.8)	6128 (1328.2, 10927.8)	0.0 -	6176.4 (1338.2, 11014.5)	8701.9 (2906.1, 14497.7)
South East	367.2 (0.0, 749.2)	0.0	0.0	367.2 (0.0, 749.2)	67.5 (11.3, 123.8)	170.3 (0.0, 453.5)	4951.8 (0.0, 11865.5)	87.0 (0.0, 326.4)	5276.6 (0.0, 12648.6)	5643.8 (0.0, 13187.7)
South South	2596.6	0.0	0.0	2596.6	4442.3	522.2	10691.2	0.0	15655.7	18252.3

Table X6: Reported Contraceptive Method Volumes — Geopolitical Zones, 2016										
CYP sold or distributed in previous 1 month by outlet type and	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total
contraceptive method type*,†:	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)
South West	(0.0, 6617.3) 657.4 (0.0, 1548.1)	0.0	0.0	(0.0, 6617.3) 657.4 (0.0, 1548.1)	(0.0, 16310.8) 195.6 (0.0, 402.1)	(0.0, 1282.3) 1462.6 (0.0, 4176.2)	(0.0, 31198.2) 12874.2 (670.5, 25077.9)	- 108.6 (0.0, 293.5)	(0.0, 47695.1) 14641.0 (850.0, 28432.1)	(0.0, 49764.3) 15298.5 (1358.6, 29238.3)
IQA oral contraceptives¶										
North Central	1412.3 (0.0, 3294.2)	0.0	11.4	1423.7 (0.0, 3299.0)	969.5 (0.0, 2610.0)	425.1 (97.4, 752.8)	11750.6 (71.8, 23429.4)	9.6 (0.0, 33.1)	13154.9 (1182.0, 25127.7)	14578.6 (1969.9, 27187.2)
North East	640.2 (0.0, 1314.7) 2525.5	0.0 - 0.0	1.0 - 0.0	641.2 (0.0, 1318.4) 2525.5	3.1 (0.0, 10.6) 3.1	25.6 (0.0, 349.5) 45.3	1989.4 (0.0, 5035.4) 6128	0.0 - 0.0	2018 (0.0, 5035.8) 6176.4	2659.3 (0.0, 5756.3) 8701.9
North West	(0.0, 5075.7)	-	-	(0.0, 5075.7)	(0.0, 13.1)	(0.0, 616.8)	(1328.2, 10927.8)	-	(1338.2, 11014.5)	(2906.1, 14497.7)
South East	367.2 (0.0, 749.2) 2596.6	0.0	0.0 - 0.0	367.2 (0.0, 749.2) 2596.6	67.5 (11.3, 123.8) 4442.3	170.3 (0.0, 453.5) 522.2	4951.8 (0.0, 11865.5) 10539.0	87.0 (0.0, 326.4) 0.0	5276.6 (0.0, 12648.6) 15503.5	5643.8 (0.0, 13187.7) 18100.0
South South	(0.0, 6617.3) 657.4	- 0.0	- 0.0	(0.0, 6617.3) 657.4	(0.0, 16310.8)	(0.0, 1282.3) 1459.3	(0.0, 30657.6) 12778.5	108.6	(0.0, 47153.8) 14538.7	(0.0, 49227.9) 15196.1
South West Combined oral	(0.0, 1548.1)	-	-	(0.0, 1548.1)	(0.0, 397.3)	(0.0, 4167.5)	(525.9, 25031.1)	(0.0, 293.5)	(709.7, 28367.6)	(1225.6, 29166.6)
contraceptives North Central	863.8	0.0	0.0	863.8	969.5	425.1	11772.0	9.6	13176.3	14040.1
North East	(0.0, 2013.8) 473.7 (0.0, 977.7)	0.0	0.1	(0.0, 2013.8) 473.9 (0.0, 978.1)	(0.0, 2610.0) 2.4 (0.0, 7.5)	(97.4, 752.8) 25.6 (0.0, 348.5)	(47.0, 23497.1) 1994.4 (0.0, 5056.1)	(0.0, 33.1)	(1159.2, 25193.4) 2022.4 (0.0, 5056.6)	(1592.3, 26487.9) 2496.3 (0.0, 5746.0)
North West	1635 (0.0, 3560.9)	0.0	0.0	1635 (0.0, 3560.9)	3.1 (0.0, 13.1)	45.3 (0.0, 616.8)	5945.8 (1337.8, 10553.9)	0.0	5994.3 (1348.6, 10639.9)	7629.3 (2627.5, 12631.1)
South East	140.3 (0.0, 302.3)	0.0	0.0	140.3 (0.0, 302.3)	60.1 (0.0, 122.5)	170.3 (0.0, 453.5)	4949.8 (0.0, 11858.3)	87.0 (0.0, 326.4)	5267.2 (0.0, 12642.1)	5407.5 (0.0, 12823.9)
South South	1742.9 (0.0, 4734.0) 135.8	0.0	0.0 - 0.0	1742.9 (0.0, 4734.0) 135.8	4442.3 (0.0, 16310.8) 193.3	522.2 (0.0, 1282.3) 1462.6	10691.2 (0.0, 31198.2) 12874.1	0.0 - 108.6	15655.7 (0.0, 47695.1) 14638.6	17398.6 (0.0, 48824.0) 14774.4
South West Progestin-only pills	(0.0, 413.8)	-	-	(0.0, 413.8)	(0.0, 396.5)	(0.0, 4176.2)	(670.4, 25077.9)	(0.0, 293.5)	(849.7, 28427.5)	(880.1, 28668.8)
North Central	548.6 (0.0, 1317.8)	0.0	11.4 -	560.0 (0.0, 1322.0)	0.0 -	0.0	5.9 (0.0, 18.9)	0.0	5.9 (0.0, 18.9)	565.8 (0.0, 1325.0)
North East	166.5 (0.0, 441.2)	0.0	0.9	167.4 (0.0, 444.4)	0.7 (0.0, 3.7)	0.0	0.0	0.0	0.7 (0.0, 2.9)	168.1 (0.0, 446.9)
North West	890.5 (135.1, 1645.9)	0.0	0.0	890.5 (135.1, 1645.9)	0.0 -	0.0 -	182.1 (0.0, 495.4)	0.0	182.1 (0.0, 495.4)	1072.7 (169.1, 1976.2)

Table X6: Reported Contraceptive Method Volumes — Geopolitical Zones, 2016												
CYP sold or distributed in previous 1 month by outlet type and	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total		
contraceptive method type*,†:	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)		
South East	226.9 (0.0, 499.7)	0.0	0.0	226.9 (0.0, 499.7)	7.4 (0.0, 20.9)	0.0	2.0 (0.0, 7.4)	0.0	9.4 (0.0, 21.9)	236.3 (0.0, 515.9)		
South South	853.7 (0.0, 2171.8)	0.0	0.0	853.7 (0.0, 2171.8)	0.0	0.0	0.0	0.0	0.0 -	853.7 (0.0, 2126.8)		
South West	521.6 (0.0, 1200.2)	0.0	0.0 -	521.6 (0.0, 1200.2)	2.3 (0.0, 6.2)	0.0 -	0.1 (0.0, 0.2)	0.0 -	2.4 (0.0, 6.2)	524.1 (0.0, 1202.6)		
5. Emergency contraceptives												
North Central	0.0 -	0.0	0.0 -	0.0 -	8.9 (0.0, 23.2)	450.3 (0.0, 1129.3)	7219.7 (0.0, 20281.9)	0.0 -	7678.9 (0.0, 20573.1)	7678.9 (0.0, 20573.1)		
North East	8.8 (0.0, 36.9)	0.0	0.0	8.8 (0.0, 36.9)	0.0 -	50.8 (0.0, 669.9)	397 (0.0, 1148.8)	0.0 -	447.8 (0.0, 1192.5)	456.6 (0.0, 1203.8)		
North West	0.0 -	0.0	0.0 -	0.0 -	0.0 -	15.4 (0.0, 210.4)	194.5 (0.0, 584.3)	0.0 -	210 (0.0, 637.1)	210 (0.0, 637.1)		
South East	0.0 -	0.0	0.0 -	0.0 -	0.0 -	141.0 (0.0, 335.0)	632.5 (80.6, 1184.4)	18.2 (0.0, 68.3)	791.7 (264.5, 1318.9)	791.7 (264.5, 1318.9)		
South South	0.0 -	0.0	0.0 -	0.0 -	0.0 -	1816.2 (0.0, 6905.1)	8444.7 (0.0, 26687.2)	0.0 -	10260.9 (0.0, 32663.1)	10260.9 (0.0, 32663.1)		
South West	0.0 -	0.0	0.0	0.0 -	2.5 (0.0, 8.9)	2486.5 (0.0, 6419.8)	3143.7 (551.5, 5735.8)	23.7 (0.0, 83.3)	5656.4 (260.5, 11052.3)	5656.4 (260.5, 11052.3)		
IQA Emergency contraceptives												
North Central	0.0	0.0	0.0	0.0	0.0	324.6 (0.0, 827.9)	1611.2 (0.0, 3916.8)	0.0	1935.7 (0.0, 4294.7)	1935.7 (0.0, 4294.7)		
North East	8.8 (0.0, 36.9)	0.0	0.0 -	8.8 (0.0, 36.9)	0.0 -	39.0 (0.0, 516.5)	380.1 (0.0, 1101.5)	0.0 -	419.1 (0.0, 1130.6)	427.9 (0.0, 1140.2)		
North West	0.0 -	0.0	0.0 -	0.0 -	0.0 -	15.4 (0.0, 210.4)	131.2 (0.0, 417.7)	0.0 -	146.7 (0.0, 470.6)	146.7 (0.0, 470.6)		
South East	0.0	0.0	0.0	0.0	0.0	123.8 (0.0, 315.7)	543.3 (43.2, 1043.4)	18.2 (0.0, 68.3)	685.3 (205.1, 1165.5)	685.3 (205.1, 1165.5)		
South South	0.0	0.0	0.0	0.0	0.0	817.1 (0.0, 2757.7)	7780.5 (0.0, 24406.4)	0.0 -	8597.6 (0.0, 26837.2)	8597.6 (0.0, 26837.2)		
South West	0.0 -	0.0	0.0	0.0	0.0 -	1044.1 (0.0, 3090.7)	2510.1 (0.0, 5195.2)	4.9 (0.0, 17.1)	3559.1 (0.0, 7142.3)	3559.1 (0.0, 7142.3)		
6. Contraceptive injectables												
North Central	7721.6 (3395.5, 12047.7)	816.7 (0.0, 3855.5)	137.5 -	8675.8 (4977.9, 12373.6)	2123.4 (0.0, 5357.0)	1856.5 (0.0, 3728.2)	3044.5 (1402.8, 4686.2)	0.0 -	7024.3 (3048.6, 11000.1)	15700.1 (10138.6, 21261.5)		

Table X6: Reported Contraceptive Method Volumes — Geopolitical Zones, 2016												
CYP sold or distributed in previous 1 month by outlet type and	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total		
contraceptive method type*,†:	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)		
North East	4774.1 (0.0, 11359.5)	0.0	9.1	4783.2 (0.0, 11388.8)	0.0	51.8 (0.0, 691.3)	929.1 (121.6, 1736.6)	0.0	980.9 (49.5, 1912.2)	5764.1 (0.0, 12429.2)		
North West	14000.6 (0.0, 32445.4)	0.0	0.0	14000.6 (0.0, 32445.4)	699.9 (0.0, 2662.6)	57.3 (0.0, 760.5)	17115.4 (950.1, 33280.7)	0.0	17872.5 (287.4, 35457.6)	31873.1 (5336.2, 58409.9)		
South East	1781.3 (0.0, 4039.4)	0.0	0.0	1781.3 (0.0, 4039.4)	737.2 (168.4, 1306.0)	88.7 (0.0, 288.6)	1023.6 (0.0, 3214.1)	0.0	1849.4 (0.0, 3966.2)	3630.8 (673.6, 6588.0)		
South South	12704.3 (0.0, 39666.7)	0.0	0.0	12704.3 (0.0, 39666.7)	7479.0 (0.0, 25164.3)	968.7 (0.0, 2726.3)	681.8 (0.0, 1792.9)	0.0	9129.5 (0.0, 25791.8)	21833.8 (0.0, 51542.9)		
South West	3518.3 (10.6, 7026.0)	0.0	10.1 (0.0, 52.5)	3528.4 (16.5, 7040.3)	752.1 (0.0, 1743.0)	3051.3 (0.0, 7597.4)	896.0 (0.0, 2292.9)	1.8 (0.0, 6.2)	4701.2 (0.0, 11098.9)	8229.6 (0.0, 17543.0)		
Depo-provera injectables												
North Central	4445.3 (1646.8, 7243.9)	54.1 (0.0, 285.4)	99.6 -	4599.0 (1839.5, 7358.5)	1671.2 (0.0, 4257.7)	680.8 (0.0, 1635.2)	1723.2 (863.6, 2582.9)	0.0	4075.2 (1729.0, 6421.4)	8674.2 (5316.9, 12031.5)		
North East	3156.9 (0.0, 7887.6)	0.0	5.8 -	3162.7 (0.0, 7907.0)	0.0	0.7 (0.0, 9.0)	423.8 (0.0, 872.1)	0.0	424.4 (0.0, 872.1)	3587.1 (0.0, 8195.1)		
North West	11760.0 (0.0, 28599.3)	0.0	0.0	11760.0 (0.0, 28599.3)	279.0 (0.0, 956.5)	26.2 (0.0, 356.9)	9972.8 (0.0, 20382.3)	0.0	10278.0 (0.0, 21207.2)	22038.1 (2144.6, 41931.6)		
South East	1393.5 (0.0, 2846.2)	0.0	0.0	1393.5 (0.0, 2846.2)	672.2 (62.0, 1282.4)	82.1 (0.0, 283.3)	990.6 (0.0, 3187.0)	0.0	1744.9 (0.0, 3889.4)	3138.4 (737.0, 5539.7)		
South South	8074.6 (0.0, 24511.9)	0.0	0.0	8074.6 (0.0, 24511.9)	3608.9 (0.0, 11838.8)	322.7 (0.0, 938.1)	613.9 (0.0, 1717.2)	0.0	4545.5 (0.0, 12310.2)	12620.1 (0.0, 29796.2)		
South West	1972.3 (0.0, 4594.3)	0.0	5.0 (0.0, 26.3)	1977.4 (0.0, 4600.6)	512.8 (0.0, 1181.2)	1857.3 (0.0, 4610.8)	605.3 (0.0, 1500.5)	0.0	2975.4 (0.0, 6862.9)	4952.8 (0.0, 10960.3)		
Noristerat injectables	(1.3) 33 37		(==, ==,	(5.7)		((0.5)		(2.3, 22.2.2)	(23)		
North Central	3276.3 (1073.3, 5479.2)	762.6 (0.0, 3905.9)	37.9 -	4076.7 (1769.2, 6384.3)	452.2 (0.0, 1142.7)	1175.7 (0.0, 2459.6)	1321.3 (395.3, 2247.2)	0.0	2949.1 (1217.2, 4681.0)	7025.9 (3991.9, 10059.8)		
North East	1617.3 (0.0, 3550.7)	0.0	3.3 -	1620.6 (0.0, 3559.9)	0.0 -	51.1 (0.0, 699.0)	505.3 (0.0, 1101.0)	0.0 -	556.4 (0.0, 1209.6)	2177.0 (34.1, 4319.9)		
North West	2240.5 (0.0, 5502.9)	0.0	0.0	2240.5 (0.0, 5502.9)	420.8 (0.0, 1710.5)	31.1 (0.0, 403.6)	7142.6 (889.0, 13396.2)	0.0	7594.5 (543.1, 14645.9)	9835.0 (385.7, 19284.3)		
South East	387.9 (0.0, 1337.6)	0.0	0.0	387.9 (0.0, 1337.6)	64.9 (0.0, 166.7)	6.6 (0.0, 27.5)	33.0 (0.0, 123.8)	0.0	104.6 (0.0, 248.2)	492.4 (0.0, 1540.1)		
South South	4629.7 (0.0, 15186.6)	0.0	0.0	4629.7 (0.0, 15186.6)	3870.0 (0.0, 13342.8)	646.0 (0.0, 1794.9)	67.9 (0.0, 187.2)	0.0	4584.0 (0.0, 13535.3)	9213.7 (0.0, 22134.3)		
South West	1546.0 (413.3, 2678.7)	0.0	5.0 (0.0, 26.3)	1551.0 (414.7, 2687.4)	239.3 (0.0, 597.9)	1194.1 (0.0, 3006.5)	290.7 (0.0, 872.4)	1.8 (0.0, 6.2)	1725.8 (0.0, 4284.9)	3276.8 (0.0, 6658.1)		

Table X6: Reported Contraceptive Method Volumes — Geopolitical Zones, 2016												
CYP sold or distributed in previous 1 month by outlet type and	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total		
contraceptive method type*,†:	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)		
Sayana Press injectables												
North Central	0.0 -	0.0 -	0.0 -	0.0 -	0.0 -	19.5 (0.0, 67.0)	0.0 -	0.0 -	19.5 (0.0, 67.0)	19.5 (0.0, 67.0)		
North East	0.0	0.0 -	0.0	0.0	0.0 -	0.0 -	0.0	0.0	0.0 -	0.0 -		
North West	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
South East	0.0	0.0	0.0	0.0	0.0	0.0	827.4 (0.0, 3105.0)	0.0	827.4 (0.0, 3105.0)	827.4 (0.0, 3105.0)		
South South	0.0	0.0	0.0	0.0	0.0	0.0	142.7 (0.0, 508.1)	0.0	142.7 (0.0, 508.1)	142.7 (0.0, 508.1)		
South West	0.0	0.0	0.0	0.0 -	23.5 (0.0, 67.5)	9.0 (0.0, 31.8)	24.0 (0.0, 80.4)	0.0	56.6 (0.0, 178.8)	56.6 (0.0, 178.8)		
7. Implants												
North Central	27461.5 (0.0, 80808.9)	0.0	0.0 -	27461.5 (0.0, 80808.9)	67410.1 (0.0, 231169.3)	0.0 -	0.0 -	0.0	67410.1 (0.0, 231169.3)	94871.6 (0.0, 256341.9)		
North East	4394.7 (0.0, 16435.9)	0.0	34.0	4428.7 (0.0, 16577.8)	13.2 (0.0, 69.8)	0.0 -	0.0	0.0	13.2 (0.0, 55.1)	4441.9 (0.0, 16632.9)		
North West	34179.8 (0.0, 84805.3)	0.0	0.0	34179.8 (0.0, 84805.3)	0.0 -	0.0 -	0.0	0.0	0.0 -	34179.8 (0.0, 84805.3)		
South East	2374.0 (0.0, 8909.2)	0.0	0.0	2374.0 (0.0, 8909.2)	3545.1 (0.0, 9632.9)	0.0 -	0.0	0.0	3545.1 (0.0, 9632.9)	5919.1 (0.0, 18388.8)		
South South	54720.1 (0.0, 151921.5)	0.0	0.0 -	54720.1 (0.0, 151921.5)	205497.8 (0.0, 734662.9)	0.0 -	167.6 (0.0, 596.7)	0.0 -	205665.4 (0.0, 697031.8)	260385.5 (0.0, 733934.3)		
South West	8677.3 (0.0, 24149.1)	0.0	0.0	8677.3 (0.0, 24149.1)	441.3 (0.0, 1334.8)	0.0 -	0.0	0.0	441.3 (0.0, 1334.8)	9118.6 (0.0, 24702.1)		
Implanon implants												
North Central	15018.2 (0.0, 40830.7)	0.0	0.0	15018.2 (0.0, 40830.7)	67410.1 (0.0, 231169.3)	0.0 -	0.0	0.0	67410.1 (0.0, 231169.3)	82428.2 (0.0, 242252.7)		
North East	3745.7 (0.0, 14071.5)	0.0	16.5 -	3762.2 (0.0, 14140.3)	13.2 (0.0, 69.8)	0.0	0.0	0.0	13.2 (0.0, 55.1)	3775.4 (0.0, 14195.3)		
North West	13429.7 (0.0, 34059.0)	0.0	0.0	13429.7 (0.0, 34059.0)	0.0	0.0 -	0.0	0.0	0.0	13429.7 (0.0, 34059.0)		
South East	818.6 (0.0, 3072.1)	0.0	0.0	818.6 (0.0, 3072.1)	496.7 (0.0, 1355.5)	0.0	0.0	0.0	496.7 (0.0, 1355.5)	1315.4 (0.0, 4044.7)		
South South	9965.6 (0.0, 37246.1)	0.0	0.0	9965.6 (0.0, 37246.1)	100735.5 (0.0, 379282.2)	0.0 -	167.6 (0.0, 596.7)	0.0	100903.1 (0.0, 358711.1)	110868.7 (0.0, 364824.0)		

Table X6: Reported Contraceptive Method Volumes — Geopolitical Zones, 2016												
CYP sold or distributed in previous 1 month by outlet type and	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total		
contraceptive method type*,†:	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)		
South West	4485.4 (0.0, 11750.2)	0.0	0.0	4485.4 (0.0, 11750.2)	14.2 (0.0, 50.0)	0.0 -	0.0 -	0.0 -	14.2 (0.0, 50.0)	4499.6 (0.0, 11753.8)		
Jadelle implants												
North Central	12443.3 (0.0, 40793.1)	0.0	0.0	12443.3 (0.0, 40793.1)	0.0 -	0.0	0.0	0.0	0.0 -	12443.3 (0.0, 40793.1)		
North East	649.0 (0.0, 2377.9)	0.0	17.6 -	666.5 (0.0, 2450.6)	0.0 -	0.0	0.0	0.0	0.0 -	666.5 (0.0, 2450.6)		
North West	20750.1 (0.0, 51228.2)	0.0	0.0	20750.1 (0.0, 51228.2)	0.0	0.0 -	0.0	0.0	0.0 -	20750.1 (0.0, 51228.2)		
South East	1555.4 (0.0, 5837.1)	0.0	0.0	1555.4 (0.0, 5837.1)	3048.4 (0.0, 8771.9)	0.0 -	0.0	0.0 -	3048.4 (0.0, 8771.9)	4603.7 (0.0, 14483.1)		
South South	44754.4 (0.0, 136484.6)	0.0	0.0	44754.4 (0.0, 136484.6)	104762.3 (0.0, 356371.8)	0.0 -	0.0	0.0	104762.3 (0.0, 339227.6)	149516.8 (0.0, 377641.8)		
South West	4192.0 (0.0, 12572.9)	0.0	0.0 -	4192.0 (0.0, 12572.9)	427.0 (0.0, 1328.4)	0.0 -	0.0 -	0.0 -	427.0 (0.0, 1328.4)	4619.0 (0.0, 13021.2)		
8. IUDs												
North Central	565.6	0.0	0.0	565.6	99110.4	71.8	1003.1	0.0	100185.3	100750.9		
North Central	(0.0, 1531.7)	-	-	(0.0, 1531.7)	(0.0, 333655.3)	(0.0, 246.1)	(0.0, 3440.6)	-	(0.0, 334309.2)	(0.0, 334655.0)		
North East	1122.6	0.0	15.2	1137.8	41.1	0.0	0.0	0.0	41.1	1178.9		
TVOT CIT Ed SC	(0.0, 4039.4)	-	-	(0.0, 4102.0)	(0.0, 163.6)	-	-	-	(0.0, 137.0)	(0.0, 4131.9)		
North West	1697.3	0.0	0.0	1697.3	0.0	0.0	0.0	0.0	0.0	1697.3		
	(0.0, 4687.6)	0.0	0.0	(0.0, 4687.6) 0.0	4198.3	182.5	336.1	0.0	4717.0	(0.0, 4687.6) 4717.0		
South East	0.0	0.0	0.0	0.0	(0.0, 11217.8)	(0.0, 758.5)	(0.0, 1261.5)	0.0	(0.0, 11522.7)	4717.0 (0.0, 11522.7)		
	17778.3	0.0	0.0	17778.3	5078.1	0.0	0.0	0.0	5078.1	22856.3		
South South	(0.0, 66937.6)	-	-	(0.0, 66937.6)	(0.0, 18870.2)	-	-	-	(0.0, 17856.9)	(0.0, 81148.4)		
6 11 111 1	3630.1	0.0	139.1	3769.2	11120.0	67.7	207.2	0.0	11394.9	15164.1		
South West	(0.0, 8802.6)	-	(0.0, 724.6)	(0.0, 9226.5)	(0.0, 31856.0)	(0.0, 225.7)	(0.0, 728.4)	-	(0.0, 32640.5)	(0.0, 40010.8)		
9. Male sterilizations												
North Central	0.0	0.0	0.0	0.0	0.0 -	0.0	0.0	0.0	0.0 -	0.0 -		
North East	0.0	0.0	0.0	0.0	0.0 -	0.0	0.0	0.0	0.0	0.0		
North West	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 -	0.0		
South East	0.0	0.0	0.0	0.0	480.1 (0.0, 1995.1)	0.0	0.0	0.0	480.1 (0.0, 1995.1)	480.1 (0.0, 1995.1)		

Table X6: Reported Contraceptive Method Volumes — Geopolitical Zones, 2016												
CYP sold or distributed in previous 1 month by outlet type and	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total		
contraceptive method type*,†:	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)		
South South	0.0	0.0	0.0	0.0	0.0 -	0.0	0.0	0.0	0.0	0.0		
South West	0.0	0.0	0.0	0.0	85.4 -	0.0	0.0	0.0	85.4 -	85.4 -		
10. Female sterilizations												
North Central	454.3 -	0.0	0.0	454.3 -	79.9 (0.0, 421.5)	0.0	0.0	0.0	79.9 (0.0, 421.5)	534.3 (0.0, 2329.4)		
North East	0.0 -	0.0	0.0	0.0	0.0	0.0	0.0	0.0 -	0.0	0.0 -		
North West	648.5 (0.0, 2859.5)	0.0	0.0	648.5 (0.0, 2859.5)	0.0	0.0	0.0	0.0 -	0.0	648.5 (0.0, 2859.5)		
South East	0.0	0.0	0.0	0.0	690.4 (0.0, 2869.0)	0.0	0.0	0.0	690.4 (0.0, 2869.0)	690.4 (0.0, 2869.0)		
South South	0.0	0.0	0.0	0.0	16.3 (0.0, 86.1)	0.0	0.0	0.0	16.3 (0.0, 86.1)	16.3 (0.0, 86.1)		
South West	0.0 -	0.0	0.0	0.0	1729.8 (0.0, 6281.8)	0.0	0.0	0.0	1729.8 (0.0, 6281.8)	1729.8 (0.0, 6281.8)		
Total Volume												
North Central	43868.5 (0.0, 96050.4)	837.6 (0.0, 3826.0)	148.9	44854.9 (0.0, 96713.4)	171007.8 (0.0, 570892.3)	5102.5 (0.0, 10459.7)	52370.3 (12399.0, 92341.7)	9024.4 (0.0, 30683.6)	237505.0 (0.0, 693225.9)	282359.9 (0.0, 735282.3)		
North East	11904.4 (0.0, 32662.9)	0.0	61.7 -	11966.1 (0.0, 32912.3)	58.2 (0.0, 188.2)	325.1 (0.0, 3676.1)	8534.7 (6932.2, 10137.2)	157.5 (0.0, 1771.9)	9075.6 (6752.0, 11399.2)	21041.7 (1768.1, 40315.3)		
North West	55693.1 (0.0, 116564.5)	0.0	0.0	55693.1 (0.0, 116564.5)	1084.6 (0.0, 5317.4)	215.7 (0.0, 2919.4)	28548.6 (2918.9, 54178.2)	3.5 (0.0, 18.7)	29852.5 (1763.2, 57941.8)	85545.5 (3499.4, 167591.7)		
South East	4970.6 (0.0, 14918.1)	0.0	0.0	4970.6 (0.0, 14918.1)	10125.7 (0.0, 21854.7)	1635.7 (0.0, 3659.0)	25529.0 (0.0, 51574.0)	1928.1 (0.0, 4297.7)	39218.6 (5261.2, 73176.0)	44189.3 (3323.6, 85054.9)		
South South	115270.7 (0.0, 313797.0)	0.0	0.0	115270.7 (0.0, 313797.0)	226480.8 (0.0, 792714.3)	5237.2 (0.0, 13226.9)	68898.4 (0.0, 182894.0)	294.6 (0.0, 1240.3)	300911.1 (0.0, 945730.7)	416181.8 (0.0, 1044472.9)		
South West	17756.4 (0.0, 40743.5)	0.0	150.2	17906.7 (0.0, 41045.2)	16505.3 (0.0, 39206.5)	11856.8	61933.9 (1953.0, 121914.8)	6531.6 (0.0, 19956.9)	96827.5 (0.0, 197479.7)	114734.2 (0.0, 238445.9)		

^{*} A total of 282359, 21041, 85545, 44189, 416181 and 114734 CYP (weighted) were reportedly distributed in the previous 1 month in the NC, NE, NW, SE, SS and SW regions, respectively. This is based on the number of commodities reportedly sold for categories 1-8 (not number of services performed for categories 6-8) and number of sterilizations reportedly performed for categories 9-10. See Annex 11 for a description of CYP calculation and Annex 12 for CYP numbers by outlet type and method category.

(0.0, 30587.0) (1953.0, 121914.8)

(0.0, 19956.9)

(0.0, 39206.5)

(0.0, 41045.2)

(0.0, 40743.5)

[†] A total of 2 injection products (NC region) and 4 tablet products (SW region), were excluded from analysis due to inconsistent or missing generic names. In addition, a total of 56 emergency contraceptive products (6, 2, 1, 11 & 36 in NC, NW, SE, SS & SW regions, respectively), 129 oral contraceptives (10, 6, 6, 8 & 99 in NC, NW, SE, SS & SW regions, respectively), 205 male condoms (21, 4, 12, 14, 11 & 143 in NC, NE, NW, SE, SS & SW regions, respectively), 17 female condoms (2, 1, 1, 1, 1 & 11 in NC, NE, NW, SE, SS & SW regions, respectively) and 10 Cyclebeads (8 in SE and 2 in SW) were excluded from analysis for missing volume information. 2 male sterilizations and 4 female sterilizations were excluded for missing volume information as well. A total of 179 products were excluded due to outlier volumes and prices (45, 1, 30, 14, 1 & 88 in NC, NE, NW, SE, SS & SW regions respectively).

Table X6: Repor	Table X6: Reported Contraceptive Method Volumes — Geopolitical Zones, 2016												
CYP sold or distributed in previous 1 month by outlet type and	Public Health Facility	Community Health Worker	Private Not- For-Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total			
contraceptive	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)			
method type*,†: (95% CI)													

Table X7: Reported Contraceptive Method Volumes — Urban/Rural, 2016												
CYP sold or distributed in previous 1 month by outlet type and	Public Health Facility	Community Health Worker	Private Not- For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total		
contraceptive method type*,†:	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)		
1. Male condoms												
Urban	1946.3 (177.6, 3715.0)	20.9	3.4	1970.6 (202.0, 3739.3)	1414.2	8077.9 -	62929.1 (18204.9, 107653.4)	8167.8	80589.1 (26795.5, 134382.7)	82559.8 (28400.5, 136719.0)		
Rural	34823.8 (0.0, 73380.1)	0.0	0.0	34823.8 (0.0, 73318.4)	6151.9 (0.0, 14581.1)	2274.0	88520.9 (33683.5, 143358.3)	9522.0 -	106468.8 (39996.0, 172941.7)	141292.7 (66038.6, 216546.7)		
2. Female condoms					, ,					, , ,		
Urban	349.1 (349.1,349.1)	0.0	0.0	349.1 (349.1,349.1)	18.0	4.4 -	225.7 -	0.9 -	248.9 -	598.0 (30.0, 1166.1)		
Rural	1485.9 (0.0, 3630.7)	0.0	0.0	1485.9 (0.0, 3630.7)	80.8	0.5 -	73.0 (0.0, 160.6)	0.0	154.3 (0.0, 346.6)	1640.2 (0.0, 3704.1)		
3. Cyclebeads												
Urban	32.0	0.0	0.0	32.0 -	576.4 -	8.5 -	212.3	0.0	797.3 -	829.3 -		
Rural	414.0 (0.0, 1723.0)	0.0	0.0	414.0 (0.0, 1723.0)	0.0	0.0	0.0	0.0	0.0	414.0		
4. Oral contraceptives	, ,			, ,								
Urban	1654.1 (594.4, 2713.8)	0.0	1.0	1655.1 (595.4, 2714.7)	265.6 (80.2, 451.0)	2471.2 (171.0, 4771.3)	16340.7 (4617.8, 28063.5)	118.3 (0.0, 267.2)	19195.7 (5889.9, 32501.4)	20850.8 (7179.4, 34522.1)		
Rural	6545.2 (2587.0, 10503.3)	0.0	11.4	6556.5 (2615.1, 10497.9)	5415.6 (0.0, 14519.0)	180.1	32076.8 (13835.7, 50317.8)	87.0 (0.0, 263.4)	37759.4 (12170.2, 63348.6)	44315.9 (18660.2, 69971.6)		

Table X7: Reported Contraceptive Method Volumes — Urban/Rural, 2016												
CYP sold or distributed in previous 1 month by outlet type and	Public Health Facility	Community Health Worker	Private Not- For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total		
contraceptive method type*,†:	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)		
Combined Oral Contraceptives												
Urban	853.8 (340.8, 1366.7)	0.0 -	0.1 -	853.9 (341.0, 1366.8)	260.0 (76.2, 443.7)	2471.2 (171.0, 4771.3)	16284.1 (4572.5, 27995.6)	118.3 (0.0, 267.2)	19133.4 (5839.5, 32427.3)	19987.3 (6556.6, 33418.1)		
Rural	4137.6 (1245.9, 7029.3)	0.0	0.0 -	4137.6 (1257.6, 7017.7)	5410.7 (0.0, 14514.2)	180.1	31943.3 (13710.3, 50176.3)	87.0 (0.0, 263.4)	37621.1 (12037.5, 63204.6)	41758.7 (16313.9, 67203.5)		
Progestin Only Pills												
Urban	800.3 (232.9, 1367.7)	0.0	0.9 -	801.2 (233.8, 1368.5)	5.6 (0.0, 12.0)	0.0 -	56.6 (0.0, 124.9)	0.0	62.3 (0.0, 130.7)	863.4 (272.6, 1454.3)		
Rural	2407.5 (1060.6, 3754.5)	0.0	11.4	2418.9 (1075.7, 3762.1)	4.9 (0.0, 15.0)	0.0	133.5 (0.0, 342.0)	0.0	138.3 (0.0, 346.7)	2557.2 (1102.8, 4011.7)		
5. Emergency contraceptives												
Urban	0.0	0.0	0.0	0.0	11.4 (0.0, 24.5)	4729.3 (0.0, 9479.1)	4100.9 (1551.5, 6650.4)	23.7 (0.0, 71.3)	8865.3 (1814.4, 15916.2)	8865.3 (1814.4, 15916.2)		
Rural	8.8 (0.0, 27.0)	0.0	0.0	8.8 (0.0, 27.0)	0.0	231.0	15931.2 (0.0, 32955.1)	18.2 (0.0, 55.1)	16180.4 (0.0, 33147.1)	16189.2 (0.0, 33155.7)		
6. Contraceptive Injectables												
Urban	9354.8 (2902.4, 15807.3)	0.0	19.2 -	9374.0 (2919.6, 15828.4)	1905.7 (698.8, 3112.7)	4838.4 (846.1, 8830.7)	8678.8 (1287.6, 16070.1)	1.8 (0.0, 5.3)	15424.7 (5528.2, 25321.1)	24798.7 (10692.6, 38904.7)		
Rural	35145.4 (9502.8, 60788.1)	816.7 -	137.5 -	36099.6 (10616.1, 61583.1)	9885.8 (0.0, 23251.5)	1235.9	15011.5 (6238.4, 23784.6)	0.0	26133.2 (10151.1, 42115.2)	62232.8 (33242.2, 91223.3)		
Depo-provera injectables												
Urban	6858.5 (1268.4, 12448.6)	0.0	10.8	6869.3 (1278.9, 12459.7)	1349.1 (511.7, 2186.5)	2685.8 (259.3, 5112.2)	5176.4 (121.0, 10231.8)	0.0	9211.3 (2730.1, 15692.4)	16080.6 (6517.4, 25643.8)		
Rural	23944.2 (4936.5, 42951.9)	54.1 -	99.6 -	24097.9 (5163.5, 43032.3)	5395.2 (0.0, 11819.4)	283.9	9153.2 (3607.8, 14698.5)	0.0	14832.2 (6550.6, 23113.9)	38930.1 (19229.8, 58630.4)		
Noristerat injectables												
Urban	2496.3 (858.8, 4133.9)	0.0	8.3	2504.7 (864.4, 4145.0)	556.7 (123.9, 989.4)	2152.6 (530.9, 3774.3)	3502.4 (827.5, 6177.4)	1.8 (0.0, 5.3)	6213.4 (2516.2, 9910.7)	8718.1 (3520.4, 13915.8)		
Rural	11201.2 (2906.8, 19495.7)	762.6 -	37.9 -	12001.7 (3722.5, 20281.0)	4490.6 (0.0, 11618.2)	952.0	5858.4 (2350.0, 9366.7)	0.0	11300.9 (3277.8, 19324.0)	23302.7 (11820.9, 34784.4)		
Sayana Press Injectables									,	·		
Urban	0.0	0.0	0.0	0.0	23.5	28.6	166.7	0.0	218.9	218.9		

Table X7: Reported Contraceptive Method Volumes — Urban/Rural, 2016												
CYP sold or distributed in previous 1 month by outlet type and	Public Health Facility	Community Health Worker	Private Not- For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total		
contraceptive method type*,†:	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)		
	-	-	-	-	(0.0, 59.2)	(0.0, 73.2)	(0.0, 461.9)	-	(0.0, 528.9)	(0.0, 528.9)		
Rural	0.0	0.0	0.0	0.0	0.0	0.0	827.4 (0.0, 2507.7)	0.0	827.4 (0.0, 2505.1)	827.4 (0.0, 2505.1)		
7. Implants												
Urban	62052.5 (481.7, 123623.3)	0.0	34.0	62086.6 (515.9, 123657.3)	3614.1 (0.0, 8207.3)	0.0	167.6 (0.0, 510.1)	0.0	3781.7 (0.0, 8310.4)	65868.3 (3923.0, 127813.6)		
Rural	69754.9 (0.0, 140206.6)	0.0	0.0	69754.9 (0.0, 139920.9)	273293.4 (0.0, 693694.4)	0.0 -	0.0	0.0	273293.4 (0.0, 687580.9)	343048.3 (0.0, 744096.9)		
Implanon implants												
Urban	28325.7 (49.8, 56601.6)	0.0	16.5 -	28342.2 (66.4, 56618.1)	539.8 (0.0, 1153.3)	0.0 -	167.6 (0.0, 510.1)	0.0	707.5 (13.6, 1401.3)	29049.7 (830.7, 57268.6)		
Rural	19137.5 (0.0, 41631.3)	0.0	0.0	19137.5 (0.0, 41540.1)	168129.9 (0.0, 422573.8)	0.0 -	0.0	0.0	168129.9 (0.0, 414784.8)	187267.4 (0.0, 430948.6)		
Jadelle implants												
Urban	33726.8 (327.9, 67125.7)	0.0	17.6 -	33744.3 (345.5, 67143.2)	3074.2 (0.0, 7409.6)	0.0	0.0	0.0	3074.2 (0.0, 7338.6)	36818.6 (2841.6, 70795.6)		
Rural	50617.4 (0.0, 117818.5)	0.0	0.0	50617.4 (0.0, 117546.0)	105163.5 (0.0, 290109.7)	0.0	0.0	0.0	105163.5 (0.0, 291741.1)	155780.9 (0.0, 337697.6)		
8. IUD												
Urban	4446.4 (197.4, 8695.4)	0.0	154.3 -	4600.7 (131.3, 9070.0)	15657.8 (0.0, 33497.7)	322.0 (0.0, 748.9)	1546.5 (0.0, 3741.6)	0.0	17526.3 (0.0, 35509.0)	22127.0 (1207.4, 43046.5)		
Rural	20347.5 (0.0, 56985.7)	0.0	0.0	20347.5 (0.0, 56837.1)	103890.0 (0.0, 306184.1)	0.0	0.0	0.0	103890.0 (0.0, 300136.8)	124237.5 (0.0, 325279.3)		
9. Male Sterilizations												
Urban	0.0	0.0	0.0	0.0	85.4 -	0.0	0.0	0.0	85.4 -	85.4 -		
Rural	0.0	0.0	0.0	0.0	480.1 (0.0, 6528.8)	0.0	0.0	0.0	480.1 (0.0, 6528.8)	480.1 (0.0, 6528.8)		
10. Female Sterilizations												
Urban	1102.8	0.0	0.0	1102.8	1826.0	0.0	0.0	0.0	1826.0	2928.8		
Rural	0.0	0.0	0.0	0.0	690.4	0.0	0.0	0.0	690.4	690.4		
Total Volume	0.0	0.0	0.0	0.0	690.4	0.0	0.0	0.0	690.4	690.4		
Urban	80938.1	20.9	211.9	81170.9	25374.6	20451.6	94201.6	8312.5	148340.3	229511.3		

Table X7: Reported Contraceptive Method Volumes — Urban/Ru	≀ural, 2016
--	-------------

CYP sold or distributed in previous 1 month by outlet type and	Public Health Facility	Community Health Worker	Private Not- For- Profit	Public Total	Private For- Profit Health Facility	Pharmacy	PPMV	General Retailer	Private Total	Total
contraceptive method type*,†:	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)	Vol CYP (95% CI)
	(11066.1, 150810.2)	-	-	(11237.6, 151104.3)	(3636.0, 47113.2)	(3668.6, 37234.7)	(34418.5, 153984.8)	-	(52958.8, 243721.8)	(91091.4, 367931.1)
Rural	168525.6	816.7	148.9	169491.1	399887.9	3921.5	151613.4	9627.2	565050.0	734541.1
	(37176.1, 299875.1)	(0.0, 9300.6)	-	(38134.6, 300847.6)	(0.0, 947436.1)	-	(65047.2, 238179.6)	-	(0.0, 1189678.1)	(117200.6, 1351881.6)

- * A total 734,541 and 229,511 CYP (weighted) were reportedly distributed in the previous 1 month in rural and urban areas, respectively. This is based on the number of commodities reportedly sold for categories 1-8 (not number of services performed for categories 6-8) and number of sterilizations reportedly performed for categories 9-10. See Annex 11 for a description of CYP calculation and Annex 12 for CYP numbers by outlet type and method category.
- † The total number of FP products audited (oral contraceptive, injection and insertion products) in rural and urban areas were 886 and 3,449 respectively.

 A total of 2 injection products and 4 tablet products were excluded from market share analysis due to inconsistent or missing generic names, 56 emergency contraceptive products (6 rural & 50 urban), 129 oral contraceptives (12 rural & 117 urban), 205 male condoms (27 rural & 178 urban), 17 female condoms (1 rural & 16 urban) and 10 Cyclebeads (5 rural & 5 urban), were excluded from market share analysis for missing volume information. 2 male sterilizations and 4 female sterilizations were excluded for missing volume information as well. A total of 179 products were excluded due to outlier volumes and prices (7 rural & 172 urban).

Source: FPwatch Outlet Survey, Nigeria, 2015